

SAFETY DATA S GHS: According to 2015/830/		Printed on	19 Sep 2024
Code Number Version 1 Revised 19/0	FM80265 9/2024 4:09:34 PM		
Section 1. Identification	n of the substance/mixture and of th	ne company/	undertaking
1.1 Product I dentifier Product Name Code Number Alternative Name	FREESIA FLOWER AI FM80265		
REACH Reg No	Not registered		
1.2 Relevant identified uses of the substance or mixture and uses advis		sed against	
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I dent	ification		
2.1 Classification of the	e substance or mixture		
SCI 3	Skin corrosion/irritation, category 3		
SS 1A	Skin sensitisation, category 1A		
EDI 2A	Eye damage/irritation, category 2A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/	/830/EU	
Code Number Version 1 Revised T	FM80265 19/09/2024 4:09:34 PM	
GHS classification	according to Regulation (EC) No 1272/2008	
Hazard Pictograr	ms	
	$\mathbf{\nabla}$	
Signal Word	Warning	
Hazard Statemer	nts	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H411	Toxic to aquatic life with long lasting effects	
Precautionary St	atements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly after handling	
P273	Avoid release to the environment.	
P280	Wear protective gloves and eye protection	
P333+P313	If skin irritation or rash occurs: Get medical advice.	
P337+P313	If eye irritation persists: Get medical attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P391	Collect spillage.	
P501	Dispose of contents/container in accordance to local regulati	ons
2.3 Other Hazards		
Contains Cinnama allergic reaction	I, Citral, Citronellol, Limonene and Linalool which may produce an	
No further informa	tion available at this time	
	tion / information on ingredients ad here for hazardous components are for illustrative purposes only	
3.2 Mixtures		
Complex mixture of	of ingredients	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

Code Number FM80265

Version 1 Revised 19/09/2024 4:09:34 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH A1,C3 H400,H412	10% - 30%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 32210-23-4 EINECS 250-954-9 REACH	4-tert-butylcyclohexyl acetate ATO 5(3323);SS 1B;EH A2 H303,H317,H401	1% - 10%
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl Acetate FL 4;SCI 2;SS 1B;EDI 2A;EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 17511-60-3 EINECS 241-514-7 REACH	3a,4,5,6,7,7a-hexahydro-4,7-methano-1H-inden-6-yl propionate SCI 3;EH A2,C2 H316,H401,H411	1% - 10%
CAS 63500-71-0 EINECS 405-040-6 REACH	A mixture of: cis-tetrahydro-2-isobutyl-4-methylpyran-4-ol; EDI 2A H319	1% - 10%
CAS 60-12-8 EINECS 200-456-2 REACH	2-phenylethanol ATO 4(1609);EDI 2A H302,H319	1% - 10%
CAS 65405-77-8 EINECS 265-745-8 REACH	(Z)-3-hexenyl salicylate ATO 5;EH A1,C1 H303,H400,H410	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4:SS 1B H227,H317	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%
CAS 23696-85-7 EINECS 245-833-2 REACH	1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one SCI 2:SS 1A:EH A2,C2 H315,H317,H401,H411	<1%
CAS 104-55-2 EINECS 203-213-9 REACH	cinnamaldehyde FL 4; ATO 5(2220); SCI 2; SS 1A; EDI 2A; EH A2,C3 H227,H303,H315,H317,H319,H401,H412	<1%

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

Code Number FM80265

Version 1 Revised 19/09/2024 4:09:34 PM

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes mild skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM80265

 Version 1 Revised 19/09/2024 4:09:34 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

SAFETY DATA SHEET GHS: According to 2015/830/EU

Printed on 19 Sep 2024

Code Number FM8026 Version 1 Revised 19/09/2024 4			
Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible.			
Hand protection Wear chemically resistant disposable gloves.			
Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas.			
Thermal hazards No information.			
Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia.			
Biological Limit Values No biological limit allocated.			
Section 9. Physical and chemica	I properties		
9.1 Information on basic physic FLASH POINT (°C)	9.1 Information on basic physical and chemical properties FLASH POINT (°C) 96°C		
APPEARANCE	Mobile liquid		
COLOUR	Colourless to pale yellow		
ODOUR	Floral, freesia, fresh, woody, juicy		
ODOUR THRESHOLD	Not available		
pH @20 DEG C	Not available		
MELTING/FREEZING POINT	Not available		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/830/EU			
Code Number FM80265 Version 1 Revised 19/09/2024 4:0	19:34 PM		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.93 - 0.95		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	1		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended sto	brage conditions (see section	ı 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored un		ons.	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. A	void exposure	to air.
10.5 Incompatible materials Keep away from oxidising agents a			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

Code Number FM80265 Version 1 Revised 19/09/2024 4:09:34 PM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes mild skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on	19 Sep 2024
Code Number FM80265 Version 1 Revised 19/09/2024 4:09:34 PM		
Interactive effects No data Other information No data		
Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminati Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 m EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L		5.
Contains (Z)-3-hexenyl salicylate (CAS: 65405-77-8) EC50 (96 h) - Oncorhynchus mykiss (rainbow trout) - > 0.65 m EC50 (48 h) - Daphnia magna - 0.6 mg/L EC50 (72 h) - Desmodesmus subspicatus (algae) - 0.61 mg/L NOEC (72 h) - Desmodesmus subspicatus (algae) - 0.15 mg/L 12.2 Persistence and degradability	ng/L	
No test data available for this substance. 12.3 Bioaccumulative potential No data. 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamina	tion.	
 12.5 Results of PBT and vPvB assessment No data. 12.6 Other adverse effects See sections 6, 7, 13 and 15. 		
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat		·
Section 14. Transport information		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM80265

 Version 1 Revised 19/09/2024 4:09:34 PM

14.1 UN number				
ADR	3082			
IATA	3082			
IMDG	3082			
14.2 UN prop	er shipping name			
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)			
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)			
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)			
14.3 Transpo	rt hazard class(es)			
ADR	9			
ΙΑΤΑ	9			
IMDG	9			
14.4 Packing	group			
ADR	III			
ΙΑΤΑ	III			
IMDG	III			
Tunnel Code	(-)			
14.5 Environr	mental Hazards			
Dangerous f	or the environment. Marine pollutant.			
14.6 Special J	precautions for user			
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes				
Road and Ra	il Transport (Australian Dangerous Goods Code (ADG Code)):			
HazChem C	code •3Z			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA S GHS: According to 2015/830/ Code Number	EU <i>FM80265</i>	Printed on 19 Sep 2024		
Version 1 Revised 19/0	9/2024 4:09:34 PM			
Section 15. Regulatory	Section 15. Regulatory information			
15.1 Safety, health and environmental regulations/legislation specific for the				
substance or mixture Poison Schedule (SUSN	IP): S5 CAUTION HS Tar	riff Code: 3302.90.00		
All the constituents of	this material are compliant with AICIS	S regulation.		
15.2 Chemical safety a	ssessment			
	ssment has not been carried out.			
Section 16. Other inforr				
	Πατιστι			
Full list of precaution	nary phrases			
P261	Avoid breathing fumes.			
P264	Wash hands thoroughly after handlin	ng		
P272	Contaminated work clothing should workplace.	not be allowed out of the		
P273	Avoid release to the environment.			
P280	Wear protective gloves and eye prot	rection		
P302+P352	IF ON SKIN: Wash with plenty of wa	ter.		
P305+P351+P338	IF IN EYES: Rinse cautiously with wa Remove contact lenses, if present ar rinsing.			
P333+P313	If skin irritation or rash occurs: Get	medical advice.		
P337+P313	If eye irritation persists: Get medica	l attention.		
P362+P364	Take off contaminated clothing and	wash it before reuse.		
P391	Collect spillage.			
P501	Dispose of contents/container in acc	ordance to local regulations		
Wording of any haza	rd classes listed in section 3			
FL 3	Flammable liquid, category 3			
FL 4	Flammable liquid, category 4			
FS 2	Flammable solid, category 2			
ATO 3	Acute toxicity, oral, category 3			
ATO 4	Acute toxicity, oral, category 4			
ATO 5	Acute toxicity, oral, category 5			
AH 1	Aspiration hazard, category 1			
ATD 3	Acute toxicity, dermal, category 3			

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM80265

 Version 1 Revised 19/09/2024 4:09:34 PM

ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life

Printed on 19 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM80265

 Version 1 Revised 19/09/2024 4:09:34 PM

H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inve	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemical lustrial Chemicals Introduction Scheme
Version 1: GHS format	r, RB 19/09/2024