

SAFETY DATA S GHS: According to 2015/830/		Printed on	11 Jul 2022
Code Number Version 2 Revised 11/L	FM72202 07/2022 9:42:53 AM		
Section 1. Identificatio	n of the substance/mixture and of t	he company/	undertaking
1.1 Product I dentifier			
Product Name	THE WOOD		
Code Number	FM72202		
Alternative Name	Not registered		
REACH Reg No	Not registered		
1.2 Relevant identified	d uses of the substance or mixture a	and uses advis	sed against
For fragrance use.			
1.3 Details of the supp	plier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam		
	Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	info@abp.com.au		
1.4 Emergency Tel No	Emergency No. +61 438196124		
Section 2. Hazard Iden	tification		
2.1 Classification of th	e substance or mixture		
SCI 2	Skin corrosion/irritation, category 2		
SS 1B	Skin sensitisation, category 1B		
EDI 2A	Eye damage/irritation, category 2A		
CAR 2	Carcinogenicity, category 2		
EH A2	Aquatic hazard, acute, category 2		
EH C1	Aquatic hazard, chronic, category 1		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

FETY DATA According to 2015/	
de Number	FM72202
ersion 2 Revised	11/07/2022 9:42:53 AM
GHS classification	according to Regulation (EC) No 1272/2008
Hazard Pictogram	ns
	A A A A A A A A A A A A A A A A A A A
Signal Word	Warning
Hazard Statemer	nts
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H410	Very toxic to aquatic life with long lasting effects
Precautionary St	atements
P201	Obtain special instructions before use.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P405	Store locked up.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

### Printed on 11 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72202

Version 2 Revised 11/07/2022 9:42:53 AM

P501

Dispose of contents and container in accordance to local regulations.

2.3 Other Hazards

Contains Benzyl Benzoate, Citral, Citronellol, Coumarin, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

#### Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

#### 3.2 Mixtures

Complex mixture of ingredients

#### Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	30% - 60%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	10% - 30%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4; EDI 2A; EH A1,C1 H227,H319,H400,H410	< 10%
CAS 120-51-4 EINECS 204-402-9 REACH	benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2 H302,H313,H411	< 10%
CAS 33704-61-9 EINECS 251-649-3 REACH	1,2,3,5,6,7-hexahydro-1,1,2,3,3-pentamethyl-4H-inden-4-one ATO 5(2900);SCI 2;SS 1B;EDI 2A;EH C2 H303,H315,H317,H319,H411	< 10%
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4; ATO 5(3600); SCI 2; EDI 2A; EH A3 H227,H303,H315,H319,H402	< 10%
CAS 105-95-3 EINECS 203-347-8 REACH	1,4-dioxacycloheptadecane-5,17-dione EH C2 H411	< 10%
CAS 6259-76-3 EINECS 228-408-6 REACH	hexyl salicylate SS 1;EH A1,C1 H317,H400,H410	<10%

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

### Code Number FM72202

### Version 2 Revised 11/07/2022 9:42:53 AM

CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3; SCI 2; SS 1B; AH 1; EH A1, C1 H226, H304, H315, H317, H400, H410	< 10%
CAS 34902-57-3 EINECS 422-320-3 REACH	oxacylohexadecen-2-one EH A1,C1 H400,H410	< 10%
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate SS 1;EH A2 H317,H401	< 10%
CAS 57378-68-4 EINECS 260-709-8 REACH	1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one ATO 4; SCI 2; SS 1; EH A1,C1 H302,H315,H317,H400,H410	< 10%
CAS 81-14-1 EINECS 201-328-9 REACH	4'-tert-butyl-2',6'-dimethyl-3',5'-dinitroacetophenone CAR 2;EH A1,C1 H351,H400,H410	< 10%
CAS EINECS 429-860-9 REACH	4,7-Methano-1H-indene-2-carboxaldehyde, octahydro-5-methoxy- SS 1;EDI 2A;EH C2 H317,H319,H411	< 10%
CAS 127-91-3 EINECS 204-872-5 REACH	beta-Pinene FL 3;ATO 5(3700);AH 1;SCI 2;SS 1B;EH A1,C1 H226,H303,H304,H315,H317,H400,H410	< 10%
CAS 106-22-9 EINECS 203-375-0 REACH	Citronellol (d, I-Citronellol) SCI 2; SS 1B; EDI 2A H315, H317, H319	<10%

Refer to section 16 for the wording of listed classification and hazard statement codes

#### Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

#### After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.

#### After skin contact

Irritating, may cause an allergic reaction. Remove contaminated clothing and wash thoroughly with soap and water. Seek medical advice if irritation persists or there are any signs of tissue damage.

#### After eye contact

Highly irritating. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY	ΠΔΤΔ	SHEET
		JILLI

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

Code Number FM72202

Version 2 Revised 11/07/2022 9:42:53 AM

### After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

- 4.2 Most important symptoms and effects, both acute and delayed
- Take phrases in sections 2 and 11 into account. No further information available at this time.
- 4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code • 3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

*Code Number FM72202 Version 2 Revised 11/07/2022 9:42:53 AM* 

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe vapour. Sensitive individuals may develop an allergic response.

### 8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where vapours of mists are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

Other skin protection

Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period.

Respiratory protection

Not generally required. Use inhalation protection in poorly ventilated areas.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

#### SAFETY DATA SHEET Printed on 11 Jul 2022 GHS: According to 2015/830/EU Code Number FM72202 Version 2 Revised 11/07/2022 9:42:53 AM Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties 108° FLASH POINT (°C) **APPEARANCE** Mobile liquid COLOUR Colourless ODOUR Light, woody, musky ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available INITIAL BOILING POINT AND Not available RANGE **EVAPORATION RATE** Not available FLAMMABILITY (SOLID/GAS) Not available **UPPER/LOWER FLAMMABILITY** Not available LIMITS VAPOUR PRESSURE Not available VAPOUR DENSITY Not available SPECIFIC GRAVITY @ 20°C 0.93 to 0.96 SOLUBILITIES Insoluble in water Not available PARTITION COEFF N-OCTANAL/WATER

Page 7 of 13

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 11 Jul 20.
Code Number FM72202 Version 2 Revised 11/07/2022 9:	
AUTO-IGNITION TEMPERATURE	Not available
DECOMPOSITION TEMPERATURE	Not available
VISCOSITY @ 20 DEG C	Not available
EXPLOSIVE PROPERTIES	Not available
OXIDISING PROPERTIES	Not available
9.2 Other information No further information available.	
Section 10. Stability and reactivity	У
10.1 Reactivity No data.	
10.2 Chemical Stability Stable under the recommended st	orage conditions (see section 7).
10.3 Possibility of hazardous rea No hazardous reactions if stored u	
10.4 Conditions to avoid Avoid exposure to heat, sources of	f ignition, and open flame. Avoid exposure to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or acidic material.
10.6 Hazardous decomposition p	roducts
During combustion may form carb compounds.	on monoxide, carbon dioxide and unidentified organic
Section 11. Toxicological information	tion
11.1 Information on toxicologica	
Acute toxicity	
No known adverse effects.	
Skin corrosion / irritation Causes skin irritation.	
	r

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72202

 Version 2 Revised 11/07/2022 9:42:53 AM

Respiratory or skin sensitisation
May cause an allergic skin reaction.
Germ cell mutagenicity
No data
Carcinogenicity
Suspected of causing cancer.
Reproductive toxicity
No data
STO-single exposure
No data
STO-repeated exposure
No data
Aspiration hazard
No data
Information on likely routes of exposure
No data
Symptoms related to the physical, chemical and toxicological characteristics
No data
Delayed and immediate effects as well as chronic effects from short and long-term exposure
No data
Interactive effects
No data
Other information
No data
Section 12. Ecological information
12.1 Toxicity
Very toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-2): LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L
FCEO (72 h) Soonadoomus subaniaatus 2.6 mg/l

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L

NOEC (30 days) - Danio rerio - 0.16 mg/L

SAFETY	DATA	SHEET

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72202

 Version 2 Revised 11/07/2022 9:42:53 AM

NOEC (21 days) - Daphnia magna – 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L

12.2 Persistence and degradability No tested data available for this substance.

12.3 Bioaccumulative potential

No data

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

- 12.5 Results of PBT and vPvB assessment No data
- 12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADR	3082
IATA	3082
IMDG	3082

14.2 UN proper shipping name

ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

 Code Number
 FM72202

 Version 2 Revised 11/07/2022 9:42:53 AM

14.3 Transpo	ort hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(E)		
14.5 Environ	mental Hazards		
Dangerous f	for the environment. Marine pollu	tant.	
14.6 Special	precautions for user		
		angerous Goods Code (IMDG Code)):	
EmS: F-A, S Marine Pollu			
Road and Ra	ail Transport (Australian Dangerou	us Goods Code (ADG Code)):	
HazChem (	Code • 3Z		
14.7 Transpo	ort in bulk according to Annex	II of MARPOL73/78 and the IBC Code	
Not applicat	ble		
Section 15. Re	egulatory information		
15.1 Safety,	health and environmental requ	ulations/legislation specific for the	
substance or			
Poison Sche	dule (SUSMP): S5 CAUTION	HS Tariff Code: 3302.90.00	
15.2 Chemica	al safety assessment		
A chemical s	safety assessment has not been c	arried out	
Section 16 O	ther information		
Full list of	precautionary phrases		
P201	Obtain special instruc	tions before use.	
P202	Do not handle until al understood.	I safety precautions have been read and	
P261			
	-		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 11 Jul 2022

Code Number FM72202 Version 2 Revised 11/07/2022 9:42:53 AM P264 Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the P272 workplace. P273 Avoid release to the environment. P280 Wear protective gloves and eye protection P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice. If skin irritation or rash occurs: Get medical advice. P333+P313 P337+P313 If eye irritation persists: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage. P405 Store locked up. Dispose of contents and container in accordance to local P501 regulations. Wording of any hazard classes listed in section 3 Flammable liquid, category 3 FL 3 FL 4 Flammable liquid, category 4 ATO 4 Acute toxicity, oral, category 4 ATO 5 Acute toxicity, oral, category 5 AH 1 Aspiration hazard, category 1 ATD 5 Acute toxicity, dermal, category 5 SCI 2 Skin corrosion/irritation, category 2 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A CAR 2 Carcinogenicity, category 2 EH A1 Aquatic hazard, acute, category 1 Aquatic hazard, acute, category 2 EH A2 EH A3 Aquatic hazard, acute, category 3 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2

Printed on 11 Jul 2022

GHS: According to 2015/830/EU

*Code Number FM72202 Version 2 Revised 11/07/2022 9:42:53 AM* 

Wording of any haz	ard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
References and furt	her information
Key: N/A = Not applicable SUSMP = Standard fo	r the Uniform Scheduling of Medicines and Poisons
Version 1: GHS forma	t, RB 11/07/2022
Version 2: Minor chan	