

SAFETY DATA SHEET Printed on 20 Nov 2024 GHS: According to 2015/830/EU Code Number FM80354 Version 1 Revised 20/11/2024 3: 40:04 PM Section 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product Identifier Product Name SHORT GRAIN Code Number FM80354 Alternative Name SHORT GRAIN Code Number FM80354 Alternative Name REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com 1.4 Emergency Tel No Emergency No. +611 800 033 111 Section 2. Hazard Identification 2.1 Classification of the substance or mixture FL 4 Flammable liquid, category 4 SCI 2 Skin sensitisation, category 2 SS 1B Skin sensitisation, category 2 SK 1B Skin sensitisation, category 2 EH A2 Aquatic hazard, chronic, category 3			
Version 1 Revised 20/11/2024 3: 40: 04 PM Section 1. Identification of the substance/mixture and of the company/undertaking 1.1 Product Identifier Product Name Product Name FM80354 Alternative Name REACH Reg No REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria. 3803 Australia Babnication 1.4 Emergency Tel No. +613 97094800 Email Address abpsales@ixom.com 1.4 Emergency Tel No Email Address abpsales@ixom.com 1.4 Emergency Tel No FL 4 Flammable liquid, category 4 SCI 2 Skin corrosion/irritation, category 2 SS 18 Skin sensitisation, category 18 EDI 2A Eye damage/irritation, category 2 EH A2 Aquatic hazard, acute, category 2 EH A2 Aquatic hazard, chronic, category 3			Printed on 20 Nov 2024
1.1 Product I dentifier Product Name SHORT GRAIN Code Number FM80354 Alternative Name REACH Reg No REACH Reg No Not registered 1.2 Relevant identified uses of the substance or mixture and uses advised against For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com 1.4 Emergency Tel No Emergency No. +61 1 800 033 111 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 4 Flammable liquid, category 4 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2 EH A2 Aquatic hazard, acute, category 2 EH A2 Aquatic hazard, chronic, category 3			
For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com 1.4 Emergency Tel No Emergency No. +61 1 800 033 111 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 4 Flammable liquid, category 4 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A EH A2 Aquatic hazard, acute, category 2 EH C3 Aquatic hazard, chronic, category 3	1.1 Product I dentifier Product Name Code Number Alternative Name	SHORT GRAIN FM80354	he company/undertaking
For fragrance use. 1.3 Details of the supplier of the safety data sheet Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529 Telephone Number Tel No. +613 97094800 Email Address abpsales@ixom.com 1.4 Emergency Tel No Emergency No. +61 1 800 033 111 Section 2. Hazard I dentification 2.1 Classification of the substance or mixture FL 4 Flammable liquid, category 4 SCI 2 Skin corrosion/irritation, category 2 SS 1B Skin sensitisation, category 1B EDI 2A Eye damage/irritation, category 2A EH A2 Aquatic hazard, acute, category 2 EH C3 Aquatic hazard, chronic, category 3	1 2 Relevant identified	uses of the substance or mixture a	and uses advised against
Australian Botanical Products Ltd39 Melverton Drive, HallamVictoria, 3803AustraliaABN: 45006782529Telephone NumberTel No. +613 97094800Email Addressabpsales@ixom.com1.4 Emergency Tel NoEmergency Tel NoEmergency Tel NoEmergency Tel NoEmergency Tel NoEmergency Tel NoEmergency No. +61 1 800 033 111Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 4FL 4Flammable liquid, category 4SCI 2SK in corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 3			
Email Addressabpsales@ixom.com1.4 Emergency Tel NoEmergency No. +61 1 800 033 111Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 4Flammable liquid, category 4SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 2EH C3Aquatic hazard, chronic, category 3	1.3 Details of the supp	Australian Botanical Products Ltd 39 Melverton Drive, Hallam Victoria, 3803 Australia	
Section 2. Hazard I dentification2.1 Classification of the substance or mixtureFL 4Flammable liquid, category 4SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 2EH C3Aquatic hazard, chronic, category 3	Email Address	abpsales@ixom.com	
2.1 Classification of the substance or mixtureFL 4Flammable liquid, category 4SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 2EH C3Aquatic hazard, chronic, category 3	1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
FL 4Flammable liquid, category 4SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 2EH C3Aquatic hazard, chronic, category 3	Section 2. Hazard I den	tification	
SCI 2Skin corrosion/irritation, category 2SS 1BSkin sensitisation, category 1BEDI 2AEye damage/irritation, category 2AEH A2Aquatic hazard, acute, category 2EH C3Aquatic hazard, chronic, category 3	2.1 Classification of th	e substance or mixture	
	SCI 2 SS 1B EDI 2A EH A2 EH C3	Skin corrosion/irritation, category 2 Skin sensitisation, category 1B Eye damage/irritation, category 2A Aquatic hazard, acute, category 2	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

S: According to 2015/	030/20
ode Number	FM80354
	20/11/2024 3:40:04 PM
	according to Regulation (EC) No 1272/2008
Hazard Pictograr	
Signal Word	Warning
Hazard Statemer	
Hazard Statemer	Combustible liquid
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
Precautionary St P210	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container in accordance to local regulations
.3 Other Hazards	
Contains nothing k	known from the allergens list which may produce an allergic reaction

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

Code Number FM80354

Version 1 Revised 20/11/2024 3:40:04 PM

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate	10% - 30%
	EH A2 H401	
CAS 115-95-7 EINECS 204-116-4 REACH	Linalyl acetate	1% - 10%
	FL 4; SCI 2; EDI 24; EH A3 H227,H315,H319,H402	
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene)	1% - 10%
	FL 3;AH 1;SCI 2;SS 1B;EH A1,C3 H226,H304,H315,H317,H400,H412	
CAS 10339-55-6 EINECS 233-732-6	3,7-dimethylnona-1,6-dien-3-ol	1% - 10%
REACH	FL 4; SCI 2; SS 1B; EDI 2A; EH A3 H227, H315, H317, H319, H402	
CAS 93-92-5 EINECS 202-288-5	1-phenylethyl acetate	1% - 10%
REACH	FL 4: EH A2 H227,H401	
CAS 68039-49-6 EINECS 268-264-1	2,4-dimethylcyclohex-3-ene-1-carbaldehyde FL 4;ATO 5(3900);SCI 2;SS 1B;EDI 2A;EH A2,C2	1% - 10%
REACH	H227,H303,H315,H317,H319,H401,H411	
CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3	1% - 10%
	H227,H303,H315,H319,H402	
CAS 6485-40-1 EINECS 229-352-5 REACH	I-p-mentha-1(6),8-dien-2-one ATD 5(3800);SS 1B;EH A3	1% - 10%
	H313,H317,H402	
CAS 120-51-4 EINECS 204-402-9 REACH	Benzyl benzoate ATO 4(1500);ATD 5(4000);EH C2	1% - 10%
	H302,H313,H411	
CAS 127-91-3 EINECS 204-872-5 REACH CAS 106-24-1 EINECS 203-377-1 REACH	beta-Pinene FL 3:ATO 5(3700);AH 1:SCI 2:SS 1B:EH A1,C1	<1%
	H226,H303,H304,H315,H317,H400,H410	
	Geraniol ATO 5(3600); SCI 2; SS 1; EDI 1; EH A3	<1%
REAGIN	H303,H315,H317,H318,H402	

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

Code Number FM80354

Version 1 Revised 20/11/2024 3:40:04 PM

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code N/A

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM80354

 Version 1 Revised 20/11/2024 3:40:04 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

GHS: According to 2015/830/EU

Printed on 20 Nov 2024

Code Number FM80354 Version 1 Revised 20/11/2024 3:40:04 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 91°C APPEARANCE Mobile liquid COLOUR Colourless to pale yellow ODOUR Floral, green, amber, buchu ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET HS: According to 2015/830/EU	Printed on 20 Nov 2	
-		
Code Number	10:04 PM	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.95 - 0.97	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	/	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored u		
10.4 Conditions to avoid Avoid exposure to heat, sources of ignition, and open flame. Avoid exposure to air		
10.5 Incompatible materials Keep away from oxidising agents a		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

Code Number FM80354 Version 1 Revised 20/11/2024 3:40:04 PM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

Code Number FM80354 Version 1 Revised 20/11/2024 3:40:04 PM

Interactive effects No data

Other information

No data

Section 12. Ecological information

- 12.1 Toxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid contaminating waterways.
- 12.2 Persistence and degradability No test data available for this substance.
- 12.3 Bioaccumulative potential No data.
- 12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamination.
- 12.5 Results of PBT and vPvB assessment No data.
- 12.6 Other adverse effects See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number Not Regulated

14.2 UN proper shipping name NOT RESTRICTED

14.3 Transport hazard class(es)

14.4 Packing group

Tunnel Code

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA GHS: According to 2015/83		Printed on 20 Nov 2024	
Code Number Version 1 Revised 20/	FM80354 /11/2024 3:40:04 PM		
14.5 Environmental H No relevant informat			
14.6 Special precauti Not subject to the pr	ADR/RID.		
HazChem Code N/A			
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the I Not applicable.			
Section 15. Regulator	y information		
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
Poison Schedule (SU	SMP): Not Applicable	HS Tariff Code: 3302.90.00	
All the constituents of this material are compliant with AICIS regulation.			
15.2 Chemical safety	assessment		
A chemical safety assessment has not been carried out.			
Section 16. Other info	rmation		
Full list of precauti	onary phrases		
P210	Keep away from heat, h other ignition sources. I	ot surfaces, sparks, open flames and No smoking.	
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly	after handling	
P272	Contaminated work clot workplace.	hing should not be allowed out of the	
P273	Avoid release to the env	vironment.	
P280	Wear protective gloves	and eye protection	
P302+P352	IF ON SKIN: Wash with	plenty of water.	
P305+P351+P338		ously with water for several minutes. if present and easy to do. Continue	
P333+P313	If skin irritation or rash	occurs: Get medical advice.	
P337+P313	If eye irritation persists	Get medical attention.	
P362+P364	Take off contaminated of	lothing and wash it before reuse.	
P403+P235	Store in a well-ventilate	d place. Keep cool.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

GHS: According to 2015/830/EU

Printed on 20 Nov 2024

Code Number FM80354 Version 1 Revised 20/11/2024 3:40:04 PM P501 Dispose of contents/container in accordance to local regulations Wording of any hazard classes listed in section 3 FL 3 Flammable liquid, category 3 FL 4 Flammable liquid, category 4 FS 2 Flammable solid, category 2 ATO 4 Acute toxicity, oral, category 4 ATO 5 Acute toxicity, oral, category 5 AH 1 Aspiration hazard, category 1 ATD 5 Acute toxicity, dermal, category 5 SCI 1B Skin corrosion/irritation, category 1B SCI 2 Skin corrosion/irritation, category 2 SCI 3 Skin corrosion/irritation, category 3 SS 1 Skin sensitisation, category 1 SS 1B Skin sensitisation, category 1B EDI 1 Eye damage/irritation, category 1 EDI 2A Eye damage/irritation, category 2A Acute toxicity, inhalation, category 4 ATI 4 STO-SE 3(RI) Specific target organ, single exposure, respiratory irritation Reproductive toxicity, category 1B REP 1B REP 2 Reproductive toxicity, category 2 STO-SE 2 Specific target organ, single exposure, category 2 EH A1 Aquatic hazard, acute, category 1 EH A2 Aquatic hazard, acute, category 2 EH A3 Aquatic hazard, acute, category 3 EH C1 Aquatic hazard, chronic, category 1 EH C2 Aquatic hazard, chronic, category 2 EH C3 Aquatic hazard, chronic, category 3 Wording of any hazard statements listed in section 3 H226 Flammable liquid and vapour H227 Combustible liquid H228 Flammable solid H302 Harmful if swallowed H303 May be harmful if swallowed H304 May be fatal if swallowed and enters airways

Printed on 20 Nov 2024

GHS: According to 2015/830/EU

Code Number FM80354 Version 1 Revised 20/11/2024 3:40:04 PM

H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H361	Suspected of damaging fertility or the unborn child
H371	May cause damage to organs
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References	and further information
AIIC = Austra	plicable ndard for the Uniform Scheduling of Medicines and Poisons alian Inventory of Industrial Chemical ralian Industrial Chemicals Introduction Scheme
Version 1: CH	IS format, RB 20/11/2024
	15 Tormat, ND 20/11/2024

Page 12 of 12