

SAFETY DATA S GHS: According to 2015/830/		Printed on	12 Sep 2024
<i>Code Number Version 2 Revised 12/C</i>	FM71610 19/2024 12:23:13 PM		
Section 1. Identification	n of the substance/mixture and of	the company/	'undertaking
1.1 Product I dentifier			
Product Name	EVENING BREEZE		
Code Number	FM71610		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	uses of the substance or mixture a	and uses advis	sed against
For fragrance use.			
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam		
	Victoria, 3803 Australia		
	ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Tel No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
FL 4	Flammable liquid, category 4		
ATO 5	Acute toxicity, oral, category 5		
AH 1	Aspiration hazard, category 1		
SCI 2	Skin corrosion/irritation, category 2		
SS 1A	Skin sensitisation, category 1A		
EDI 2A	Eye damage/irritation, category 2A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

S: According to 2015/8	830/EU
nde Number	FM71610
	12/09/2024 12:23:13 PM
Hazard Pictogram	according to Regulation (EC) No 1272/2008 ns
5	\land \land \land
	¥73
Signal Word	Danger
Hazard Statemer	
H227	Combustible liquid
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary St	atements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing fumes.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

Code Number FM71610

Version 2 Revised 12/09/2024 12:23:13 PM

2.3 Other Hazards

Contains alpha-iso-Methylionone, Amyl Cinnamal, Benzyl Alcohol, Benzyl Benzoate, Benzyl Salicylate, Cinnamal, Cinnamyl Alcohol, Citral, Citronellol, Coumarin, Eugenol, Hexyl Cinnamal, Limonene and Linalool which may produce an allergic reaction

No further information available at this time

Section 3. Composition / information on ingredients Any percentage values listed here for hazardous components are for illustrative purposes only

3.2 Mixtures

Complex mixture of fragrance ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 104-55-2 EINECS 203-213-9 REACH	Cinnamic aldehyde ATO 5(2500); SCI 2; SS 1A; EDI 2A H303, H315, H317, H319	10% - 30%
CAS 103-54-8 EINECS 203-121-9 REACH	cinnamyl acetate ATO 5;EH A2 H303,H401	1% - 10%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000);SCI 2;SS 1;EDI 2A H303,H315,H317,H319	1% - 10%
CAS 10094-34-5 EINECS 233-221-8 REACH	a,a-dimethylphenethyl butyrate ATO 5(3300):SCI 2;EH A2,C3 H303,H315,H401,H412	1% - 10%
CAS 101-86-0 EINECS 202-983-3 REACH	a-hexylcinnamaldehyde SS 1B;EH A1,C2 H317,H400,H411	1% - 10%
CAS 78-70-6 EINECS 201-134-4 REACH	Linalool FL 4; SS 1B H227,H317	1% - 10%
CAS 104-67-6 EINECS 203-225-4 REACH	undecan-4-olide EH C3 H412	1% - 10%
CAS 1335-66-6 EINECS 215-638-7 REACH	isocyclocitral FL 4;ATO 5(4500);SCI 2;SS 1;EDI 2A;EH A3,C3 H227,H303,H315,H317,H319,H402,H412	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;SCI 2;SS 1B;AH 1;EH A1,C1 H226,H304,H315,H317,H400,H410	1% - 10%

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

Code Number FM71610

Version 2 Revised 12/09/2024 12:23:13 PM

CAS 18479-58-8 EINECS 242-362-4 REACH	2,6-dimethyloct-7-en-2-ol FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	1% - 10%
CAS 6413-10-1 EINECS 229-114-0 REACH	ethyl 2-methyl-1,3-dioxolane-2-acetate FL 4;SCI 3 H227,H316	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	1% - 10%
CAS 100-51-6 EINECS 202-859-9 REACH	Benzyl alcohol ATO 4;ATD 5;EDI 2A;ATI 4 H302,H313,H319,H332	1% - 10%
CAS 88-41-5 EINECS 201-828-7 REACH	2-tert-butylcyclohexyl acetate FL 4;ATO 5;SCI 3;EH A2,C2 H227,H303,H316,H401,H411	1% - 10%
CAS 128-37-0 EINECS 204-881-4 REACH	2,6-di-tert-butyl-p-cresol EH A1,C1 H400,H410	<1%
CAS 80-56-8 EINECS 201-291-9 REACH	Pinenes FL 3;ATO 4;AH 1;SCI 2;SS 1;EH A1,C1 H226,H302,H304,H315,H317,H400,H410	<1%
CAS 119-61-9 EINECS 204-337-6 REACH	benzophenone ATO 5(2895);ATD 5(3535);CAR 2;STO-RE 2;EH A2,C3 H303,H313,H351,H373,H401,H412	<1%

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

Code Number FM71610

Version 2 Revised 12/09/2024 12:23:13 PM

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

May be harmful if swallowed, May be fatal if swallowed and enters airways. Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

- 5.2 Special hazards arising from the substance or mixture May produce Carbon dioxide and unidentified organic compounds.
- 5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up Soak up spillage with sand or other inert absorbent material such as earth or

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s)

No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

Individual protection measures

Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period.

Eye/face protection

Use splash-proof safety glasses and face shield where splashing is possible.

Hand protection

Wear chemically resistant disposable gloves.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

should be considered. Always was work period. Respiratory protection	ditions in the workplace, additional body protection sh routinely before breaks, meals and at the end of the ation protection in poorly ventilated areas.	
Thermal hazards No information.		
compliance with environmental p National Exposure Standards	ocess equipment should be checked to ensure	
Section 9. Physical and chemical	properties	
9.1 Information on basic physical and chemical properties FLASH POINT (°C) 78°C		
APPEARANCE	Mobile liquid	
COLOUR	Yellow to yellow-green	
ODOUR	Fresh, orange, cinnamon, apple, musk	
ODOUR THRESHOLD	Not available	
pH @20 DEG C	Not available	
MELTING/FREEZING POINT	Not available	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	

Page 7 of 14

GHS: According to 2015/830/EU			12 Sep 202
Code Number FM71610 Version 2 Revised 12/09/2024 12			
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	0.97 - 0.99		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	/		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended sto	orage conditions (see section	ר 7).	
10.3 Possibility of hazardous read No hazardous reactions if stored u		ons.	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. A	void exposure	to air.
10.5 Incompatible materials Keep away from oxidising agents a	and from highly alkaline or a	cidic material.	
10.6 Hazardous decomposition pr During combustion may form carbo compounds.		e and unidenti	fied organic
Section 11. Toxicological informat	ion		
11.1 Information on toxicological	effects		
Acute toxicity May be harmful if swallowed.			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard May be fatal if swallowed and enters airways. Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data Interactive effects No data Other information No data Section 12. Ecological information

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

12.1 Toxicity

Toxic to aquatic life with long lasting effects. Avoid contaminating waterways. Contains D-Limonene (5989-27-5): LC50 (96 h) - Pimephales promelas (fathead minnow) – 0.72 mg/L EC50 (48 h) - Daphnia magna – 0.36 mg/L EC50 (72 h) - Raphidocelis subcapitata – 0.32 mg/L

12.2 Persistence and degradability

No test data available for this substance.

12.3 Bioaccumulative potential

No data.

12.4 Mobility in soil

Avoid soil, surface water and water-bearing stratum contamination.

12.5 Results of PBT and vPvB assessment

No data.

12.6 Other adverse effects

See sections 6, 7, 13 and 15.

Section 13. Disposal considerations

Please refer to the information in section 8 (Exposure controls and personal protection)

13.1 Waste treatment methods

Dispose in accordance with the law and local regulations. Treat as trade effluent.

Section 14. Transport information

14.1 UN number

ADK	3002
ΙΑΤΑ	3082

IMDG 3082

14.2 UN proper shipping name

- ADR ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
- IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)
- IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS D-LIMONENE)

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

Code Number FM71610 Version 2 Revised 12/09/2024 12:23:13 PM

14.3 Transport hazard class(es) ADR 9 IATA 9 IMDG 9 14.4 Packing group ADR 111 IATA 111 IMDG Ш Tunnel Code (-) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code •3Z 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Section 15. Regulatory information 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Poison Schedule (SUSMP): Not Applicable HS Tariff Code: 3302.90.00 All the constituents of this material are compliant with AICIS regulation. 15.2 Chemical safety assessment A chemical safety assessment has not been carried out. Section 16. Other information Full list of precautionary phrases Keep away from heat, hot surfaces, sparks, open flames and P210 other ignition sources. No smoking. P261 Avoid breathing fumes.

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P301+P310	IF SWALLOWED: Immediately call a POISON CENTRE.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P331	Do NOT induce vomiting.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haz	zard classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 3	Acute toxicity, oral, category 3
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 5	Acute toxicity, dermal, category 5
SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024 12:23:13 PM

ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
STO-SE 2	Specific target organ, single exposure, category 2
STO-RE 2	Specific target organ, repeated exposure, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child

Printed on 12 Sep 2024

GHS: According to 2015/830/EU

 Code Number
 FM71610

 Version 2 Revised 12/09/2024
 12:23:13 PM

H371	May cause damage to organs
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and furth	ner information
AIIC = Australian Inve	the Uniform Scheduling of Medicines and Poisons ntory of Industrial Chemical lustrial Chemicals Introduction Scheme
Version 1-2: GHS Form	nat, RB 12/09/2024

Page 14 of 14