

SAFETY DATA S GHS: According to 2015/830/		Printed on	10 Oct 202
Code Number Version 1 Revised 10/1	FM73063 10/2024 12:24:57 PM		
Section 1. Identificatio	n of the substance/mixture and of	the company/	undertaking
1.1 Product I dentifier			
Product Name	ROMANCE CD		
Code Number	FM73063		
Alternative Name			
REACH Reg No	Not registered		
1.2 Relevant identified	uses of the substance or mixture a	and uses advis	ed against
For fragrance use in ca	andle products.		
1.3 Details of the supp	lier of the safety data sheet		
	Australian Botanical Products Ltd		
	39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529		
Telephone Number	Tel No. +613 97094800		
Email Address	abpsales@ixom.com		
1.4 Emergency Ter No	Emergency No. +61 1 800 033 111		
Section 2. Hazard I den	tification		
2.1 Classification of th	e substance or mixture		
SCI 2	Skin corrosion/irritation, category 2		
SS 1A	Skin sensitisation, category 1A		
EH A2	Aquatic hazard, acute, category 2		
EH C2	Aquatic hazard, chronic, category 2		
2.2 Label elements			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA GHS: According to 2015/		Printed on 10 Oct 2024
Code Number Version 1 Revised	FM73063 10/10/2024 12:24:57 PM	
GHS classification Hazard Pictogra	according to Regulation (EC) No ms	1272/2008
Signal Word	Warning	
Hazard Stateme	nts	
H315	Causes skin irritation	
H317	May cause an allergic skin	reaction
H411	Toxic to aquatic life with lo	ng lasting effects
Precautionary S ⁻	tatements	
P261	Avoid breathing fumes.	
P264	Wash hands thoroughly aft	er handling
P273	Avoid release to the enviro	nment.
P280	Wear protective gloves and	eye protection
P333+P313	If skin irritation or rash occ	urs: Get medical advice.
P362+P364	Take off contaminated cloth	ning and wash it before reuse.
P391	Collect spillage.	
P501	Dispose of contents/contair	ner in accordance to local regulations
2.3 Other Hazards Contains Benzyl A produce an allergi	Icohol, Citral, Citronellol, Coumar	in, Limonene and Linalool which may
No further information available at this time		
	tion / information on ingredie	
3.2 Mixtures Complex mixture of fragrance ingredients		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

Code Number FM73063

Version 1 Revised 10/10/2024 12:24:57 PM

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)	10% - 30%
	SCI 2; SS 1B;EH C1 H315,H317,H410	
AS 65113-99-7 INECS 265-453-0	a, B, 2, 2, 3-pentamethylcyclopent-3-ene-1-butanol	1% - 10%
REACH	SCI 3;EDI 2A;EH A2,C2 H316,H319,H401,H411	
CAS 14901-07-6 EINECS 238-969-9	4-(2,6,6-trimethylcyclohex-1-ene-1-yl)-but-3-ene-2-one	1% - 10%
REACH	ATO 5; SCI 3; EH A2, C2 H303, H316, H401, H411	178 - 1078
CAS 18479-58-8 EINECS 242-362-4	2,6-dimethyloct-7-en-2-ol	1% - 10%
REACH	FL 4;ATO 5(3600);SCI 2;EDI 2A;EH A3 H227,H303,H315,H319,H402	
CAS 32388-55-9 EINECS 251-020-3	[3R-(3a,3aß,7ß,8aa)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetra	1% - 10%
REACH	ATO 5:SS 1B:EH A1,C1 H303,H317,H400,H410	170 - 1070
CAS 1222-05-5 EINECS 214-946-9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	1% - 10%
REACH	EH A1,C1 H400,H410	
CAS 87-20-7 EINECS 201-730-4	isopentyl salicylate	1% - 10%
REACH	ATO 4:SS 1B:EH A2,C2 H302,H317,H401,H411	
CAS 107898-54-4 EINECS 411-580-3	(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1	1% - 10%
REACH	SCI 2;EH A1,C1 H315,H400,H410	
CAS 24851-98-7 EINECS 246-495-9	methyl 3-oxo-2-pentylcyclopentaneacetate	1% - 10%
EINECS 246-495-9 REACH	EH A2 H401	176 - 1076
CAS 4707-47-5 EINECS 225-193-0 REACH	methyl 2,4-dihydroxy-3,6-dimethylbenzoate	<1%
	SS 1;EH A2 H317,H401	
CAS 70788-30-6 EINECS 274-892-7 REACH	2,2,6-trimethyl-a-propylcyclohexanepropanol	<1%
	SS 1;EH A1,C1 H317,H400,H410	
CAS 57378-68-4 EINECS 260-709-8	1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	<1%
REACH	ATO 4:SCI 2:SS 1A:EH A1,C1 H302,H315,H317,H400,H410	
CAS 128-37-0 EINECS 204-881-4	2,6-di-tert-butyl-p-cresol	<1%
REACH	EH A1,C1 H400,H410	< 1 70

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

Code Number FM73063 Version 1 Revised 10/10/2024 12:24:57 PM

Refer to section 16 for the wording of listed classification and hazard statement codes

Section 4. First Aid measures

Take phrases in section 2 into account

- 4.1 Description of first aid measures
 - After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

Code Number FM73063 Version 1 Revised 10/10/2024 12:24:57 PM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Oct 2024

GHS: According to 2015/830/EU Code Number FM7.306.3 Version 1 Revised 10/10/2024 12:24:57 PM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) >100°C APPEARANCE Mobile liquid COLOUR Colourless to pale yellow ODOUR Woody, ambery, sandalwood, cedarwood, pepper ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

HS: According to 2015/830/EU			
Code Number FM73063			
Version 1 Revised 10/10/2024 12.	:24:57 PM		
INITIAL BOILING POINT AND RANGE	Not available		
EVAPORATION RATE	Not available		
FLAMMABILITY (SOLID/GAS)	Not available		
UPPER/LOWER FLAMMABILITY LIMITS	Not available		
VAPOUR PRESSURE	Not available		
VAPOUR DENSITY	Not available		
SPECIFIC GRAVITY @ 20°C	1.035 - 1.055		
SOLUBILITIES	Insoluble in water		
PARTITION COEFF N-OCTANAL/WATER	Not available		
AUTO-IGNITION TEMPERATURE	Not available		
DECOMPOSITION TEMPERATURE	Not available		
VISCOSITY @ 20 DEG C	Not available		
EXPLOSIVE PROPERTIES	Not available		
OXIDISING PROPERTIES	Not available		
9.2 Other information No further information available.			
Section 10. Stability and reactivity	,		
10.1 Reactivity No data.			
10.2 Chemical Stability Stable under the recommended sto	prage conditions (see section	7).	
10.3 Possibility of hazardous read No hazardous reactions if stored ur		ons.	
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. Av	oid exposure	to air.
10.5 Incompatible materials Keep away from oxidising agents a			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

Code Number FM73063 Version 1 Revised 10/10/2024 12:24:57 PM

10.6 Hazardous decomposition products During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds. Section 11. Toxicological information 11.1 Information on toxicological effects Acute toxicity Not classified based on available data. Skin corrosion / irritation Causes skin irritation. Serious eye damage / irritation Not classified based on available data. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity No data Carcinogenicity No data Reproductive toxicity No data STO-single exposure No data STO-repeated exposure No data Aspiration hazard No data Information on likely routes of exposure No data Symptoms related to the physical, chemical and toxicological characteristics No data Delayed and immediate effects as well as chronic effects from short and long-term exposure No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on	10 Oct 2024
Code Number FM73063 Version 1 Revised 10/10/2024 12:24:57 PM		
Interactive effects No data Other information		
No data		
 Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contaminati Contains Tetramethyl acetyloctahydronaphthalenes (54464-57-LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (96 h) - Daphnia magna - 1.38 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Daphnia magna - 0.044 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability No test data available for this substance. 		
12.3 Bioaccumulative potential No data.		
12.4 Mobility in soil Avoid soil, surface water and water-bearing stratum contamina	tion.	
12.5 Results of PBT and vPvB assessment No data.		
12.6 Other adverse effects See sections 6, 7, 13 and 15.		
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure controls and 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. Treat		
Section 14. Transport information		

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET Printed on 10 Oct 2024 GHS: According to 2015/830/EU Code Number FM7.306.3 Version 1 Revised 10/10/2024 12:24:57 PM 14.1 UN number ADR 3082 3082 IATA 3082 IMDG 14.2 UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS ADR TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS IATA TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 14.3 Transport hazard class(es) 9 ADR 9 IATA IMDG Q 14.4 Packing group ADR 111 IATA Ш 111 IMDG Tunnel Code (-) 14.5 Environmental Hazards Dangerous for the environment. Marine pollutant. 14.6 Special precautions for user Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)): HazChem Code •3Z 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

Code Number FM73063 Version 1 Revised 10/10/2024 12:24:57 PM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

•			
P261	Avoid breathing fumes.		
P264	Wash hands thoroughly after handling		
P272	Contaminated work clothing should not be allowed out of the workplace.		
P273	Avoid release to the environment.		
P280	Wear protective gloves and eye protection		
P302+P352	IF ON SKIN: Wash with plenty of water.		
P333+P313	If skin irritation or rash occurs: Get medical advice.		
P362+P364	Take off contaminated clothing and wash it before reuse.		
P391	Collect spillage.		
P501	Dispose of contents/container in accordance to local regulations		
Wording of any hazard classes listed in section 3			
FL 3	Flammable liquid, category 3		
FL 4	Flammable liquid, category 4		
FS 2	Flammable solid, category 2		
ATO 3	Acute toxicity, oral, category 3		
ATO 4	Acute toxicity, oral, category 4		
ATO 5	Acute toxicity, oral, category 5		
AH 1	Aspiration hazard, category 1		
ATD 5	Acute toxicity, dermal, category 5		
SCI 2	Skin corrosion/irritation, category 2		
SCI 3	Skin corrosion/irritation, category 3		
SS 1	Skin sensitisation, category 1		

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

 Code Number
 FM73063

 Version 1 Revised 10/10/2024 12:24:57 PM

SS 1A	Skin sensitisation, category 1A
SS 1B	Skin sensitisation, category 1B
EDI 2A	Eye damage/irritation, category 2A
ATI 4	Acute toxicity, inhalation, category 4
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any h	nazard statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H332	Harmful if inhaled
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
References and f	urther information
N/A = Not applicab	
SUSMP = Standard	for the Uniform Scheduling of Medicines and Poisons

Printed on 10 Oct 2024

GHS: According to 2015/830/EU

 Code Number
 FM73063

 Version 1 Revised 10/10/2024 12:24:57 PM

AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme

Version 1: GHS format, RB 10/10/2024

Page 13 of 13