

-			
	SAFETY DATA S GHS: According to 2015/830/		Printed on 22 Nov 2024
	Code Number Version 3 Revised 22/1	FM72385 1/2024 9:38:40 AM	
	Section 1. I dentificatio	n of the substance/mixture and of t	he company/undertaking
	1.1 Product I dentifier		
	Product Name	SWEET SANDALWOOD AL	
	Code Number	FM72385	
	Alternative Name		
	REACH Reg No	Not registered	
	1.2 Relevant identified	l uses of the substance or mixture a	nd uses advised against
	For fragrance use.		
	1.3 Details of the supp	lier of the safety data sheet	
		Australian Botanical Products Ltd	
		39 Melverton Drive, Hallam Victoria, 3803 Australia ABN: 45006782529	
	Telephone Number	Tel No. +613 97094800	
	Email Address	abpsales@ixom.com	
	1.4 Emergency Tel No	Emergency No. +61 1 800 033 111	
	Section 2. Hazard I den	tification	
	2.1 Classification of th	e substance or mixture	
	SCI 2	Skin corrosion/irritation, category 2	
	SS 1B	Skin sensitisation, category 1B	
	EDI 2A	Eye damage/irritation, category 2A	
	EH A2	Aquatic hazard, acute, category 2	
	EH C2	Aquatic hazard, chronic, category 2	
	2.2 Label elements		
1			

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Code Number	FM72385
Version 3 Revised 2	22/11/2024 9:38:40 AM
	according to Regulation (EC) No 1272/2008
Hazard Pictogra	ms
	3L
•	
Signal Word	Warning
Hazard Stateme	nts
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
Precautionary S	tatements
P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
2.3 Other Hazards	
	namal, Benzyl Alcohol, Citral, Citronellol, Eugenol, Geraniol, Isoeugen alool which may produce an allergic reaction
No further informa	ation available at this time

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

Code Number FM72385

Version 3 Revised 22/11/2024 9:38:40 AM

3.2 Mixtures

Complex mixture of ingredients

Hazardous components

ID Numbers	Chemical Name, Classification and Hazards	Conc (%)
CAS 54464-57-2 EINECS 259-174-3 REACH	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl) SCI 2;SS 1B;EH C1 H315,H317,H410	10% - 30%
CAS 121-33-5 EINECS 204-465-2 REACH	Vanillin ATO 5; EDI 2A; EH A3 H303, H319, H402	1% - 10%
CAS 28219-61-6 EINECS 248-908-8 REACH	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol FL 4;EDI 2A;EH A1,C1 H227,H319,H400,H410	1% - 10%
CAS 10339-55-6 EINECS 233-732-6 REACH	3,7-dimethylnona-1,6-dien-3-ol FL 4; SCI 2; SS 1B;EDI 2A; EH A3 H227,H315,H317,H319,H402	1% - 10%
CAS 5989-27-5 EINECS 227-813-5 REACH	d-Limonene (p-Mentha-1,8-diene) FL 3;AH 1;SCI 2;SS 1B;EH A1,C3 H226,H304,H315,H317,H400,H412	1% - 10%
CAS 24851-98-7 EINECS 246-495-9 REACH	methyl 3-oxo-2-pentylcyclopentaneacetate EH A2 H401	1% - 10%
CAS 107898-54-4 EINECS 411-580-3 REACH	(+/-) trans-3,3-dimethyl-5-(2,2,3-trimethyl-cyclopent-3-en-1 SCI 2;EH A1,C1 H315,H400,H410	<1%
CAS 77-54-3 EINECS 201-036-1 REACH	[3R-(3a,3aß,6a,7ß,8aa)]-octahydro-3,6,8,8-tetramethyl-1H-3a, SS 1B;EH A1,C1 H317,H400,H410	<1%
CAS 97-53-0 EINECS 202-589-1 REACH	Eugenol ATO 5(2000); SCI 2; SS 1; EDI 2A H303,H315,H317,H319	<1%
CAS 1222-05-5 EINECS 214-946-9 REACH	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran EH A1,C1 H400,H410	<1%

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM72385

 Version 3 Revised 22/11/2024 9:38:40 AM

Section 4. First Aid measures

Take phrases in section 2 into account

4.1 Description of first aid measures

After inhalation

If fumes or combustion products are inhaled, remove to fresh uncontaminated air, lay patient on back until breathing returns to normal. Obtain medical advice if necessary.

After skin contact

Causes skin irritation, May cause an allergic skin reaction. Remove contaminated clothing. Wash thoroughly with soap and water. Seek medical advice if irritation persists or there is any sign of tissue damage.

After eye contact

Causes serious eye irritation. Flush eyes with plenty of water for 15 minutes including under eyelid. Seek medical advice if irritation persists. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

After ingestion

Do NOT induce vomiting. Position to avoid aspiration should vomiting occur. Wash mouth with plenty of water and obtain medical advice immediately. Never give anything by the mouth to an unconscious patient.

4.2 Most important symptoms and effects, both acute and delayed

Take phrases in sections 2 and 11 into account. No further information available at this time.

4.3 Indication of immediate medical attention and special treatment needed Treat symptomatically.

Section 5. Fire-fighting measures

5.1 Extinguishing Media

Carbon dioxide, foam or dry powder. DO NOT USE A DIRECT WATER JET.

5.2 Special hazards arising from the substance or mixture

May produce Carbon dioxide and unidentified organic compounds.

5.3 Advice for fire-fighters

Wear Self-Contained Breathing Apparatus (S.C.B.A.) and full protective clothing to minimise skin exposure. Avoid inhalation of dusts/vapours. Keep containers cool with water spray. Do not use direct water jet on burning material. Do not allow spillage of fire to enter drains or watercourses.

HazChem Code •3Z

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM72385

 Version 3 Revised 22/11/2024 9:38:40 AM

Section 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Remove all sources of ignition. Avoid inhalation, skin and eye contact. Ensure proper ventilation. Evacuate all unnecessary personnel. If possible, contain the spill.
- 6.2 Environmental precautions

Do not discharge directly into drains or the soil. Keep away from surface and ground water.

6.3 Methods and material for containment and cleaning up

Soak up spillage with sand or other inert absorbent material such as earth or vermiculite; transfer used material to a suitable waste container and dispose in accordance with regulations. If large quantities of this material enter the waterways, contact the EPA or your local Waste Management Group.

6.4 Reference to other sections

Refer to information in Sections 7, 8 and 13

Section 7. Handling and storage

7.1 Precautions for safe handling

Maintain good occupational and personal hygiene. Avoid inhalation and contact with skin and eyes. Wear protective clothing and use safety glasses. Keep in original container or an alternative made from a compatible material.

7.2 Conditions for safe storage, including any incompatibilities

Store in tightly sealed original containers away from ignition sources and in a cool place. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents.

7.3 Specific end use(s) No further information available.

Section 8. Exposure controls / personal protection

8.1 Control Parameters

No exposure standards have been established for this material by Work safe Australia. However, as a matter of course avoid repeated or prolonged contact with the skin. Keep out of eyes. Do not ingest. Use with good ventilation, do not breathe dusts/vapours. Sensitive individuals may develop an allergic response.

8.2 Exposure controls

Engineering controls

Natural ventilation should be sufficient, however where dusts/vapours are generated the use of a grounded mechanical exhaust ventilation system is recommended.

GHS: According to 2015/830/EU

Printed on 22 Nov 2024

Code Number FM72385 Version 3 Revised 22/11/2024 9:38:40 AM Individual protection measures Refer to Section 5 for specific fire/chemical personal protective equipment advice. Always wash routinely before breaks, meals and at the end of the work period. Eye/face protection Use splash-proof safety glasses and face shield where splashing is possible. Hand protection Wear chemically resistant disposable gloves. Other skin protection Wear overalls. Depending on conditions in the workplace, additional body protection should be considered. Always wash routinely before breaks, meals and at the end of the work period. Respiratory protection Not generally required. Use inhalation protection in poorly ventilated areas. Thermal hazards No information. Environmental exposure controls Emissions from ventilation and process equipment should be checked to ensure compliance with environmental protection legislation. National Exposure Standards No exposure standards have been established for this material by Worksafe Australia. **Biological Limit Values** No biological limit allocated. Section 9. Physical and chemical properties 9.1 Information on basic physical and chemical properties FLASH POINT (°C) 98°C APPEARANCE Mobile liquid COLOUR Colourless to pale yellow ODOUR Sweet, woody, cedar, sandalwood ODOUR THRESHOLD Not available Not available pH @20 DEG C MELTING/FREEZING POINT Not available

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU		22 Nov 202
Code Number FM72385		
Version 3 Revised 22/11/2024 9:3	28:40 AM	
INITIAL BOILING POINT AND RANGE	Not available	
EVAPORATION RATE	Not available	
FLAMMABILITY (SOLID/GAS)	Not available	
UPPER/LOWER FLAMMABILITY LIMITS	Not available	
VAPOUR PRESSURE	Not available	
VAPOUR DENSITY	Not available	
SPECIFIC GRAVITY @ 20°C	0.995 - 1.025	
SOLUBILITIES	Insoluble in water	
PARTITION COEFF N-OCTANAL/WATER	Not available	
AUTO-IGNITION TEMPERATURE	Not available	
DECOMPOSITION TEMPERATURE	Not available	
VISCOSITY @ 20 DEG C	Not available	
EXPLOSIVE PROPERTIES	Not available	
OXIDISING PROPERTIES	Not available	
9.2 Other information No further information available.		
Section 10. Stability and reactivity	,	
10.1 Reactivity No data.		
10.2 Chemical Stability Stable under the recommended storage conditions (see section 7).		
10.3 Possibility of hazardous reactions No hazardous reactions if stored under suitable storage conditions.		
10.4 Conditions to avoid Avoid exposure to heat, sources of	ignition, and open flame. Avoid exposure	to air.
10.5 Incompatible materials	nd from highly alkaline or acidic material.	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

Code Number FM72385 Version 3 Revised 22/11/2024 9:38:40 AM

10.6 Hazardous decomposition products

During combustion may form carbon monoxide, carbon dioxide and unidentified organic compounds.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available data.

Skin corrosion / irritation Causes skin irritation.

Serious eye damage / irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity

No data

Carcinogenicity

No data

Reproductive toxicity

No data

STO-single exposure No data

STO-repeated exposure No data

Aspiration hazard

No data

Information on likely routes of exposure

No data

Symptoms related to the physical, chemical and toxicological characteristics No data

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No data

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

SAFETY DATA SHEET GHS: According to 2015/830/EU	Printed on 22 Nov 2024
Code Number FM72385 Version 3 Revised 22/11/2024 9:38:40 AM	
Interactive effects No data	
Other information No data	
 Section 12. Ecological information 12.1 Toxicity Toxic to aquatic life with long lasting effects. Avoid contains Contains Tetramethyl acetyloctahydronaphthalenes (54464 LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L EC50 (48 h) - Daphnia magna - 1.38 mg/L EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L 12.2 Persistence and degradability No test data available for this substance. 	
12.3 Bioaccumulative potentialNo data.12.4 Mobility in soil	
Avoid soil, surface water and water-bearing stratum contain	mination.
12.5 Results of PBT and vPvB assessment No data.	
12.6 Other adverse effects See sections 6, 7, 13 and 15.	
Section 13. Disposal considerations Please refer to the information in section 8 (Exposure control 13.1 Waste treatment methods Dispose in accordance with the law and local regulations. T	
Section 14. Transport information	

The information contained herein is true and accurate to the best of our knowledge. All information is valid until revisions are issued. However, the accuracy of this information cannot be guaranteed by the company as the data has been obtained from different sources. We will not, therefore, accept liability for misuse of this data resulting in damage or loss.

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM72385

 Version 3 Revised 22/11/2024 9:38:40 AM

14.1 UN number			
ADR	3082		
ΙΑΤΑ	3082		
IMDG	3082		
14.2 UN prop	per shipping name		
ADR	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)		
14.3 Transpo	ort hazard class(es)		
ADR	9		
ΙΑΤΑ	9		
IMDG	9		
14.4 Packing	group		
ADR	111		
ΙΑΤΑ	111		
IMDG	111		
Tunnel Code	(-)		
14.5 Environ	mental Hazards		
Dangerous f	for the environment. Marine pollutant.		
14.6 Special	precautions for user		
Maritime Transport (International Maritime Dangerous Goods Code (IMDG Code)): EmS: F-A,S-F Marine Pollutant: Yes			
Road and Ra	Road and Rail Transport (Australian Dangerous Goods Code (ADG Code)):		
HazChem (Code •3Z		
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.			

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

Code Number FM72385 Version 3 Revised 22/11/2024 9:38:40 AM

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison Schedule (SUSMP): S5 CAUTION

HS Tariff Code: 3302.90.00

All the constituents of this material are compliant with AICIS regulation.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out.

Section 16. Other information

Full list of precautionary phrases

P261	Avoid breathing fumes.
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice.
P337+P313	If eye irritation persists: Get medical attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
P501	Dispose of contents/container in accordance to local regulations
Wording of any haza	rd classes listed in section 3
FL 3	Flammable liquid, category 3
FL 4	Flammable liquid, category 4
FS 2	Flammable solid, category 2
ATO 4	Acute toxicity, oral, category 4
ATO 5	Acute toxicity, oral, category 5
AH 1	Aspiration hazard, category 1
ATD 4	Acute toxicity, dermal, category 4
ATD 5	Acute toxicity, dermal, category 5

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM72385

 Version 3 Revised 22/11/2024 9:38:40 AM

SCI 2	Skin corrosion/irritation, category 2
SCI 3	Skin corrosion/irritation, category 3
SS 1	Skin sensitisation, category 1
SS 1B	Skin sensitisation, category 1B
EDI 1	Eye damage/irritation, category 1
EDI 2A	Eye damage/irritation, category 2A
ATI 5	Acute toxicity, inhalation, category 5
STO-SE 3(RI)	Specific target organ, single exposure, respiratory irritation
MUT 2	Germ cell mutagenicity, category 2
CAR 1B	Carcinogenicity, category 1B
CAR 2	Carcinogenicity, category 2
REP 2	Reproductive toxicity, category 2
EH A1	Aquatic hazard, acute, category 1
EH A2	Aquatic hazard, acute, category 2
EH A3	Aquatic hazard, acute, category 3
EH C1	Aquatic hazard, chronic, category 1
EH C2	Aquatic hazard, chronic, category 2
EH C3	Aquatic hazard, chronic, category 3
Wording of any haza	rd statements listed in section 3
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H335	May cause respiratory irritation
H341	Suspected of causing genetic defects

Printed on 22 Nov 2024

GHS: According to 2015/830/EU

 Code Number
 FM72385

 Version 3 Revised 22/11/2024 9:38:40 AM

H350May cause cancerH351Suspected of causing cancerH361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsMA2Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017Version 3: Mandatory revision, RB 22/11/2024		
H361Suspected of damaging fertility or the unborn childH400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H350	May cause cancer
H400Very toxic to aquatic lifeH401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H351	Suspected of causing cancer
H401Toxic to aquatic lifeH402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H361	Suspected of damaging fertility or the unborn child
H402Harmful to aquatic lifeH410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H400	Very toxic to aquatic life
H410Very toxic to aquatic life with long lasting effectsH411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H401	Toxic to aquatic life
H411Toxic to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsH412Harmful to aquatic life with long lasting effectsReferences and further informationN/A = Not applicableSUSMP = Standard for the Uniform Scheduling of Medicines and PoisonsAIIC = Australian Inventory of Industrial ChemicalAICIS = Australian Industrial Chemicals Introduction SchemeVersion 1: GHS format, BV 18/07/2017Version 2: Minor changes, BV 09/10/2017	H402	Harmful to aquatic life
 H412 Harmful to aquatic life with long lasting effects References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 18/07/2017 Version 2: Minor changes, BV 09/10/2017 	H410	Very toxic to aquatic life with long lasting effects
References and further information N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 18/07/2017 Version 2: Minor changes, BV 09/10/2017	H411	Toxic to aquatic life with long lasting effects
N/A = Not applicable SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 18/07/2017 Version 2: Minor changes, BV 09/10/2017	H412	Harmful to aquatic life with long lasting effects
SUSMP = Standard for the Uniform Scheduling of Medicines and Poisons AIIC = Australian Inventory of Industrial Chemical AICIS = Australian Industrial Chemicals Introduction Scheme Version 1: GHS format, BV 18/07/2017 Version 2: Minor changes, BV 09/10/2017	References and furth	ner information
Version 2: Minor changes, BV 09/10/2017	SUSMP = Standard for AIIC = Australian Inver	ntory of Industrial Chemical
	Version 2: Minor chang	ges, BV 09/10/2017