# SAFETY DATA SHEET



Revision date: 14-Jan-2025

**Revision Number** 1

# Section 1: Identification

**Product identifier** 

Product Name NEW POWDER FRESH NEWPOW

**Product Code(s)** 000000027879

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

**Uses advised against**No information available.

Illicit Drug Precursors/Reagents This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling, and storing these substances.

### Details of manufacturer or importer

#### <u>Supplier</u>

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

**GHS Classification** 

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

#### Label elements

Corrosion

**Exclamation mark** 

Environment



# Signal word

DANGER

#### **Hazard statements**

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands thoroughly after handling.

Wear protective gloves/eye protection/face protection.

Avoid release to the environment.

# **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Collect spillage.

### **Precautionary Statements - Storage**

No storage statements.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Toxic to aquatic life.

May be harmful if swallowed.

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	32210-23-4	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10

Coumarin	91-64-5	1-<10
Oils, Pine	8002-09-3	1-<10
Amyl salicylate	2050-08-0	1-<10
Cinnamic alcohol	104-54-1	1-<10
.alphaHexylcinnamaldehyde	101-86-0	1-<10
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-nap hthalenyl)-	21145-77-7	1-<10
Cypress, cupressus funebris, extract (Cedarwood Chinese Oil)	85085-29-6	1-<10
1,3-Benzodioxole-5-carboxaldehyde (Heliotropine)	120-57-0	0.1-<1
Methyl phenyl acetate	101-41-7	0.1-<1
d-Limonene	5989-27-5	0.1-<1
Eugenol	97-53-0	0.1-<1
Ingredients determined not to be hazardous	-	to 100

### Section 4: First aid measures

#### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

(Call a physician if symptoms occur).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. Get medical attention immediately if symptoms occur.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If skin irritation or rash occurs: Get medical advice/attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.

### Most important symptoms and effects, both acute and delayed

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**May cause sensitization by skin contact. Can cause corneal burns. Treat symptomatically.

### Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and

contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

Hazardous combustion products Oxides

Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •3Z

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate

ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Wash thoroughly after handling. Use

personal protective equipment as required.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection

recommended in Section 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil.

Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Remove ignition sources. Provide adequate

ventilation. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to

containers for later disposal.

Methods for cleaning up Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

### Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate

ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children.

**General hygiene considerations** 

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

#### Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible materials described in Section 10. Store away from foodstuffs and sources of heat or ignition. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials

Oxidizing agent.

# Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** 

No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-	-	-	skin sensitizer
(Geraniol)			
106-24-1			
Cinnamic alcohol	-	-	skin sensitizer
104-54-1			
d-Limonene	-	-	TWA: 5 ppm
5989-27-5			TWA: 28 mg/m <sup>3</sup>
			Peak: 20 ppm
			Peak: 112 mg/m <sup>3</sup>
			Sk*
			skin sensitizer
Eugenol	-	-	skin sensitizer
97-53-0			

### Appropriate engineering controls

#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Overalls. Boots.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

None known

**Environmental exposure controls** No information available.

Thermal hazards No information available.

### Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Pale Yellow to Dark Yellow

Odor Sweet, Fresh, Spicy, Floral, Powdery, Woody and Musky

Odor threshold No information available

**Property** Values Remarks • Method No data available pН None known pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known 103 °C Flash point CC (closed cup) No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known

No data available

Flammability Limit in Air

Upper flammability or explosive

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known No data available None known Vapor density Relative density 1.0090 - 1.0290 @ 20 °C Water solubility No data available None known Solubility(ies) No data available None known No data available **Partition coefficient** None known No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known No data available Kinematic viscosity None known No data available Dynamic viscosity None known

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Direct sunlight. Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

# Section 11: Toxicological information

#### Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye damage. Can result in permanent injury.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. Causes skin irritation. Repeated or prolonged

exposure may cause irritation of eyes and skin.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives.

Acute toxicity .

Numerical measures of toxicity - Product Information

ATEmix (oral) >2,000 mg/kg (calculated, based on data from components)

Numerical measures of toxicity - Component Information

**Component Information** 

Component information  Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	= 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Coumarin	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Oils, Pine	= 3200 mg/kg (Rat)	5000 mg/kg (Rabbit)	> 3.79 mg/L (Rat) 4 h
Amyl salicylate	= 4100 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Cinnamic alcohol	= 2 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
.alphaHexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthalenyl)-	= 570 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
1,3-Benzodioxole-5-carboxaldehyde (Heliotropine)	= 2700 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
Methyl phenyl acetate	= 2550 mg/kg (Rat)	= 2400 mg/kg (Rabbit)	-
d-Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Eugenol	= 1930 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation Causes serious eye damage. Classification based on data available for ingredients.

**Respiratory or skin sensitization** May cause sensitization by skin contact. Classification based on data available for

ingredients.

Germ cell mutagenicity No information available.

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

tollow to the manual tollow to the tol	The taken water management and the angle of the management and the same and the sam			
Chemical name	Australia	European Union	IARC	
Coumarin - 91-64-5	-	-	Group 3	
d-Limonene - 5989-27-5	-	-	Group 3	
Eugenol - 97-53-0	-	_	Group 3	

Legend

IARC (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

### **Ecotoxicity**

**Aquatic ecotoxicity** Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	-	LC50: =8.6mg/L (96h, Cyprinus carpio)	-	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	-	LC50: =22mg/L (96h, Danio rerio)	-	-
Oils, Pine	-	-	-	EC50: 17 - 28mg/L (48h, Daphnia magna)
Cinnamic alcohol	EC50: 19.7 mg/L (72h, Desmodesmus subspicatus)	LC50: 9 mg/L (96h, Brachydanio rerio)	-	EC50: 7.7 mg/L (48h, Daphnia magna)
1,3-Benzodioxole-5-carboxalde hyde (Heliotropine)	-	LC50: =2.5mg/L (96h, Cyprinus carpio)	-	-
d-Limonene	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	LC50 Daphnia magna (Water flea) 0.577 mg/L/48 hr (1)
Eugenol	-	LC50: =13mg/L (96h, Danio rerio)	-	EC50 = 1.13mg/L (48hr,Daphnia magna)(1)

### Terrestrial ecotoxicity

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate	4.8
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	2.6
Amyl salicylate	4.5
Cinnamic alcohol	1.636
Ethanone,	5.7
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthalenyl)-	
1,3-Benzodioxole-5-carboxaldehyde	1.2
(Heliotropine)	
Methyl phenyl acetate	2.09
d-Limonene	4.23
Eugenol	3.098

Mobility

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

# Section 14: Transport information

**ADG** 

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not

incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number or ID number Proper shipping name

3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS AMYL

SALICYLATE)

Transport hazard class(es)

Packing group Environmental hazard Hazchem code 9 III Yes •3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL

SALICYLATE)

Transport hazard class(es) 9
Packing group III

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL

SALICYLATE)

Transport hazard class(es)9Packing groupIIIIMDG EMS FireF-AIMDG EMS SpillS-F

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6	Present	-
Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate - 32210-23-4	Present	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol) - 106-24-1	Present	-
Coumarin - 91-64-5	Present	-
Oils, Pine - 8002-09-3	Present	-
Amyl salicylate - 2050-08-0	Present	-

Chemical name	Australian Industrial	Additional information
	Chemicals Introduction	
	Scheme (AICIS)	
Cinnamic alcohol - 104-54-1	Present	-
.alphaHexylcinnamaldehyde -	Present	-
101-86-0		
Ethanone,	Present	-
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa		
methyl-2-naphthalenyl) 21145-77-7		
Cypress, cupressus funebris, extract	Present	-
(Cedarwood Chinese Oil) - 85085-29-6		
1,3-Benzodioxole-5-carboxaldehyde	Present	-
(Heliotropine) - 120-57-0		
Methyl phenyl acetate - 101-41-7	Present	-
d-Limonene - 5989-27-5	Present	Specific information requirement: Obligations to provide
		information apply. You must tell us within 28 days if the
		circumstances of your importation or manufacture (introduction)
		are different to those in our assessment.
Eugenol - 97-53-0	Present	-
Ingredients determined not to be	Present	-
hazardous		

### **Illicit Drug Precursors/Reagents**

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling, and storing these substances.

Chemical name	Illicit Drug Precursors/Reagents
1,3-Benzodioxole-5-carboxaldehyde (Heliotropine) - 120-57-0	Category 1
Methyl phenyl acetate - 101-41-7	Category 1
Eugenol - 97-53-0	Category 2

#### Legend

Category 1 - Chemicals that require an End User Declaration with each purchase and may only be sold to 'account customers' or customers that are prepared to open an account. Supply of these chemicals to End Users or Distributors must be delayed for a period of not less than 24 hours.

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers.

## National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
d-Limonene - 5989-27-5	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

NZIOCContact supplier for inventory compliance status.TSCAContact supplier for inventory compliance status.DSL/NDSLContact supplier for inventory compliance status.

EINECS/ELINCS
Contact supplier for inventory compliance status.
PICCS
Contact supplier for inventory compliance status.
Contact supplier for inventory compliance status.

Legenda

AllC- Australian Inventory of Industrial Chemicals NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Other information

Reason(s) For Issue: First Issue Primary SDS

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 14-Jan-2025

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**