SAFETY DATA SHEET

Revision date: 29-Mar-2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| SALIGIN MPS | | |
|---|--|--|
| 00000030038 | | |
| | | |
| 5026-62-0 | | |
| Benzoic acid, 4-hydroxy-, methyl ester, sodium salt | | |
| Sodium methyl hydroxybenzoate; Sodium methylparaben | | |
| Substance | | |
| Recommended use of the chemical and restrictions on use | | |
| Preservative. | | |
| No information available. | | |
| | | |

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).



| Skin corrosion/irritation | Category 2 - (H315) |
|-----------------------------------|---------------------|
| Serious eye damage/eye irritation | Category 1 - (H318) |

SIGNAL WORD Danger

Label elements

Corrosion



Hazard statements H315 - Causes skin irritation H318 - Causes serious eye damage

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Other hazards which do not result in classification

Harmful to aquatic life with long lasting effects

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

| Chemical name | CAS No. | Weight-% |
|---|-----------|----------|
| Benzoic acid, 4-hydroxy-, methyl ester, sodium salt | 5026-62-0 | >=99.5 |

4. FIRST AID MEASURES

Description of first aid measures

| General advice | Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. |
|----------------------------|--|
| Emergency telephone number | Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766 |
| Inhalation | Remove to fresh air. Get medical attention immediately if symptoms occur. |
| Eye contact | Get immediate medical advice/attention. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. |

| Skin contact | Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists. | |
|---|---|--|
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician. | |
| Self-protection of the first aider | Avoid contact with skin, eyes, and clothing. Wear personal protective clothing (see section 8). | |
| Most important symptoms and effe | cts, both acute and delayed | |
| Symptoms | Burning sensation. | |
| Indication of any immediate medica | al attention and special treatment needed | |
| Note to physicians | Treat symptomatically. | |
| | | |
| 5. FIRE FIGHTING MEASU | RES | |
| Suitable Extinguishing Media | | |
| Suitable Extinguishing Media | Water spray, fog or alcohol-resistant foam. | |
| Unsuitable extinguishing media | Dry chemical. Carbon dioxide (CO2). High volume water jet. | |
| Specific hazards arising from the c | hemical | |
| Specific hazards arising from the chemical | Combustible material. Dust can form an explosive mixture with air. Avoid generation of dust. | |
| Hazardous combustion products | Carbon oxides. | |
| Special protective actions for fire-fighters | | |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | |
| | | |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin, eyes, and clothing. Do not breathe dust. Use personal protective equipment as required. Ensure adequate ventilation. Avoid generation of dust. Remove all sources of ignition. Take precautionary measures against static discharges. | |
|--|--|--|
| Other information | Refer to protective measures listed in Sections 7 and 8. | |
| For emergency responders | Use personal protection recommended in Section 8. | |
| Environmental precautions | | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. See Section 12 for additional Ecological Information. | |
| Methods and material for containment and cleaning up | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | |

| Methods for cleaning up | Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Take precautionary measures against static discharges. |
|--|--|
| 7. HANDLING AND STORA | GE |
| Precautions for safe handling | |
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Avoid generation of dust. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking and explosion proof. Take precautionary measures against static discharges. |
| General hygiene considerations | Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. |
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children. Store away from sources of heat or ignition. Protect from moisture. |
| Incompatible materials | Strong oxidizing agents. |
| Poisons Schedule (SUSMP) | None allocated |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering

controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.

| Eye/face protection | Tight sealing safety goggles. |
|---------------------------------|---|
| Skin and body protection | Wear suitable protective clothing. Antistatic boots. Overalls. |
| Hand protection | Impervious gloves. |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear a dust mask meeting the requirements of AS/NZS 1715 and AS/NZS 1716. |
| Environmental exposure controls | No information available. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Information on | hasic nhy | veical and | chemical | nronerties |
|------------------|-----------|-------------|----------|------------|
| initerination on | busic pil | y Sicai ana | Chennear | properties |

| Information on basic physical and chemical properties | | | |
|---|---------------------------|------------------|--|
| Physical state | Solid | | |
| Appearance | Crystalline Powder | | |
| Color | White | | |
| Odor | No information available. | | |
| Odor threshold | No information available. | | |
| | | | |
| Property_ | Values | Remarks • Method | |
| рН | 9.5 - 10.5 | | |
| Melting point / freezing point | 313 °C | | |
| Boiling point / boiling range | No data available | None known | |
| Flash point | 180 °C | | |
| Evaporation rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | None known | |
| Upper flammability or explosive | No data available | | |
| limits | | | |
| Lower flammability or explosive | No data available | | |
| limits | | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | 1.42 | @ 20 °C | |
| Water solubility | No data available | None known | |
| Solubility(ies) | Soluble in water | | |
| Partition coefficient | No data available | None known | |
| Autoignition temperature | >404 °C | | |
| Decomposition temperature | No data available | None known | |
| Kinematic viscosity | No data available | None known | |
| | | | |

Dynamic viscosity

No data available

None known

Other information

| 10. STABILITY AND REACTIVITY | | |
|---|---|--|
| Reactivity | | |
| Reactivity | Hygroscopic. | |
| Chemical stability | | |
| Stability | Stable under normal conditions. | |
| Explosion data Sensitivity to mechanical impac | t None. | |
| Sensitivity to static discharge | Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. | |
| Possibility of hazardous reactions | | |
| Possibility of hazardous reactions | Dust can form an explosive mixture with air. | |
| Conditions to avoid | | |
| Conditions to avoid | Dust formation. Static discharge (electrostatic discharge). Moisture. | |
| Incompatible materials | | |
| Incompatible materials | Strong oxidizing agents. | |
| Hazardous decomposition products | | |
| Hazardous decomposition products Carbon oxides. | | |

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: |
|---------------------|---|
| Inhalation | Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. |
| Eye contact | Specific test data for the substance or mixture is not available. Severely irritating to eyes. Causes serious eye damage. May cause burns. May cause irreversible damage to eyes. (based on components). |
| Skin contact | Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components). |
| Ingestion | Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. |
| Symptoms | Redness. Burning. May cause blindness. May cause redness and tearing of the eyes. |

Numerical measures of toxicity - Product Information

No information available.

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------------------|------------------------|-------------|-----------------|
| Benzoic acid, 4-hydroxy-, | = >5,000 mg/kg (Rat) | - | - |
| methyl ester, sodium salt | | | |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Classification based on data available for ingredients. Irritating to skin. |
|-----------------------------------|---|
| Serious eye damage/eye irritation | Classification based on data available for ingredients. Causes burns. Risk of serious damage to eyes. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | Not classified. |
| Carcinogenicity | Not classified. |
| Reproductive toxicity | Not classified. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

| Ob antical new | | Deutitien en efficient |
|-------------------------------|--|------------------------|
| Bioaccumulation | This chemical shows a low bioaccumulation potential. | |
| Bioaccumulative potential | | |
| Persistence and degradability | Readily biodegradable. | |
| Persistence and degradability | | |
| Ecotoxicity | Harmful to aquatic life with | long lasting effects. |
| <u>Ecotoxicity</u> | | |

| Chemical name | Partition coefficient | |
|---|-----------------------|--|
| Benzoic acid, 4-hydroxy-, methyl ester, sodium salt | log Kow = 0.63 | |

<u>Mobility</u>

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

<u>IMDG</u>

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories AICS

This material is listed on the Australian Inventory of Industrial Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 07/2015

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 29-Mar-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

| Legend Section | DILO. EXPOSURE CONTROLS/PERSONAL | PROTECTION | |
|----------------|----------------------------------|------------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| С | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet