SAFETY DATA SHEET

Revision date: 01-Feb-2023

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier			
Product Name	DIPENTENE		
Product Code(s)	00000030367		
Other means of identification			
UN number	2052		
CAS No.	138-86-3		
Synonyms	Di Pentene; AAPEN77340		
Pure substance/mixture Substance			
Recommended use of the chemical and restrictions on use			
Recommended use Food and fragrance ingredient.			
Uses advised against	No information available		

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).



```
Revision Number 4
```

Flammable liquids	Category 3
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Skin sensitization	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD Danger

Label elements



Hazard statements

H226 - Flammable liquid and vapor H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical, ventilating, lighting equipment Use only non-sparking tools Take action to prevent static discharges Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water Take off immediately all contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish. Collect spillage **Precautionary Statements - Storage** Store locked up Store in a well-ventilated place. Keep cool **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Very toxic to aquatic life

General Hazards

Poisons Schedule (SUSMP)

None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Dipentene	138-86-3	100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.		
Inhalation	Remove to fresh air. Call a physician if symptoms occur.		
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if symptoms occur.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.		
Ingestion	Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.		
Most important symptoms and effe	cts, both acute and delayed		
Symptoms	Irritation. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat symptomatically.		
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	RES		

Suitable Extinguishing Media Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Flammable. On burning will emit toxic fumes, including those of oxides of carbon. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. In the event of fire, cool tanks with water spray. Runoff may create fire or explosion hazard. Environmentally hazardous. Fire residues and

Hazchem code	3Y		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		
Special protective actions for fire-fighters			
Hazardous combustion products	Oxides of carbon.		
	contaminated fire extinguishing water must be disposed of in accordance with local regulations.		

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Use personal protective equipment as required. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.
For emergency responders	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.
Methods and material for containm	ent and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Remove ignition sources. Provide adequate ventilation. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labelled containers.

7. HANDLING AND STORAGE

Precautions for safe handling Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Keep away Advice on safe handling from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep in an area equipped with sprinklers. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Use according to package label instructions. **General hygiene considerations** Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and

immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.			
Conditions for safe storage, including any incompatibilities			
Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not store near combustible materials. Keep in an area equipped with sprinklers. Protect from direct sunlight. Store locked up. Keep in properly labelled containers. Store in accordance with local regulations. Store away from incompatible materials described in Section 10. Keep container closed when not in use.			
Strong oxidizing agents.			
None allocated			

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Skin and body protection	Wear suitable protective clothing. Antistatic boots. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceClearColorColourless to Slightly YeOdorMild PineOdor thresholdNo information availablePropertyValuespHNo data availablepH (as aqueous solution)No data availableMelting point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosiveUpper flammability or explosive0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubility(ies)Insoluble in water Solubalcohol.1	
OdorMild PineOdor thresholdNo information availableProperty pHNo data availablePHNo data availablePHNo data availablePHNo data availablePH97 °CBoiling point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in Air Upper flammability or explosive limits6.1Lower flammability or explosive limits0.7Vapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubility(ies)Insoluble in water Solub	Remarks • Method None known None known None known None known CC (closed cup) None known None known
Odor thresholdNo information availableProperty pHValues No data availablePH (as aqueous solution)No data availableMelting point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in Air Upper flammability or explosive limits6.1Lower flammability or explosive limits0.7Vapor pressureNo data availableVapor density0.858 - 0.885 @ 20°CWater solubilityInsoluble in water Soluble	<u>Remarks • Method</u> None known None known None known CC (closed cup) None known None known
Property pHValues No data availablepHNo data availablepH (as aqueous solution)No data availableMelting point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosiveIimits0.7IimitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @ 20°CWater solubility (ies)Insoluble in water Soluble	<u>Remarks • Method</u> None known None known None known CC (closed cup) None known None known
pHNo data availablepH (as aqueous solution)No data availablePH (as aqueous solution)No data availableMelting point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosiveUpper flammability or explosive6.1limits0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubility (ies)Insoluble in water Soluble	None known None known None known CC (closed cup) None known None known
pH (as aqueous solution)No data availablepH (as aqueous solution)No data availableMelting point / freezing point-97 °CBoiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosiveUpper flammability or explosive6.1limits0.7Lower flammability or explosive0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @ 20°CWater solubility (ies)Insoluble in water Soluble	None known None known CC (closed cup) None known None known
Melting point / freezing point -97 °C Boiling point / boiling range 173-190 °C Flash point 46 °C Evaporation rate No data available Flammability (solid, gas) No data available Flammability Limit in Air Upper flammability or explosive Lower flammability or explosive 6.1 limits 0.7 Vapor pressure No data available Vapor density 0.858 - 0.885 @ 20°C Water solubility No data available Solubility(ies) Insoluble in water Soluble	None known None known CC (closed cup) None known None known
Boiling point / boiling range173-190 °CFlash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosiveUpper flammability or explosive6.1limits0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Soluble	None known CC (closed cup) None known None known
Flash point46 °CEvaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirUpper flammability or explosive6.1Upper flammability or explosive0.7limits0.7Vapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubility (ies)Insoluble in water Soluble	CC (closed cup) None known None known
Evaporation rateNo data availableFlammability (solid, gas)No data availableFlammability Limit in AirOutper flammability or explosive6.1Upper flammability or explosive0.7limitsOutper flammability or explosive0.7Lower flammability or explosive0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	None known None known
Flammability (solid, gas)No data availableFlammability Limit in Air0.7Upper flammability or explosive0.7limits0.7Lower flammability or explosive0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	None known
Flammability Limit in Air Upper flammability or explosive 6.1 limits 0.7 Lower flammability or explosive 0.7 limits No data available Vapor pressure No data available Relative density 0.858 - 0.885 @20°C Water solubility No data available Solubility(ies) Insoluble in water Solubility	
Upper flammability or explosive limits6.1Lower flammability or explosive limits0.7Vapor pressureNo data availableVapor densityNo data availableRelative density0.858 - 0.885 @ 20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	None known
limits0.7Lower flammability or explosive0.7limitsNo data availableVapor pressureNo data availableVapor density0.858 - 0.885 @20°CRelative density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	
Lower flammability or explosive limits0.7Vapor pressureNo data availableVapor densityNo data availableRelative density0.858 - 0.885 @ 20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	
limitsVapor pressureNo data availableVapor densityNo data availableRelative density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Soluble	
Vapor pressureNo data availableVapor densityNo data availableRelative density0.858 - 0.885 @ 20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	
Vapor densityNo data availableRelative density0.858 - 0.885 @20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	
Relative density0.858 - 0.885 @ 20°CWater solubilityNo data availableSolubility(ies)Insoluble in water Solub	None known
Water solubilityNo data availableSolubility(ies)Insoluble in water Solub	None known
Solubility(ies) Insoluble in water Solub	None known
	None known
	le in kerosene, None known
Partition coefficient No data available	None known
Autoignition temperature 236 °C	None known
Decomposition temperature No data available	None known
Kinematic viscosity No data available	None known
Dynamic viscosity No data available	None known
Other information	

<u>Reactivity</u>	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	Yes.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Heating can cause expansion or decomposition of the material, which can lead to the containers exploding.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Static discharge (electrostatic discharge). Avoid contact with combustible substances. Direct sunlight.
Incompatible materials	

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. May be harmful if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis.
Symptoms	Irritation. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dipentene	= 5300 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be harmful if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u>		
Ecotoxicity	Very toxic to aquatic life with long lasting effects. Keep out of waterways.	
Persistence and degradability Persistence and degradability	No information available.	
Bioaccumulative potential		
Bioaccumulation	No information available.	
<u>Mobility</u> Mobility in soil	No information available.	
Other adverse effects		
13. DISPOSAL CONSIDERATIONS		

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	2052
Proper shipping name	DIPENTENE
Hazard class	3
Packing group	111
Environmental hazard	Yes
Hazchem code	3Y

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	2052
UN proper shipping name	DIPENTENE
Transport hazard class(es)	3
Packing group	

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by

sea; DANGEROUS GOODS.

UN number	2052
UN proper shipping name	DIPENTENE
Transport hazard class(es)	3
Packing group	
IMDG EMS Fire	F-E
IMDG EMS Spill	S-E
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Liquids that meet the criteria for Class 3 Packing Group II or III National pollutant inventory Subject to reporting requirement Threshold quantity (T) 50 000

Chemical name	National pollutant inventory	
Dipentene - 138-86-3	20 MW Threshold category 2b total	
	60000 MWH Threshold category 2b total	
	1 tonne/h Threshold category 2a total	
	25 tonne/yr Threshold category 1a total	
	400 tonne/yr Threshold category 2a total	
	2000 tonne/yr Threshold category 2b total	

International Inventories AIIC

This material is listed on the Australian Inventory of Industrial Chemicals.

Legend: AllC- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS Change in Hazardous Chemical Classification

Issuing Date: 01-Feb-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

, ,		2	
Legend Secti	on 8: EXPOSURE CONTROLS/PERSONAL	L PROTECTION	
TWA	TWA (time-weighted average)	STEL	STE
Ceiling	Maximum limit value	*	Skin
С	Carcinogen		

STEL (Short Term Exposure Limit) Skin designation

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fundicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet