

## **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

**Product Name:** 

### SOLUVIT RICHTER NP

**Recommended Use of the Chemical** Cosmetic ingredient. and Restrictions on Use

Supplier: ABN: Street Address:	Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia 51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia
Telephone Number:	+61 2 8717 2929
Facsimile:	+61 2 9755 9611
Emergency Telephone:	<b>1 800 033 111 (ALL HOURS)</b>

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

An aqueous solution containing not more than 24% ethanol by volume is not subject to the provisions of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

#### Classification of the chemical:

Flammable liquids - Category 3 Toxic to Reproduction - Category 1B

#### SIGNAL WORD: DANGER



Hazard Statement(s): H226 Flammable liquid and vapour. H360 May damage fertility or the unborn child.

#### **Precautionary Statement(s):**

#### **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground or bond container and receiving equipment.
P241 Use explosion-proof electrical, ventilating, lighting equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves, protective clothing, eye and face protection.
P281 Use personal protective equipment as required. *Product Name: SOLUVIT RICHTER NP*Substance No: 00000031558



#### **Response:**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P308+P313 IF exposed or concerned: Get medical advice/attention. P370 In case of fire:

P378 Use fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder) to extinguish.

#### Storage:

P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): None allocated.

### **3. COMPOSITION AND INFORMATION ON INGREDIENTS**

**Product Description:** contains approximately 11% v/v ethanol.

Components	CAS Number	Proportion	Hazard Codes
Ethyl alcohol	64-17-5	10-25%	H225
Vitamin A, palmitate	79-81-2	0.1-1%	H360, H413
Ingredients determined not to be hazardous	-	to 100%	-

### 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

#### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

#### Skin Contact:

If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs seek medical advice.

#### Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

#### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

#### Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

### **5. FIRE FIGHTING MEASURES**



#### Suitable Extinguishing Media:

Fine water spray, alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder).

#### Specific hazards arising from the chemical:

Flammable liquid. On burning will emit toxic fumes, including those of oxides of carbon.

#### Special protective equipment and precautions for fire-fighters:

Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire. Keep containers cool with water spray. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

#### Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

#### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Use non-sparking tools. Collect and seal in properly labelled containers or drums for disposal.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols.

May form flammable vapour mixtures with air. Vapour may travel a considerable distance to source of ignition and flash back. All potential sources of ignition (open flames, pilot lights, furnaces, spark producing switches and electrical equipment etc) must be eliminated both in and near the work area. Do NOT smoke. Take precautionary measures against static discharges.

#### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store between 15°C and 25°C. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Ethyl alcohol: 8hr TWA = 1880 mg/m<sup>3</sup> (1000 ppm)



As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Wear overalls, safety glasses and impervious gloves. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid Yellow Colour: Characteristic Odour: **Odour Threshold:** Not available Solubility: **Specific Gravity:** Relative Vapour Density (air=1): Not available Vapour Pressure (20 °C): Flash Point (°C):

Soluble in water. 1.03 @ 20°C Not available approx. 41



Flammability Limits (%):Not aAutoignition Temperature (°C):Not aMelting Point/Range (°C):Not aBoiling Point/Range (°C):approDecomposition Point (°C):Not apH:4 - 7Viscosity:approPartition Coefficient:Not a

Not available Not available approx. 78 Not available 4 - 7 approx. 10 mPa.s @ 20°C Not available

## **10. STABILITY AND REACTIVITY**

Reactivity:	No information available.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation will not occur. Heating can cause expansion or decomposition of the material, which can lead to the containers exploding.
Conditions to avoid:	Avoid exposure to heat, sources of ignition, and open flame.
Incompatible materials:	None known.
Hazardous decomposition products:	Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No adverse effects expected, however, large amounts may cause nausea and vomiting.
Eye contact:	May be an eye irritant.
Skin contact:	Contact with skin may result in irritation.
Inhalation:	Material may be irritant to the mucous membranes of the respiratory tract (airways).

**Acute toxicity:** No LD50 data available for the product. However, based on similar product(s): (1) Oral LD50 (rat): >32 mL/kg Dermal LD50 (rabbit): 20 g/kg

Skin corrosion/irritation:	Non-irritant (rabbit). (1)
Serious eye damage/irritation:	Non-irritant (rabbit). (1)
Respiratory or skin	Not a skin sensitiser (guinea pig). (1)
sensitisation:	

Chronic effects: No information available for the product.



Mutagenicity: Carcinogenicity:	No information available. No information available.
Reproductive toxicity:	May damage fertility or the unborn child.
Specific Target Organ Toxicity	No information available.
(STOT) - single exposure:	
Specific Target Organ Toxicity	No information available.
(STOT) - repeated exposure: Aspiration hazard:	No information available.

### **12. ECOLOGICAL INFORMATION**

Ecotoxicity	Avoid contaminating waterways.
Persistence/degradability:	The material is biodegradable. (1)
Bioaccumulative potential:	No information available.
Mobility in soil:	No information available.

### **13. DISPOSAL CONSIDERATIONS**

#### **Disposal methods:**

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations. Advise flammable nature. Normally suitable for incineration by an approved agent.

### **14. TRANSPORT INFORMATION**

#### Road and Rail Transport

An aqueous solution containing not more than 24% ethanol by volume is not subject to the provisions of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

#### Marine Transport

An aqueous solution containing not more than 24% ethanol by volume is not subject to the provisions of the IMDG Code, U.N. Recommedations for Transport of Dangerous Goods.

#### Air Transport

An aqueous solution containing not more than 24% ethanol by volume is not subject to the provisions of the IATA Dangerous Goods Goods regulations.

### **15. REGULATORY INFORMATION**

#### **Classification:**

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

#### Classification of the chemical:

Flammable liquids - Category 3 Toxic to Reproduction - Category 1B



#### Hazard Statement(s):

H226 Flammable liquid and vapour. H360 May damage fertility or the unborn child.

Poisons Schedule (SUSMP): None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

### **16. OTHER INFORMATION**

(1) Supplier Safety Data Sheet; 03/2017.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

#### Reason(s) for Issue:

5 Yearly Revised Primary SDS Change in Hazardous Chemical Classification Updated Formulation Change in Physical Properties Update in Toxicological Information

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.