

# SAFETY DATA SHEET



Revision date: 05-May-2022

Revision Number 4

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** ELEGANCE T40000B

**Product Code(s)** 000000032074

### Other means of identification

**UN number** 3082

### Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances.

**Uses advised against** No information available.

### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
ABN:51 600 546 512  
70 Marple Avenue  
Villawood NSW 2163  
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

<b>Flammable liquids</b>	Category 4
<b>Aspiration hazard</b>	Category 1

<b>Skin corrosion/irritation</b>	Category 2
<b>Serious eye damage/eye irritation</b>	Category 2
<b>Skin sensitization</b>	Category 1
<b>Acute aquatic toxicity</b>	Category 2
<b>Chronic aquatic toxicity</b>	Category 2

**SIGNAL WORD**

Danger

**Label elements**

Environment  
Health hazard  
Exclamation mark

**Hazard statements**

H227 - Combustible liquid  
H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:  
H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Avoid breathing dust / fume / gas / mist / vapours / spray  
Wash hands thoroughly after handling  
Contaminated work clothing should not be allowed out of the workplace  
Wear protective gloves / protective clothing / eye protection / face protection  
Avoid release to the environment

**Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF ON SKIN: Wash with plenty of soap and water  
If skin irritation or rash occurs: Get medical advice/attention  
Take off contaminated clothing and wash before reuse  
IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
Do NOT induce vomiting  
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.  
Collect spillage

**Precautionary Statements - Storage**

Store in a well-ventilated place  
Store locked up

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to aquatic life

## Poisons Schedule (SUSMP)

5

**3. COMPOSITION/INFORMATION ON INGREDIENTS**Mixture

Chemical name	CAS No.	Weight-%
Diethyl phthalate	84-66-2	30-60
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethyl-.alpha.-ionone)	127-51-5	1-<10
Oils, cedarwood	8000-27-9	1-<10
Oils, bergamot	8007-75-8	1-<10
.alpha.-Hexylcinnamaldehyde	101-86-0	1-<10
Cinnamic alcohol	104-54-1	1-<10
Coumarin	91-64-5	1-<10
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	80-54-6	1-<10
Bergamot mint, extract	85085-49-0	1-<10
D,L-Citronellol	106-22-9	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

**4. FIRST AID MEASURES**Description of first aid measures**General advice**

For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

**Emergency telephone number****Inhalation**

Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Call a physician if symptoms occur.

**Eye contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Skin contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**Ingestion**

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.

**Most important symptoms and effects, both acute and delayed****Symptoms**

Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

**Unsuitable extinguishing media** No information available.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Oxides of carbon.

### Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** •3Z

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Ensure adequate ventilation. Avoid breathing vapors or mists. Avoid contact with skin, eyes,

and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Keep out of reach of children.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.

#### **Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep container closed when not in use. Store away from foodstuffs. Store away from incompatible materials described in Section 10.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

**Incompatible materials** Oxidizing agents.

**Poisons Schedule (SUSMP)** 5

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Diethyl phthalate: 8hr TWA = 5 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### **Appropriate engineering controls**


**Engineering controls** Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### **Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



<b>Eye/face protection</b>	Goggles.
<b>Skin and body protection</b>	Wear suitable protective clothing. Boots. Overalls.
<b>Hand protection</b>	Impervious gloves.
<b>Respiratory protection</b>	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
<b>Environmental exposure controls</b>	No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	Yellow to Dark yellow
<b>Odor</b>	Fresh , Petals , Leafy , Citrus , Floral , Sweet , Woody , Spicy , Powdery , Animalic
<b>Odor threshold</b>	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	No data available	
<b>Flash point</b>	89 °C	CC (closed cup)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	
<b>Vapor density</b>	No data available	
<b>Relative density</b>	1.007 - 1.027 @20°C	
<b>Water solubility</b>	No data available	
<b>Solubility(ies)</b>	Immiscible in water	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

### Other information

## 10. STABILITY AND REACTIVITY

### Reactivity

**Reactivity** No information available.

### Chemical stability

**Stability** Stable under normal conditions.

### Explosion data

**Sensitivity to mechanical impact** None.

**Sensitivity to static discharge** Yes.

### Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

### Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight. Do not contaminate food or feed stuffs.

### Incompatible materials

**Incompatible materials** Oxidizing agents.

### Hazardous decomposition products

**Hazardous decomposition products** Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

### Information on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes eye irritation.

**Skin contact** Irritating to skin. May cause sensitization by skin contact.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

**Symptoms** Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

**ATEmix (oral)** >5000 mg/kg

**Numerical measures of toxicity - Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethyl phthalate	= 8600 mg/kg ( Rat )	> 11200 mg/kg ( Rat )	> 4.64 mg/L ( Rat ) 6 h
3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cy clohexen-1-yl)- (Isomethyl-.alpha.-ionone)	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Oils, cedarwood	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Oils, bergamot	= 11520 mg/kg ( Rat )	-	-
.alpha.-Hexylcinnamaldehyde	= 3100 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	> 5 mg/L ( Rat ) 4 h
Cinnamic alcohol	= 2000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Coumarin	= 293 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
2-methyl-3-(4-tert.-butylphenyl)- propanal (Lilial)	= 1390 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 1802 mg/m <sup>3</sup> ( Rat ) 4 h
D,L-Citronellol	= 3450 mg/kg ( Rat )	= 2650 mg/kg ( Rabbit )	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

<b>Skin corrosion/irritation</b>	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).

**12. ECOLOGICAL INFORMATION****Ecotoxicity**



**Ecotoxicity**

Avoid contaminating waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethyl phthalate	EC50: =23mg/L (72h, <i>Desmodesmus subspicatus</i> ) EC50: =21mg/L (96h, <i>Desmodesmus subspicatus</i> ) EC50: 42 - 255mg/L (72h, <i>Pseudokirchneriella subcapitata</i> ) EC50: 2.11 - 4.29mg/L (96h, <i>Pseudokirchneriella subcapitata</i> )	LC50: =17mg/L (96h, <i>Pimephales promelas</i> ) LC50: =16.8mg/L (96h, <i>Pimephales promelas</i> ) LC50: =22mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =16.7mg/L (96h, <i>Lepomis macrochirus</i> ) LC50: =12mg/L (96h, <i>Oncorhynchus mykiss</i> )	-	EC50: 36 - 74mg/L (48h, <i>Daphnia magna</i> ) EC50: =86mg/L (48h, <i>Daphnia magna</i> )
Cinnamic alcohol	EC50: 19.7 mg/L (72h, <i>Desmodesmus subspicatus</i> )	LC50: 9 mg/L (96h, <i>Brachydanio rerio</i> )	-	EC50: 7.7 mg/L (48h, <i>Daphnia magna</i> )
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	-	LC50: 2.2 - 4.6mg/L (96h, <i>Brachydanio rerio</i> )	-	EC50: =10.7mg/L (48h, <i>Daphnia magna</i> )
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	-	LC50: =22mg/L (96h, <i>Danio rerio</i> )	-	-

**Persistence and degradability****Persistence and degradability** No information available.**Bioaccumulative potential****Bioaccumulation** No information available.**Component Information**

Chemical name	Partition coefficient
Diethyl phthalate	2.35
Cinnamic alcohol	1.9
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	4.2

**Mobility****Mobility in soil** No information available.**Other adverse effects****Endocrine Disruptor Information**

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Waste from residues/unused products**

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

### ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>Proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BERGAMOT OIL)
<b>Hazard class</b>	9
<b>Packing group</b>	III
<b>Special Provisions</b>	274; 331; 335; 375; AU01
<b>Hazchem code</b>	*3Z

### IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BERGAMOT OIL)
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III

### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

<b>UN number</b>	3082
<b>UN proper shipping name</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS BERGAMOT OIL)
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>IMDG EMS Fire</b>	F-A
<b>IMDG EMS Spill</b>	S-F
<b>Marine pollutant</b>	Yes

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 5

**International Inventories**

**AIIC** All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**AIIC - Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS  
Change in Hazardous Chemical Classification

**Issuing Date:** 05-May-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

**Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**