# SAFETY DATA SHEET

Revision date: 30-Sep-2024



Revision Number 5

Section 1: Identification		
Product identifier		
Product Name	FRAGRANCE CK ONE TYPE A923875	
Product Code(s)	00000032126	
Other means of identification		
UN number or ID number	3082	
Pure substance/mixture	Mixture	
Recommended use of the chemical and restrictions on use		
Recommended use	Fragrances.	
Uses advised against	No information available.	
Details of manufacturer or importer	<u>-</u>	
Supplier Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia		
Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611		
Emergency telephone number		
Emergency telephone number	1 800 033 111 (ALL HOURS)	
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
Section 2: Hazard identification		

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

#### GHS Classification

Flammable liquids	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1B
Carcinogenicity	Category 1B
Reproductive toxicity	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

#### Label elements

Health hazard Exclamation mark Environment



#### Signal word DANGER

#### Hazard statements

- H227 Combustible liquid
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H319 Causes serious eye irritation
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H411 Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/clothing and eye/face protection. Avoid release to the environment. **Precautionary Statements - Response** Specific treatment (see First aid on this SDS). IF exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish... Collect spillage. Precautionary Statements - Storage Store in a well-ventilated place. Keep cool.

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

#### Other hazards which do not result in classification

## Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Aliphatic alcohol(s)	-	10-<30
Linalyl acetate	115-95-7	1-<10
Tetrahydrolinalool	78-69-3	1-<10
Galaxolide	1222-05-5	1-<10
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	54464-57-2	1-<10
.alphaHexylcinnamaldehyde	101-86-0	1-<10
Oils, bergamot	8007-75-8	1-<10
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-nap hthalenyl)-	21145-77-7	1-<10
d-Limonene	5989-27-5	1-<10
Terpenes and terpenoids, lemon oil	68917-33-9	1-<10
Aromatic alcohol(s)	-	1-<10
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	80-54-6	1-<10
Lavandin oil	8022-15-9	1-<10
Oils, nutmeg	8008-45-5	0.1-<1
Ingredients determined not to be hazardous	-	to 100

## Section 4: First aid measures

#### Description of first aid measures

Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a physician if symptoms occur).	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. (Call a physician if symptoms occur).	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.	

Effects of Exposure	No information available.
---------------------	---------------------------

## Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. May cause sensitization by skin contact.

## Section 5: Firefighting measures

#### Suitable Extinguishing Media

Suitable extinguishing media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	
Specific hazards arising from the chemical	Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products	Carbon oxides.
Special protective actions for fire-fighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	•3Z
Section 6: Accidental release measures	

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Shut off ignition sources. Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide adequate ventilation.	
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labeled containers.	

## Section 7: Handling and storage

#### Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Obtain special

	instructions before use. Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Avoid contact during pregnancy and while nursing. Keep out of reach of children.
General hygiene considerations	Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep container closed when not in use. Do not contaminate food or feed stuffs. Store away from sources of heat or ignition.
	Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.
Incompatible materials	Strong oxidizing agents.

## Section 8: Exposure controls and personal protection

#### Control parameters

#### Exposure Limits

No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
d-Limonene	-	-	TWA: 5 ppm
5989-27-5			TWA: 28 mg/m <sup>3</sup>
			Peak: 20 ppm
			Peak: 112 mg/m <sup>3</sup>
			Sk*
			skin sensitizer

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

#### OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Skin and body protection	Wear suitable protective clothing. Boots. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

## Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid Clear Pale Yellow to Yellow Fresh , Citrus , Floral , Aromatic , Woo No information available	ody , Musky and Powdery
Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	
Boiling point / boiling range	No data available	
Flash point	73 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.9300 - 0.9500 @20°C	
Water solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

## Section 10: Stability and reactivity

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks. Direct sunlight. Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	<u>8                                    </u>

Hazardous decomposition products Carbon oxides.

## Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye irritation.
Skin contact	Causes skin irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Symptoms	Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

#### Acute toxicity\_.

Numerical measures of toxicity - Product Information No information available

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Linalyl acetate	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	>18.94 mg/L (Rat)8 h
Tetrahydrolinalool	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

Galaxolide	> 3250 mg/kg (Rat)	> 3250 mg/kg (Rabbit)	> 5.04 mg/L (Rat)4 h
.alphaHexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
Oils, bergamot	= 11520 mg/kg (Rat)	-	-
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthalenyl)-	= 570 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
d-Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
2-methyl-3-(4-tertbutylphenyl)-propan al (Lilial)	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m <sup>3</sup> (Rat)4 h
Lavandin oil	> 5 g/kg (Rat)	-	-
Oils, nutmeg	= 2620 mg/kg (Rat)	> 10 g/kg (Rabbit)	-

See section 16 for terms and abbreviations

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	May cause cancer. Classification is based on mixture calculation methods based on component data.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
d-Limonene - 5989-27-5	-	-	Group 3

Reproductive toxicity	May damage fertility or the unborn child. Classification is based on mixture calculation methods based on component data.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

## Section 12: Ecological information

#### Ecotoxicity

#### Aquatic ecotoxicity

Toxic to aquatic life with long lasting effects. Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Linalyl acetate	EC50: 68mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =11mg/L (96h, Cyprinus carpio)	-	EC50: 59mg/L (48h, Daphnia magna)
Tetrahydrolinalool	-	LC50: =8.9mg/L (96h, Danio rerio)	-	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro -2,3,8,8-tetramethyl-		LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L (1)	-	EC50 (48 h) - Daphnia magna - 1.38 mg/L NOEC (21 days) - Daphnia magna – 0.044 mg/L(1)
d-Limonene	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	LC50 Daphnia magna (Water flea) 0.577 mg/L/48 hr (1)
2-methyl-3-(4-tertbutylphenyl)- propanal (Lilial)	-	LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)	-	EC50: =10.7mg/L (48h, Daphnia magna)

#### **Terrestrial ecotoxicity**

There is no data for this product.

#### Persistence and degradability

Persistence and degradability No information available.

#### Bioaccumulative potential

Bioaccumulation

There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Linalyl acetate	3.9
Tetrahydrolinalool	3.3
Galaxolide	5.3
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	5.7
Ethanone,	5.7
1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthalenyl)-	
d-Limonene	4.23
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	4.2

#### Mobility

Mobility

No information available.

Other adverse effects

Other adverse effects

No information available.

## Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

See section 8 for more information

Section 14: Transport information			
ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.		
	Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.		
UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 9 III •3Z		
IATA_	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.		
UN number UN proper shipping name Transport hazard class(es) Packing group	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 9 III		
IMDG_	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.		
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS GALAXOLIDE AND TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES) 9 III F-A S-F		

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

## Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 5

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Linalyl acetate - 115-95-7	Present	-
Tetrahydrolinalool - 78-69-3	Present	-
Galaxolide - 1222-05-5	Present	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8, 8-tetramethyl 54464-57-2	Present	-
.alphaHexylcinnamaldehyde - 101-86-0	Present	-
Oils, bergamot - 8007-75-8	Present	-
Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthalenyl) 21145-77-7	Present	-
d-Limonene - 5989-27-5	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Terpenes and terpenoids, lemon oil - 68917-33-9	Present	-
Aromatic alcohol(s)	Present	-
2-methyl-3-(4-tertbutylphenyl)-propan al (Lilial) - 80-54-6		-
	Present	-
Oils, nutmeg - 8008-45-5	Present	-
Ingredients determined not to be hazardous	- Contact supplier for inventory compliance status	-

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### National pollutant inventory

Subject to reporting requirement	
Chemical name	National pollutant inventory
d-Limonene - 5989-27-5	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals or as a naturally occurring material are excluded from the Australian Industrial Chemicals Introduction Scheme (AICIS) requirements.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Reason(s) For Issue:	Revised Primary SDS Change in Proper Shipping Name Change in Hazardous Chemical Classification		
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).		
Revision date:	30-Sep-2024		
Revision Note:			

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet