# SAFETY DATA SHEET



Revision date: 16-Sep-2024

Revision Number 5

# Section 1: Identification

**Product identifier** 

Product Name FRAGRANCE COUNTRY GARDEN A923276

**Product Code(s)** 000000032133

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

**Uses advised against** No information available.

Details of manufacturer or importer

#### **Supplier**

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

## Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

#### **GHS Classification**

Flammable liquids	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1A
Effects on or via lactation	Yes
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

## Label elements

Corrosion Exclamation mark



#### Signal word DANGER

#### **Hazard statements**

H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H362 - May cause harm to breast-fed children

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/clothing and eye/face protection.

Avoid contact during pregnancy and while nursing.

Avoid release to the environment.

#### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Collect spillage.

## **Precautionary Statements - Storage**

Store in a well-ventilated place.

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

#### Other hazards which do not result in classification

Toxic to aquatic life.

May be harmful if swallowed.

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
.alphaHexylcinnamaldehyde	101-86-0	10-<30
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
2-Phenyl ethanol	60-12-8	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Linalyl acetate	115-95-7	1-<10
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	1-<10
D,L-Citronellol	106-22-9	1-<10
3-Cyclohexene-1-carboxaldehyde,	31906-04-4	1-<10
4-(4-hydroxy-4-methylpentyl)- (Lyral)		
Ylang ylang, extract	83863-30-3	1-<10
Geranyl acetate	105-87-3	1-<10
Clove, extract	84961-50-2	1-<10
Fragrance ingredients present at non-hazardous	-	to 100
concentrations		

# Section 4: First aid measures

#### Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. (Call a physician if symptoms occur).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical attention.

**Skin contact**Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If skin irritation or rash occurs: Get medical advice/attention.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. If symptoms persist, call a physician.

#### Most important symptoms and effects, both acute and delayed

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically. May cause sensitization by skin contact. Can cause corneal burns.

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

**Unsuitable extinguishing media** No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •3Z

## Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

**Personal precautions**Avoid contact with skin, eyes or clothing. Avoid breathing dust/fume/gas/mist/vapors/spray.

Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Wash thoroughly after handling. Remove all sources of ignition. Use personal protective equipment as required. Keep people away from and upwind of

spill/leak. See section 8 for more information.

For emergency responders

Use personal protection recommended in Section 8. Shut off ignition sources. Clear area of

all unprotected personnel.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional

Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment**Stop leak if you can do it without risk. Remove ignition sources. Provide adequate

ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or

other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

## Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Avoid contact with skin, eyes or clothing. Do not breathe

dust/fume/gas/mist/vapors/spray. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Avoid contact during pregnancy and while nursing. Keep out of reach of children.

#### General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear suitable gloves and eye/face protection. Wash hands before breaks and immediately after handling the product. Regular cleaning of equipment, work area and clothing is recommended.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight.

Keep container closed when not in use. Store away from foodstuffs and sources of heat or

ignition.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in

accordance with the relevant regulations.

Incompatible materials Oxidizing agent.

## Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
2-Phenyl ethanol 60-12-8	•	-	Sk*
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol) 106-24-1	-	-	skin sensitizer
Octanal, 7-hydroxy-3,7-dimethyl- 107-75-5	-	-	skin sensitizer
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (Lyral) 31906-04-4	-	-	skin sensitizer

## Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

None known

**Environmental exposure controls** No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

## Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Pale Yellow to Yellow

Odor Fresh, Green, petally, Floral, Earthy, Woody and Musky

Odor threshold No information available

PropertyValuesRemarks • MethodpHNo data availableNone known

pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point 91 °C CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known No data available Vapor density None known Relative density 0.9650-0.9850 @20°C None known Water solubility No data available None known Solubility(ies) No data available None known No data available **Partition coefficient** None known No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. static discharge (electrostatic discharge). Direct sunlight. Do not

contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Oxidizing agent.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

# Section 11: Toxicological information

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Causes skin irritation. May cause sensitization by skin contact.

**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives.

Acute toxicity .

Numerical measures of toxicity - Product Information

ATEmix (oral) >2000 mg/kg (calculated, based on data from components)

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
.alphaHexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
2-Phenyl ethanol	= 1609 mg/kg (Rat)	= 2535 mg/kg (Rabbit)	> 4.63 mg/L (Rat) 4 h
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Linalyl acetate	= 14550 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 18.94 mg/L (Rat) 8 h
Octanal, 7-hydroxy-3,7-dimethyl-	> 5 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-
D,L-Citronellol	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	-
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (Lyral)	= 3250 μL/kg (Rat)	-	-
Ylang ylang, extract	-	> 5000 mg/kg (Rabbit)	-
Geranyl acetate	= 6330 mg/kg (Rat)	-	-
Clove, extract	= 2650 mg/kg ( Rat )	= 1200 mg/kg ( Rabbit ) = 5000 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye damage. Classification is based on mixture calculation methods based

on component data.

**Respiratory or skin sensitization** May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

**Reproductive toxicity**May cause harm to breast-fed children. Classification is based on mixture calculation

methods based on component data.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

#### **Ecotoxicity**

**Aquatic ecotoxicity** 

Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
1,6-Octadien-3-ol, 3,7-dimethyl-	EC50: =88.3mg/L (96h,	LC50: =27.8mg/L (96h,	-	EC50: =20mg/L (48h,
(Linalool)	Desmodesmus	Oncorhynchus mykiss)		Daphnia magna)
· ·	subspicatus)			
2-Phenyl ethanol	EC50: =490mg/L (72h,	-	-	EC50: =287.17mg/L
	Desmodesmus			(48h, Daphnia magna)
	subspicatus)			
2,6-Octadien-1-ol, 3,7-dimethyl-,	-	LC50: =22mg/L (96h,	-	-
(E)- (Geraniol)		Danio rerio)		
Linalyl acetate	EC50: 68mg/L (72h,	LC50: =11mg/L (96h,	-	EC50: 59mg/L (48h,
·	Pseudokirchneriella	Cyprinus carpio)		Daphnia magna)
	subcapitata)			'

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

our portone in ormation	
Chemical name	Partition coefficient
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9
2-Phenyl ethanol	1.36
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	2.6
Linalyl acetate	3.9
Octanal, 7-hydroxy-3,7-dimethyl-	1.68
D,L-Citronellol	3.41
Geranyl acetate	4.04

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

# Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not

incorporate a receptacle exceeding 500 kg(L); or IBCs.

**UN number or ID number** 

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL Proper shipping name

CINNAMIC ALDEHYDE, ALPHA)

Transport hazard class(es)

**Packing group** Ш **Environmental hazard** Yes Hazchem code •3Z

Classified as Dangerous Goods by the criteria of the International Air Transport Association IATA

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN** number 3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL **UN proper shipping name** 

CINNAMIC ALDEHYDE, ALPHA)

Transport hazard class(es)

**Packing group** Ш

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous **IMDG** 

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

**UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL **UN proper shipping name** 

CINNAMIC ALDEHYDE, ALPHA)

Transport hazard class(es) Packing group Ш **IMDG EMS Fire** F-A S-F IMDG EMS Spill

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

## Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the

Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
.alphaHexylcinnamaldehyde - 101-86-0	Present	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6	Present	-
2-Phenyl ethanol - 60-12-8	Present	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol) - 106-24-1	Present	-
Linalyl acetate - 115-95-7	Present	-
Octanal, 7-hydroxy-3,7-dimethyl 107-75-5	Present	-
D,L-Citronellol - 106-22-9	Present	-
3-Cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)- (Lyral) - 31906-04-4	Present	-
Ylang ylang, extract - 83863-30-3	Present	-
Geranyl acetate - 105-87-3	Present	-
Clove, extract - 84961-50-2	Present	-
Fragrance ingredients present at non-hazardous concentrations	Present	-

## Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

**NZIoC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. DSL/NDSL **EINECS/ELINCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status.

Legend:

AllC AllC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## Section 16: Other information

Reason(s) For Issue: Revised Primary SDS

Change in Hazardous Chemical Classification

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 16-Sep-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**