

# SAFETY DATA SHEET



Revision date: 16-Oct-2024

Revision Number 5

## Section 1: Identification

### Product identifier

**Product Name** LAVENDER 47710 T99003

**Product Code(s)** 000000032289

### Other means of identification

**UN number or ID number** 3082

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances.

**Uses advised against** No information available.

### Details of manufacturer or importer

#### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
ABN:51 600 546 512  
70 Marple Avenue  
Villawood NSW 2163  
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).  
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

### GHS Classification

<b>Flammable liquids</b>	Category 4
<b>Skin corrosion/irritation</b>	Category 2
<b>Serious eye damage/eye irritation</b>	Category 1
<b>Skin sensitization</b>	Category 1B
<b>Germ cell mutagenicity</b>	Category 2
<b>Carcinogenicity</b>	Category 2
<b>Reproductive toxicity</b>	Category 1B
<b>Acute aquatic toxicity</b>	Category 2
<b>Chronic aquatic toxicity</b>	Category 2

**Label elements**

Health hazard  
Corrosion  
Exclamation mark  
Environment

**Signal word**

DANGER

**Hazard statements**

H227 - Combustible liquid  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H318 - Causes serious eye damage  
H341 - Suspected of causing genetic defects  
H351 - Suspected of causing cancer  
H360Fd - May damage fertility. Suspected of damaging the unborn child  
H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Avoid breathing dust/fume/gas/mist/vapors/spray.  
Wash hands thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/clothing and eye/face protection.  
Avoid release to the environment.

**Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).  
IF exposed or concerned: Get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.  
In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish..  
Collect spillage.

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool.  
Store locked up.

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Other hazards which do not result in classification**

May be harmful if swallowed.

### Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Linalyl acetate	115-95-7	10-<30
,alpha.-Hexylcinnamaldehyde	101-86-0	10-<30
Benzyl salicylate	118-58-1	10-<30
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	80-54-6	1-<10
2-Phenyl ethanol	60-12-8	1-<10
D,L-Citronellol	106-22-9	1-<10
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
Oils, lime	8008-26-2	1-<10
Ionone, methyl-	1335-46-2	1-<10
1-Methoxy-4-(2-propenyl)benzene	140-67-0	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

### Section 4: First aid measures

**Description of first aid measures**

<b>Emergency telephone number</b>	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
<b>Inhalation</b>	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. (Call a physician if symptoms occur).
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately if symptoms occur.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. (Call a physician if symptoms occur).
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.

**Effects of Exposure** No information available.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically. May cause sensitization by skin contact. Can cause corneal burns.

### Section 5: Firefighting measures

**Suitable Extinguishing Media**

**Suitable extinguishing media** Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

**Unsuitable extinguishing media** No information available.

**Specific hazards arising from the chemical**

**Specific hazards arising from the chemical** Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Carbon oxides.

**Special protective actions for fire-fighters**

**Special protective equipment and precautions for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** •3Z

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

**For emergency responders** Shut off ignition sources. Use personal protection recommended in Section 8.

**Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.

**Methods and material for containment and cleaning up**

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Remove ignition sources. Provide adequate ventilation.

**Methods for cleaning up** Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labeled containers.

**Section 7: Handling and storage****Precautions for safe handling**

**Advice on safe handling** Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Ensure adequate ventilation. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep container closed when not in use. Store away from sources of heat or ignition.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

**Incompatible materials** Strong oxidizing agents.

## Section 8: Exposure controls and personal protection

#### Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

Chemical name	European Union	United Kingdom	Germany DFG
2-Phenyl ethanol 60-12-8	-	-	Sk*

#### Appropriate engineering controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas. Eyewash stations.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

**Hand protection** Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.**Thermal hazards** No information available.**Section 9: Physical and chemical properties****Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	Colourless to Pale Yellow
<b>Odor</b>	Fresh , Flowery , Green , Lavender
<b>Odor threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	No data available	
<b>Flash point</b>	81 °C	CC (closed cup)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Vapor pressure</b>	No data available	
<b>Vapor density</b>	No data available	
<b>Relative density</b>	0.947 - 0.967 @20°C	
<b>Water solubility</b>	No data available	
<b>Solubility(ies)</b>	Difficult to dissolve.	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	
<b>Decomposition temperature</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>	No data available	None known

**Other information****Section 10: Stability and reactivity****Reactivity****Reactivity** No information available.**Chemical stability****Stability** Stable under normal conditions.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.

**Conditions to avoid****Conditions to avoid** Heat, flames and sparks. Direct sunlight.**Incompatible materials****Incompatible materials** Strong oxidizing agents.**Hazardous decomposition products****Hazardous decomposition products** Carbon oxides.**Section 11: Toxicological information****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** May cause irritation.**Eye contact** Causes serious eye damage. May cause irreversible damage to eyes.**Skin contact** Causes skin irritation. May cause sensitization by skin contact.**Ingestion** May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.**Symptoms** Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives.**Acute toxicity****Numerical measures of toxicity - Product Information****ATEmix (oral)** >2000 - <5000 mg/kg (calculated, based on data from components)**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Linalyl acetate	= 14550 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 18.94 mg/L ( Rat ) 8 h
.alpha.-Hexylcinnamaldehyde	= 3100 mg/kg ( Rat )	> 3000 mg/kg ( Rabbit )	> 5 mg/L ( Rat ) 4 h
Benzyl salicylate	= 2227 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	= 1390 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	> 1802 mg/m <sup>3</sup> ( Rat ) 4 h
2-Phenyl ethanol	= 1609 mg/kg ( Rat )	= 2535 mg/kg ( Rabbit )	> 4.63 mg/L ( Rat ) 4 h
D,L-Citronellol	= 3450 mg/kg ( Rat )	= 2650 mg/kg ( Rabbit )	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg ( Rat )	= 5610 mg/kg ( Rabbit )	-
Oils, lime	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Ionone, methyl-	> 5 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-

1-Methoxy-4-(2-propenyl)benzene	= 1230 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
---------------------------------	----------------------	-------------------------	---

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	Causes skin irritation. Classification is based on mixture calculation methods based on component data.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
<b>Respiratory or skin sensitization</b>	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
<b>Germ cell mutagenicity</b>	Suspected of causing genetic defects. Classification is based on mixture calculation methods based on component data.
<b>Carcinogenicity</b>	Suspected of causing cancer. Classification is based on mixture calculation methods based on component data.
<b>Reproductive toxicity</b>	May damage fertility. Suspected of damaging the unborn child. Classification is based on mixture calculation methods based on component data.
<b>STOT - single exposure</b>	No information available.
<b>STOT - repeated exposure</b>	No information available.
<b>Aspiration hazard</b>	No information available.

## **Section 12: Ecological information**

### Ecotoxicity

**Aquatic ecotoxicity** Toxic to aquatic life with long lasting effects. Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Linalyl acetate	EC50: 68mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =11mg/L (96h, Cyprinus carpio)	-	EC50: 59mg/L (48h, Daphnia magna)
Benzyl salicylate	-	LC50: =1.03mg/L (96h, Danio rerio)	-	-
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	-	LC50: 2.2 - 4.6mg/L (96h, Brachydanio rerio)	-	EC50: =10.7mg/L (48h, Daphnia magna)
2-Phenyl ethanol	EC50: =490mg/L (72h, Desmodesmus subspicatus)	-	-	EC50: =287.17mg/L (48h, Daphnia magna)



1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodosmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Ionone, methyl-	-	LC50: =2.3mg/L (96h, Danio rerio)	-	-

**Terrestrial ecotoxicity** There is no data for this product.

#### Persistence and degradability

**Persistence and degradability** No information available.

#### Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

#### Component Information

Chemical name	Partition coefficient
Linalyl acetate	3.9
Benzyl salicylate	4
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial)	4.2
2-Phenyl ethanol	1.36
D,L-Citronellol	3.41
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9
Ionone, methyl-	5
1-Methoxy-4-(2-propenyl)benzene	3.4

#### Mobility

**Mobility** No information available.

#### Other adverse effects

**Other adverse effects** No information available.

### **Section 13: Disposal considerations**

#### Waste treatment methods

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

See section 8 for more information

### **Section 14: Transport information**

**ADG** Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not

incorporate a receptacle exceeding 500 kg(L); or IBCs.

**UN number or ID number** 3082  
**Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA, LIME OIL)  
**Transport hazard class(es)** 9  
**Packing group** III  
**Hazchem code** •3Z

**IATA** Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA, LIME OIL)  
**Transport hazard class(es)** 9  
**Packing group** III

**IMDG** Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL CINNAMIC ALDEHYDE, ALPHA, LIME OIL)  
**Transport hazard class(es)** 9  
**Packing group** III  
**IMDG EMS Fire** F-A  
**IMDG EMS Spill** S-F

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
 No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

##### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).  
 Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

#### **Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)**

No poisons schedule number allocated

**Poison Schedule Number** Not applicable

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Linalyl acetate - 115-95-7	Present	-
.alpha.-Hexylcinnamaldehyde - 101-86-0	Present	-
Benzyl salicylate - 118-58-1	Present	-
2-methyl-3-(4-tert.-butylphenyl)-propanal (Lilial) - 80-54-6	Present	-
2-Phenyl ethanol - 60-12-8	Present	-
D,L-Citronellol - 106-22-9	Present	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6	Present	-
Oils, lime - 8008-26-2	Present	-
Ionone, methyl- - 1335-46-2	Present	-
1-Methoxy-4-(2-propenyl)benzene - 140-67-0	Present	-
Fragrance ingredients present at non-hazardous concentrations - -	Present	-

**Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

**International Inventories****AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals or as a naturally occurring material are excluded from the Australian Industrial Chemicals Introduction Scheme (AICIS) requirements.

**NZIoC**

Contact supplier for inventory compliance status.

**TSCA**

Contact supplier for inventory compliance status.

**DSL/NDSL**

Contact supplier for inventory compliance status.

**EINECS/ELINCS**

Contact supplier for inventory compliance status.

**ENCS**

Contact supplier for inventory compliance status.

**IECSC**

Contact supplier for inventory compliance status.

**KECL**

Contact supplier for inventory compliance status.

**PICCS**

Contact supplier for inventory compliance status.

**Legend:**

**AIIC- Australian Inventory of Industrial Chemicals**

**NZIoC - New Zealand Inventory of Chemicals**

**TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**

**DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List**

**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**

**ENCS - Japan Existing and New Chemical Substances**

**IECSC - China Inventory of Existing Chemical Substances**

**KECL - Korean Existing and Evaluated Chemical Substances**

**PICCS - Philippines Inventory of Chemicals and Chemical Substances**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

The Rotterdam Convention Not applicable

## Section 16: Other information

**Reason(s) For Issue:** Revised Primary SDS  
Change in Hazardous Chemical Classification  
Change in Proper Shipping Name  
Change to Poisons Requirements

**Prepared By** This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

**Revision date:** 16-Oct-2024

### Revision Note:

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:  
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
STOT: Specific Target Organ Toxicity  
ATE: Acute Toxicity Estimate  
LC50: 50% Lethal Concentration  
LD50: 50% Lethal Dose

#### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
Environmental Protection Agency  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

#### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**