SAFETY DATA SHEET



Revision date: 16-Oct-2024

Revision Number 5

Section 1: Identification

Product identifier

Product Name ONE FOR ALL T10180AT

Product Code(s) 000000032345

Other means of identification

UN number or ID number 1266

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

GHS Classification

| Flammable liquids | Category 3 |
|-----------------------------------|-------------|
| Aspiration hazard | Category 1 |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/eye irritation | Category 2 |
| Skin sensitization | Category 1B |

| Reproductive toxicity | Category 1B |
|--------------------------|-------------|
| Acute aquatic toxicity | Category 1 |
| Chronic aquatic toxicity | Category 1 |

Label elements

Flame

Health hazard

Exclamation mark

Environment



Signal word DANGER

Hazard statements

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H360Fd - May damage fertility. Suspected of damaging the unborn child

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating / lighting/ other / equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Contaminated work clothing should not be allowed out of the workplace.

Wash hands and face thoroughly after handling.

Wear protective gloves/clothing and eye/face protection.

Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

Take off contaminated clothing and wash before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Collect spillage.

Precautionary Statements - Storage

Store locked up.

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Other hazards which do not result in classification

Very toxic to aquatic life.

Section 3: Composition and information on ingredients

| Chemical name | CAS No. | Weight-% |
|---|------------|----------|
| .alphaHexylcinnamaldehyde | 101-86-0 | 10-<30 |
| Oils, bergamot | 8007-75-8 | 10-<30 |
| Linalyl acetate | 115-95-7 | 1-<10 |
| Aromatic alcohol(s) | - | 1-<10 |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | 78-70-6 | 1-<10 |
| Galaxolide | 1222-05-5 | 1-<10 |
| Lemon oil | 8008-56-8 | 1-<10 |
| Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-nap hthalenyl)- | 21145-77-7 | 1-<10 |
| 9-Acetyl-8-cedrene | 32388-55-9 | 1-<10 |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- (Isomethylalphaionone) | 127-51-5 | 1-<10 |
| 1,3-Benzodioxole-5-propanal, .alphamethyl- (Helional) | 1205-17-0 | 1-<10 |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate | 32210-23-4 | 1-<10 |
| 2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial) | 80-54-6 | 1-<10 |
| D,L-Citronellol | 106-22-9 | 1-<10 |
| Fragrance ingredients present at non-hazardous concentrations | - | to 100 |

Section 4: First aid measures

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air and keep at rest in a position comfortable for breathing. Remove to

fresh air. (Call a physician if symptoms occur).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do

not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If skin irritation or rash occurs: Get medical advice/attention.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician

immediately.

Most important symptoms and effects, both acute and delayed

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat

symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Flammable liquid. On burning will emit toxic fumes, including those of oxides of carbon. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. In the event of fire, cool tanks with water spray. Runoff may create fire or explosion hazard. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •3Y

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate

ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges.

All equipment used when handling the product must be grounded.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection

recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil.

Prevent product from entering drains. Refer to protective measures listed in Sections 7 and

8. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff

water. Keep out of drains, sewers, ditches and waterways. Remove ignition sources. Provide adequate ventilation. Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Methods for cleaning up

Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep in an area equipped with sprinklers. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling. Use personal protection equipment. Use according to package label instructions. Keep out of reach of children. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

General hygiene considerations

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not store near combustible materials. Keep in an area equipped with sprinklers. Protect from direct sunlight. Keep in properly labeled containers. Store away from foodstuffs. Store in accordance with local regulations. Store away from incompatible materials described in Section 10. Keep container closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials

Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and

the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection Goggles.

Skin and body protection Wear suitable protective clothing. Antistatic boots. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

None known

Environmental exposure controls No information available.

Thermal hazards No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

Color Pale Yellow to Yellow

Odor Fresh , Ozonic , Citrus , Marine Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known 45 °C Flash point CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known

Upper flammability or explosive No data available

limits

Flammability Limit in Air

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density0.936 - 0.956 @20°CNone knownWater solubilityNo data availableNone knownSolubility(ies)No data availableNone known

Partition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Other information

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions Heating can cause expansion or decomposition of the material, which can lead to the

containers exploding.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. static discharge (electrostatic discharge). Avoid contact with

combustible substances. Direct sunlight. Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

Section 11: Toxicological information

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Causes serious eye irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be fatal if

swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis.

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Acute toxicity .

Numerical measures of toxicity - Product Information

No information available

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|---------------------|-------------------------|------------------------|
| .alphaHexylcinnamaldehyde | = 3100 mg/kg (Rat) | > 3000 mg/kg (Rabbit) | > 5 mg/L (Rat)4 h |
| Oils, bergamot | = 11520 mg/kg (Rat) | - | - |
| Linalyl acetate | = 14550 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 18.94 mg/L (Rat)8 h |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | = 2790 mg/kg (Rat) | = 5610 mg/kg (Rabbit) | - |
| Galaxolide | > 3250 mg/kg (Rat) | > 3250 mg/kg (Rabbit) | > 5.04 mg/L (Rat) 4 h |
| Lemon oil | = 2840 mg/kg (Rat) | - | - |
| Ethanone, 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthalenyl)- | = 570 mg/kg (Rat) | > 5 g/kg (Rabbit) | - |
| 9-Acetyl-8-cedrene | - | > 5000 mg/kg (Rabbit) | - |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohex en-1-yl)- (Isomethylalphaionone) | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| 1,3-Benzodioxole-5-propanal, .alphamethyl- (Helional) | - | > 2000 mg/kg (Rabbit) | - |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate | = 5 g/kg (Rat) | > 5000 mg/kg (Rabbit) | - |
| 2-methyl-3-(4-tertbutylphenyl)-propan al (Lilial) | = 1390 mg/kg (Rat) | > 5000 mg/kg (Rabbit) | > 1802 mg/m³ (Rat) 4 h |
| D,L-Citronellol | = 3450 mg/kg (Rat) | = 2650 mg/kg (Rabbit) | - |
| | | * | • |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity May damage fertility. Suspected of damaging the unborn child. Classification is based on

mixture calculation methods based on component data.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by

aspiration).

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Keep out of waterways. Very toxic to aquatic life with long lasting effects.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|----------------------------------|-----------------------|--------------------------|----------------|-----------------------|
| | | | microorganisms | |
| Linalyl acetate | EC50: 68mg/L (72h, | LC50: =11mg/L (96h, | - | EC50: 59mg/L (48h, |
| | Pseudokirchneriella | Cyprinus carpio) | | Daphnia magna) |
| | subcapitata) | | | |
| 1,6-Octadien-3-ol, 3,7-dimethyl- | EC50: =88.3mg/L (96h, | LC50: =27.8mg/L (96h, | - | EC50: =20mg/L (48h, |
| (Linalool) | Desmodesmus | Oncorhynchus mykiss) | | Daphnia magna) |
| | subspicatus) | | | |
| Cyclohexanol, | - | LC50: =8.6mg/L (96h, | - | - |
| 4-(1,1-dimethylethyl)-, acetate | | Cyprinus carpio) | | |
| 2-methyl-3-(4-tertbutylphenyl)- | - | LC50: 2.2 - 4.6mg/L | - | EC50: =10.7mg/L (48h, |
| propanal (Lilial) | | (96h, Brachydanio rerio) | | Daphnia magna) |

Terrestrial ecotoxicity There is no data for this product.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation There is no data for this product.

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| Linalyl acetate | 3.9 |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) | 2.9 |
| Galaxolide | 5.3 |
| Ethanone, | 5.7 |
| 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthalenyl)- | |
| 9-Acetyl-8-cedrene | 5.9 |
| 3-Buten-2-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)- | 4.288 |
| (Isomethylalphaionone) | |

| 1,3-Benzodioxole-5-propanal, .alphamethyl- (Helional) | 2.4 |
|---|------|
| Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate | 4.8 |
| 2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial) | 4.2 |
| D,L-Citronellol | 3.41 |

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products

Should not be released into the environment. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number or ID number 1266

Proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) 3
Packing group III
Environmental hazard Yes
Hazchem code •3Y

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) 3
Packing group III

<u>IMDG</u> Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) 3
Packing group III
IMDG EMS Fire F-E
IMDG EMS Spill S-D

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Chemical name | Australian Industrial Chemicals Introduction | Additional information |
|--|---|------------------------|
| | Scheme (AICIS) | |
| .alphaHexylcinnamaldehyde - 101-86-0 | Present | - |
| Oils, bergamot - 8007-75-8 | Present | - |
| Linalyl acetate - 115-95-7 | Present | - |
| Aromatic alcohol(s) | Present | - |
| 1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6 | Present | - |
| Galaxolide - 1222-05-5 | Present | - |
| Lemon oil - 8008-56-8 | Present | - |
| Ethanone, | Present | - |
| 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa | | |
| methyl-2-naphthalenyl) 21145-77-7 | | |
| 9-Acetyl-8-cedrene - 32388-55-9 | Present | - |
| 3-Buten-2-one, | Present | - |
| 3-methyl-4-(2,6,6-trimethyl-2-cyclohex | | |
| en-1-yl)- | | |
| (Isomethylalphaionone) - 127-51-5 | | |
| 1,3-Benzodioxole-5-propanal, | Present | - |
| .alphamethyl- (Helional) - 1205-17-0 | | |
| Cyclohexanol, 4-(1,1-dimethylethyl)-, | Present | - |
| acetate - 32210-23-4 | | |
| 2-methyl-3-(4-tertbutylphenyl)-propan | Present | - |
| al (Lilial) - 80-54-6 | | |
| D,L-Citronellol - 106-22-9 | Present | - |
| Fragrance ingredients present at | Present | - |
| non-hazardous concentrations | | |

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Threshold quantity (T)

Liquids that meet the criteria for Class 3 Packing Group II or III

50 000

International Inventories

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals or as a naturally occurring material are excluded from the Australian Industrial

Chemicals Introduction Scheme (AICIS) requirements.

Contact supplier for inventory compliance status. **NZIoC TSCA** Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. KECL Contact supplier for inventory compliance status. **PICCS**

Legend:

AIIC AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Change in Formulation

Change in Hazardous Chemical Classification

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 16-Oct-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet