SAFETY DATA SHEET

Revision date: 09-Feb-2021

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	PINE NEEDLE D102591	
Product Code(s)	00000032380	
Other means of identification		
UN number	3082	
Pure substance/mixture	Mixture	
Recommended use of the chemical and restrictions on use		
Recommended use	Fragrances.	
Uses advised against	No information available.	

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number

^{mber} 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).



```
Revision Number 4
```

Flammable liquids	Category 4 - (H227)
Aspiration hazard	Category 1 - (H304)
Skin sensitization	Category 1B - (H317)
Acute aquatic toxicity	Category 2 - (H401)
Chronic aquatic toxicity	Category 2 - (H411)

SIGNAL WORD Danger

Label elements



Hazard statements

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H317 - May cause an allergic skin reaction

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray Contaminated work clothing should not be allowed out of the workplace Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. Collect spillage **Precautionary Statements - Storage** Store locked up Store in a well-ventilated place. Keep cool **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification Causes mild skin irritation

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name

CAS No.

Weight-%

Terpinolene	586-62-9	1-<10
Pine oil	8002-09-3	1-<10
Coumarin	91-64-5	1-<10
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	80-56-8	1-<10
Non-hazardous ingredients	Proprietary	Balance

4. FIRST AID MEASURES

Description of first aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.	
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Inhalation	Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed pulmonary edema may occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.	
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.	
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	May cause sensitization by skin contact. Treat symptomatically. Because of the danger of aspiration, emesis or gastric lavage should not be employed unless the risk is justified by the presence of additional toxic substances.	

5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.	

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the chemical
Combustible liquid. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer. May cause sensitization by skin contact. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Hazardous combustion products

Special protective actions for fire-fighters

Special protective equipment for
fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout
gear. Use personal protection equipment.

Hazchem code

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

•3Z

Personal precautions	See section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes, and clothing. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information. Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so.	
Methods and material for containment and cleaning up		
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of liquid spill for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.	

7. HANDLING AND STORAGE

Precautions for safe handlingAdvice on safe handlingUse personal protection equipment. Do not breathe vapor or mist. Keep away from heat,
hot surfaces, sparks, open flames and other ignition sources. No smoking. Take
precautionary measures against static discharges. Use with local exhaust ventilation.
Handle in accordance with good industrial hygiene and safety practice. Avoid contact with
skin, eyes, and clothing. In case of insufficient ventilation, wear suitable respiratory
equipment. Do not eat, drink or smoke when using this product. Take off contaminated
clothing and wash before reuse.General hygiene considerationsDo not eat, drink or smoke when using this product. Contaminated work clothing should not
be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is
recommended. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store locked up. Keep out of the reach of children. Store away from other materials.	
	Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
Incompatible materials	Strong oxidizing agents.	
Poisons Schedule (SUSMP)	None allocated	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical name	Australia	ACGIH TLV
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-		TWA: 20 ppm
80-56-8		

As published by the American Conference of Governmental Industrial Hygienists (ACGIH).

TWA (ACGIH - Time-weighted Average) the time-weighted average concentration for a conventional 8-hour work day and a 40-hour work week, to which it is believed that nearly all workers may be repeatedly exposed, day after day, without adverse effect.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. The exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Colourless to Pale Yellow
Odor	Fresh, Sweet, Pine, Spicy, Green, Earthy
Odor threshold	No information available.

<u>Property</u> pH	<u>Values</u> No data available	Remarks • Method None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	75 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.958 - 0.978	@ 20 °C
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity

No information available.

Chemical	stability

Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	Yes.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials		
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products		
Hazardous decomposition products Carbon oxides.		

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause irritation.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes mild skin irritation.
Ingestion	Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.
Symptoms	Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Prolonged contact may cause redness and irritation.
Numerical management of toxicity	Draduat Information

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document		
ATEmix (oral)	>5,000 mg/kg	
ATEmix (dermal)	>5,000 mg/kg	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Terpinolene	= 4390 mg/kg (Rat)	-	-
Pine oil	= 3200 mg/kg (Rat)	= 400 mg/kg (Rabbit)= 5 g/kg (Rabbit)	> 3.79 mg/L (Rat)4 h
Coumarin	= 293 mg/kg (Rat) > 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	= 3700 mg/kg (Rat)	> 5000 mg/kg (Rat)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. May cause skin irritation.	
Serious eye damage/eye irritation	No information available.	
Respiratory or skin sensitization	May cause sensitization by skin contact.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	No information available.	
STOT - repeated exposure	No information available.	
Aspiration hazard	May be fatal if swallowed and enters airways.	

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Toxic to aquatic life. Toxic to aquatic life with long lasting effects. Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Terpinolene	-	LC50: =0.805mg/L (96h, Danio rerio)	-	-
Pine oil	-	-	-	EC50: 17 - 28mg/L (48h, Daphnia magna)
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	-	LC50: =0.28mg/L (96h, Pimephales promelas)	-	LC50: =41mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

	Bioaccumulative	potential
--	------------------------	-----------

Bioaccumulation

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-	4.1

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from	residues/unused
products	

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS
	TERPINOLENE)
Hazard class	9
Packing group	III
Environmental hazard	Yes
Hazchem code	•3Z

ΙΑΤΑ

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TERPINOLENE)
Transport hazard class(es)	9
Packing group	III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TERPINOLENE)
Transport hazard class(es)	9
Packing group	
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl 80-56-8	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories	
AICS	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIOC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date:

09-Feb-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	tion 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		-

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet