

Safety Data Sheet



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **SODIUM PROPIONATE**

Other name(s): Sodium Propionate FCC

Recommended Use of the Chemical and Restrictions on Use Fungicide and preservative in food and pharmaceuticals; mould inhibitor for baked goods other than bread; feed grain and smoking and chewing tobacco preservative; antiseptic; veterinary medicinal and anti-fungal agent; glucogenic agent.

Supplier: Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
ABN: 51 600 546 512
Street Address: 70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929
Facsimile: +61 2 9755 9611
Emergency Telephone: **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Eye Irritation - Category 2A

SIGNAL WORD: WARNING



Hazard Statement(s):

H319 Causes serious eye irritation.

Precautionary Statement(s):

Prevention:

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves, protective clothing and eye protection.

Response:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.

Safety Data Sheet

**Storage:**

No storage statements.

Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): None allocated.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Components | CAS Number | Proportion | Hazard Codes |
|-------------------|------------|------------|--------------|
| Sodium propionate | 137-40-6 | >99% | H319 |

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs seek medical advice.

Eye Contact:

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

Unsuitable Extinguishing Media:

Water jet.

Specific hazards arising from the chemical:

Combustible solid. On burning will emit toxic fumes, including those of oxides of carbon and oxides of sodium.

Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

Product Name: SODIUM PROPIONATE

Substance No: 00000033740

Issued: 08/04/2019

Version: 4

Safety Data Sheet



6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid skin and eye contact and breathing in dust.

Avoid handling which leads to dust formation. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges.

Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Product Name: SODIUM PROPIONATE
Substance No: 00000033740

Issued: 08/04/2019
Version: 4

Safety Data Sheet



Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---|
| Physical state: | Powder |
| Colour: | White to Off-white |
| Odour: | Slight |
| Odour Threshold: | Not available |
| Solubility: | Soluble in cold water, hot water, ethanol and methanol. Insoluble in acetone and benzene. |
| Specific Gravity: | 0.32 - 0.45 g/mL (bulk density) |
| Relative Vapour Density (air=1): | Not available |
| Vapour Pressure (20 °C): | Not available |
| Flash Point (°C): | Not applicable |
| Flammability Limits (%): | Not available |
| Autoignition Temperature (°C): | 470 - 479 |
| Solubility in water (g/L): | 100g/100mL at 25°C; 127g/100mL at 80°C |
| Melting Point/Range (°C): | 285 - 286 |
| Boiling Point/Range (°C): | Not available |
| pH: | 8.0 - 10.5 in 10% w/v solution @ 20°C |
| Viscosity: | Not available |
| Partition Coefficient: | 0.33 at 25°C (propionic acid, calculated) |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Reactivity: | Hygroscopic: absorbs moisture or water from surrounding air. |
| Chemical stability: | Stable under normal conditions of use. |
| Possibility of hazardous reactions: | Hazardous polymerisation will not occur. |

Safety Data Sheet



| | |
|--|---|
| Conditions to avoid: | Avoid exposure to heat, sources of ignition, and open flame. Avoid dust generation. |
| Incompatible materials: | Incompatible with metals, strong acids and oxidising agents. |
| Hazardous decomposition products: | Oxides of carbon. Oxides of sodium. |

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

| | |
|----------------------|--|
| Ingestion: | No adverse effects expected, however, large amounts may cause nausea and vomiting. |
| Eye contact: | An eye irritant. |
| Skin contact: | Contact with skin may result in irritation. |
| Inhalation: | Material may be irritant to the mucous membranes of the respiratory tract (airways). |

Acute toxicity:
Oral LD50 (rat): >5,100 mg/kg
Dermal LD50 (rabbit): >2,000 mg/kg

| | |
|---|-----------------|
| Skin corrosion/irritation: | Not classified. |
| Serious eye damage/irritation: | Irritant. |
| Respiratory or skin sensitisation: | Not classified. |

Chronic effects: No information available for the product.

| | |
|---|---|
| Mutagenicity: | No known significant effects or critical hazards. |
| Carcinogenicity: | No known significant effects or critical hazards. |
| Reproductive toxicity: | No known significant effects or critical hazards. |
| Specific Target Organ Toxicity (STOT) - single exposure: | No information available. |
| Specific Target Organ Toxicity (STOT) - repeated exposure: | Not classified. |
| Aspiration hazard: | Not classified. |

12. ECOLOGICAL INFORMATION

| | |
|-----------------------------------|--|
| Ecotoxicity | Avoid contaminating waterways. May be harmful to freshwater aquatic species and to plants that are not saline tolerant. (1) |
| Persistence/degradability: | The material is readily biodegradable. Not persistent. (1) |
| Bioaccumulative potential: | This material shows a low bioaccumulation potential. (1) |

Product Name: SODIUM PROPIONATE
Substance No: 00000033740

Issued: 08/04/2019
Version: 4

Safety Data Sheet



Mobility in soil: No information available.

96hr LC50 (fathead minnow): 4,740 mg/L (1)

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Eye Irritation - Category 2A

Hazard Statement(s):

H319 Causes serious eye irritation.

Poisons Schedule (SUSMP): None allocated.

This material is listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

(1) Supplier Safety Data Sheet; 06/ 2018.

(2) European Chemicals Agency (ECHA), REACH Registration Dossier, 2018.

(3) NICNAS IMAP report.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Safety Data Sheet



Reason(s) for Issue:

Revised Primary SDS
Change in Hazardous Chemical Classification
Change in First Aid Measures
Change in Physical Properties
Update in Toxicological Information
Update in Ecological Information

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.