# SAFETY DATA SHEET



Revision date: 29-Jul-2024

Revision Number 5

# Section 1: Identification

**Product identifier** 

Product Name LEMON A300550

**Product Code(s)** 000000034479

Other means of identification

UN number or ID number 1266

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Details of manufacturer or importer

#### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

## **GHS Classification**

Flammable liquids	Category 3
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Acute aquatic toxicity	Category 1

## Chronic aquatic toxicity

Category 1

#### Label elements

Flame Health hazard Exclamation mark



#### Signal word DANGER

#### **Hazard statements**

H226 - Flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H360Fd - May damage fertility. Suspected of damaging the unborn child

H410 - Very toxic to aquatic life with long lasting effects

# **Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ ventilating / lighting/ other / equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Wash hands thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/clothing and eye/face protection.

Avoid release to the environment.

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

Collect spillage.

# **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool.

Store locked up.

# **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

## Other hazards which do not result in classification

Very toxic to aquatic life.

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
d-Limonene	5989-27-5	30-<60
Dipentene	138-86-3	10-<30
Diethyl phthalate	84-66-2	10-<30
Terpenes and terpenoids, lemon oil	68917-33-9	10-<30
Lemongrass, terpenes	8007-02-1	1-<10
Citronellal	106-23-0	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Elemi resinoid	8023-89-0	1-<10
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	80-54-6	<1
Fragrance ingredients present at non-hazardous concentrations	-	to 100

# Section 4: First aid measures

### Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

breathing is irregular or stopped, administer artificial respiration. (Call a physician if

symptoms occur).

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. If skin irritation persists, call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician

immediately.

### Most important symptoms and effects, both acute and delayed

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat

symptomatically.

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the chemical

Flammable. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. In the event of fire, cool tanks with water spray. Environmentally hazardous. Runoff may create fire or explosion hazard. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

Hazchem code •3Y

# Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Evacuate

personnel to safe areas. Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection

recommended in Section 8.

Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Refer to protective measures listed in Sections 7 and 8. See Section 12 for additional

Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Remove ignition sources. Provide adequate ventilation. Absorb or cover with dry earth, sand or other non-combustible

material and transfer to containers.

Methods for cleaning up

Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use personal protection equipment. Keep out of reach of children. Use according to package label instructions. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

# General hygiene considerations

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

#### **Storage Conditions**

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Do not store near combustible materials. Keep in an area equipped with sprinklers. Keep in properly labeled containers. Protect from direct sunlight. Store in accordance with local regulations. Store away from incompatible materials described in Section 10. Do not contaminate food or feed stuffs.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials

Strong oxidizing agents.

# Section 8: Exposure controls and personal protection

#### Control parameters

# **Exposure Limits**

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Diethyl phthalate 84-66-2	8hr TWA = 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>

Chemical name	European Union	United Kingdom	Germany DFG
d-Limonene	-	-	TWA: 5 ppm
5989-27-5			TWA: 28 mg/m <sup>3</sup>
			Peak: 20 ppm
			Peak: 112 mg/m <sup>3</sup>
			Sk*
			skin sensitizer
Dipentene	-	-	skin sensitizer
138-86-3			
Diethyl phthalate	-	TWA: 5 mg/m <sup>3</sup>	-
84-66-2		STEL: 10 mg/m <sup>3</sup>	
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-	-	-	skin sensitizer
(Geraniol)			
106-24-1			

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day

working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls

#### **Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection Goggles.

**Skin and body protection** Wear suitable protective clothing. Antistatic boots. Overalls.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

# Section 9: Physical and chemical properties

# Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

**Color** Pale Yellow to Yellow

Odor Green , Lemony , Floral , Musk and Woody

Odor threshold No information available

Property Values Remarks • Method

pHNo data availableNone knownpH (as aqueous solution)No data availableNone knownMelting point / freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash point56 °CCC (closed cup)

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known 0.8840-0.9040 @ 20°C None known Relative density Water solubility No data available None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

**Stability** Stable under normal conditions.

**Explosion data** 

**Sensitivity to mechanical impact** None. **Sensitivity to static discharge** Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing. Heating can cause expansion or decomposition of the

material, which can lead to the containers exploding.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. static discharge (electrostatic discharge). Avoid contact with

combustible substances. Direct sunlight. Do not contaminate food or feed stuffs.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

# Section 11: Toxicological information

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation.

Skin contact Causes skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be fatal if

swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis.

Symptoms Irritating. May cause redness and tearing of the eyes. May cause allergic skin reaction.

Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

Acute toxicity .

Numerical measures of toxicity - Product Information

No information available

### Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
			IIIIIalation Loso
d-Limonene	= 5200 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
	= 4400 mg/kg (Rat)		
	= 4400 mg/kg ( Nat )		
Dipentene	= 5300 mg/kg (Rat)	-	-
·			
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat) 6 h
2 ioury primitation	oooog,g ( . tat )	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	'
	- (D)		
Lemongrass, terpenes	> 5 g/kg (Rat)	-	-
Citronellal	2,420 mg/kg (1)	>2,500 mg/kg (1)	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-	= 3600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
(Geraniol)	oooog,g ( . tat )	y o grilg ( Habbit )	
Elemi resinoid	- 2270 mg/kg / Bot \		
Elemi resinoid	= 3370 mg/kg (Rat)	<u>-</u>	-
2-methyl-3-(4-tertbutylphenyl)-propan	= 1390 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1802 mg/m <sup>3</sup> (Rat) 4 h
al (Lilial)	3.119 (1.111)	]	]

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes skin irritation. Classification is based on mixture calculation methods based on

component data.

Serious eye damage/eye irritation Causes serious eye irritation. Classification is based on mixture calculation methods based

on component data.

**Respiratory or skin sensitization** May cause sensitization by skin contact. Classification is based on mixture calculation

methods based on component data.

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
d-Limonene - 5989-27-5	-	-	Group 3

Reproductive toxicity May damage fertility. Suspected of damaging the unborn child. Classification is based on

mixture calculation methods based on component data.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

Aspiration hazard May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by

aspiration).

# Section 12: Ecological information

# **Ecotoxicity**

**Aquatic ecotoxicity** Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
d-Limonene	-	LC50: 0.619 -	-	LC50 Daphnia magna
		0.796mg/L (96h,		(Water flea) 0.577
		Pimephales promelas)		mg/L/48 hr (1)
		LC50: =35mg/L (96h,		
		Oncorhynchus mykiss)		
Diethyl phthalate	EC50: =23mg/L (72h,	LC50: =17mg/L (96h,	-	EC50: 36 - 74mg/L (48h,
	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)	LC50: =16.8mg/L (96h,		EC50: =86mg/L (48h,
	EC50: =21mg/L (96h,	Pimephales promelas)		Daphnia magna)
	Desmodesmus	LC50: =22mg/L (96h,		
	subspicatus)	Lepomis macrochirus)		
	EC50: 42 - 255mg/L	LC50: =16.7mg/L (96h,		
	(72h,	Lepomis macrochirus)		
	Pseudokirchneriella	LC50: =12mg/L (96h,		
	subcapitata)	Oncorhynchus mykiss)		
	EC50: 2.11 - 4.29mg/L			
	(96h,			
	Pseudokirchneriella			
	subcapitata)			
2,6-Octadien-1-ol, 3,7-dimethyl-,	-	LC50: =22mg/L (96h,	-	-
(E)- (Geraniol)		Danio rerio)		
2-methyl-3-(4-tertbutylphenyl)-	-	LC50: 2.2 - 4.6mg/L	-	EC50: =10.7mg/L (48h,
propanal (Lilial)		(96h, Brachydanio rerio)		Daphnia magna)

**Terrestrial ecotoxicity** There is no data for this product.

Chemical name	Earthworm	Avian	Honeybees
Diethyl phthalate	Acute Toxicity: LC50 0.66 - 1.09 mg/cm2 (Eisenia foetida		-
	48 h filter paper) Source: IUCLID		

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
d-Limonene	4.23
Diethyl phthalate	2.2
Citronellal	3.62
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	2.6
2-methyl-3-(4-tertbutylphenyl)-propanal (Lilial)	4.2

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

# Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number or ID number Proper shipping name

roper shipping name PERFUMERY PRODUCTS

1266

Transport hazard class(es) 3
Packing group III
Hazchem code •3Y

**IATA** Classified as Dangerous Goods by the criteria of the International Air Transport Association

(IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) 3
Packing group III

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es)3Packing groupIIIIMDG EMS FireF-EIMDG EMS SpillS-D

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

# Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
d-Limonene - 5989-27-5	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Dipentene - 138-86-3	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Diethyl phthalate - 84-66-2	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Terpenes and terpenoids, lemon oil - 68917-33-9	Present	-
Lemongrass, terpenes - 8007-02-1	Present	-
Citronellal - 106-23-0	Present	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)-	Present	-

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
(Geraniol) - 106-24-1		
Elemi resinoid - 8023-89-0	Present	-
2-methyl-3-(4-tertbutylphenyl)-propan al (Lilial) - 80-54-6	Present	-
Fragrance ingredients present at non-hazardous concentrations	Present	-

# **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

# Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical

Liquids that meet the criteria for Class 3 Packing Group II or III

**National pollutant inventory** 

Subject to reporting requirement

Threshold quantity (T) 50 000

Chemical name	National pollutant inventory
d-Limonene - 5989-27-5	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Dipentene - 138-86-3	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals or as a naturally occurring material are excluded from the Australian Industrial

Chemicals Introduction Scheme (AICIS) requirements.

Contact supplier for inventory compliance status. **NZIoC** Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** 

Legend:

AIIC AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# Section 16: Other information

Reason(s) For Issue: Revised Primary SDS

Change in Hazardous Chemical Classification

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 29-Jul-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**