SAFETY DATA SHEET



Revision date: 10-Dec-2020

Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name FRAGRANCE FRUITY AROMA H9663 (KCPER09663)

Product Code(s) 000000035024

Other means of identification

Proper shipping name PERFUMERY PRODUCTS

UN number 1266

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

<u>Supplier</u>

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Flammable liquids	Category 3 - (H226)
Skin sensitization	Category 1 - (H317)

Revision Number 4

Revision date: 10-Dec-2020

Acute aquatic toxicity	Category 2 - (H401)
Chronic aquatic toxicity	Category 2 - (H411)

SIGNAL WORD

Warning

Label elements

Flame

Exclamation mark

Environment



Hazard statements

H226 - Flammable liquid and vapor

H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H303 - May be harmful if swallowed

H316 - Causes mild skin irritation

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves / protective clothing / eye protection / face protection

Avoid breathing dust / fume / gas / mist / vapours / spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Use explosion-proof electrical, ventilating, lighting equipment

Avoid release to the environment

Precautionary Statements - Response

Specific treatment (see First aid on this SDS)

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction.

Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Revision Number 4

Revision date: 10-Dec-2020

Chemical name	CAS No.	Weight-%
Diethyl phthalate	84-66-2	30-60%
3-Methyl butyl acetate	123-92-2	1-<10%
Isobutyl acetate	110-19-0	1-<10%
Coumarin	91-64-5	1-<10%
d-Limonene	5989-27-5	1-<10%
Ingredients determined not to be hazardous	-	to 100%

4. FIRST AID MEASURES

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or

allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get

immediate medical advice/attention.

Self-protection of the first aider Remove all sources of ignition. Avoid contact with skin, eyes, and clothing. Ensure that

medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as

required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the Risk of ignition. Keep product and empty container away from heat and sources of ignition.

Containers may explode when heated. In the event of fire, cool tanks with water spray. chemical

> Vapors may travel to source of ignition and flash back. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Product is or contains a sensitizer. May cause sensitization by skin

Revision Number 4

contact.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). **Personal precautions**

> Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes, and clothing. Use personal protective equipment as required. See section 8 for more

information.

Ventilate the area. Refer to protective measures listed in Sections 7 and 8. Other information

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Refer to protective measures listed in Sections 7 and 8. Prevent product from entering **Environmental precautions**

drains. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor Methods for containment

> suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Use non-sparking tools. Pick up and transfer to properly labelled

containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning

of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

Revision Number 4

product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

> motors and static electricity). Keep in properly labelled containers. Keep in an area equipped with sprinklers. Keep containers tightly closed in a dry, cool and well-ventilated

place.

Incompatible materials Oxidizing agents.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

No value assigned for this specific material by Safe Work Australia. However, Workplace **Exposure Limits**

Exposure Standard(s) for constituent(s):

Diethyl phthalate: 8hr TWA = 5 mg/m³

Isoamyl acetate (Isopentyl acetate): 8hr TWA = 270 mg/m³ (50 ppm), 15 min STEL = 541 mg/m³ (100 ppm)

Isobutyl acetate: 8hr TWA = 713 mg/m³ (150 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

> If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to

determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

Revision Number 4

Revision date: 10-Dec-2020

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.









Glasses. Eye/face protection

Skin and body protection Wear suitable protective clothing. Antistatic boots. Overalls.

Impervious gloves. Hand protection

If determined by a risk assessment an inhalation risk exists, wear an organic Respiratory protection

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

No information available. **Environmental exposure controls**

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Clear

Color Pale Yellow to Yellow

Sweet, Fruity Citrus Gourmand Odor No information available. **Odor threshold**

Remarks • Method **Property** Values

No data available None known pН Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point 38 °C CC (closed cup) No data available **Evaporation rate** None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density No data available None known Relative density 1.012 - 1.032 @ 20 °C Water solubility No data available None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known Dynamic viscosity No data available None known

Other information

00000035024 - FRAGRANCE FRUITY AROMA H9663 (KCPER09663)

Revision date: 10-Dec-2020

Revision Number 4

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions Heating causes rise in pressure with risk of bursting.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materials Oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact May cause irritation.

Skin contact Causes mild skin irritation. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity - Product Information

No information available.

Component Information

	emperiorit information			
Chemical name Oral LD50		Dermal LD50	Inhalation LC50	
	Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat)6 h

Revision Number 4

3-Methyl butyl acetate	= 16600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
Isobutyl acetate	= 15400 mg/kg (Rat)	> 17400 mg/kg (Rabbit)	-
Coumarin	= 293 mg/kg (Rat) > 5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
d-Limonene	= 5200 mg/kg (Rat) = 4400 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes mild skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Not classified.

Respiratory or skin sensitization Classification based on data available for ingredients. May cause sensitization by skin

contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Diethyl phthalate	EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: =21mg/L (96h, Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss)	-	EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia magna)
Isobutyl acetate	-	LC50: =17mg/L (96h, Oryzias latipes) LC50: =101mg/L (48h,	-	EC50: =168mg/L (24h, Daphnia magna)

Revision Number 4

		Leuciscus idus melanotus) LC50: 101 - 123mg/L (48h, Leuciscus idus melanotus)		
d-Limonene	-	LC50: 0.619 - 0.796mg/L (96h, Pimephales promelas) LC50: =35mg/L (96h, Oncorhynchus mykiss)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Component Information

Chemical name	Partition coefficient
Diethyl phthalate	2.35
Isobutyl acetate	1.72

Mobility

Mobility in soil No information available.

Other adverse effects

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	<u>-</u>

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused Should not be released into the environment. Dispose of in accordance with local

products regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail; DANGEROUS GOODS.

UN number 1266

Proper shipping name PERFUMERY PRODUCTS

Hazard class
Packing group
III
Environmental hazard
Hazchem code
3

3

Yes
-3Y

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations

00000035024 - FRAGRANCE FRUITY AROMA H9663

(KCPER09663)

Revision Number 4

Revision date: 10-Dec-2020

for transport by air; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) 3 Packing group Ш

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 1266

UN proper shipping name PERFUMERY PRODUCTS

Transport hazard class(es) Packing group Ш **IMDG EMS Fire** F-E **IMDG EMS Spill** S-D Marine pollutant Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

Major hazard (accident/incident planning) regulation

Verify that license requirements are met

Hazardous chemical Threshold quantity (T) 50 000

Liquids that meet the criteria for Class 3 Packing Group II or III

National pollutant inventory

Subject to reporting requirement

Subject to reporting requirement	
Chemical name	National pollutant inventory
3-Methyl butyl acetate - 123-92-2	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total
Isobutyl acetate - 110-19-0	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

Revision Number 4

d-Limonene - 5989-27-5	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

International Inventories

AICS All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 10-Dec-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Revision Number 4

Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

End of Safety Data Sheet