

# Safety Data Sheet



## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** CARBOPOL ULTREZ 20 POLYMER

**Recommended Use of the Chemical and Restrictions on Use** Cosmetic applications.

**Supplier:** Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
**ABN:** 51 600 546 512  
**Street Address:** 70 Marple Avenue  
Villawood NSW 2163  
Australia

**Telephone Number:** +61 2 8717 2929  
**Facsimile:** +61 2 9755 9611  
**Emergency Telephone:** 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

**Classification of the chemical:**  
Eye Irritation - Category 2A

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:  
Acute Aquatic Toxicity - Category 3

**SIGNAL WORD:** WARNING



**Hazard Statement(s):**  
H319 Causes serious eye irritation.  
H402 Harmful to aquatic life.

**Precautionary Statement(s):**

**Prevention:**  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves / protective clothing / eye protection / face protection.  
P273 Avoid release to the environment.

**Response:**  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

*Product Name:* CARBOPOL ULTREZ 20 POLYMER  
*Substance No:* 000000035212

*Issued:* 30/09/2019  
*Version:* 4

# Safety Data Sheet

**Storage:**

No storage statements.

**Disposal:**

No disposal statements.

**Poisons Schedule (SUSMP):** None allocated.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

**Product Description:** Contains 1-10% ethoxylated alcohols.

Components	CAS Number	Proportion	Hazard Codes
Cyclohexane	110-82-7	0.1-1%	H225 H304 H315 H336 H400 H410
Other component(s)	-	to 100%	-

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

**Inhalation:**

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:**

If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs seek medical advice.

**Eye Contact:**

If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre or a doctor, or for at least 15 minutes.

**Ingestion:**

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

**Indication of immediate medical attention and special treatment needed:**

Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:**

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

**Unsuitable Extinguishing Media:**

Not determined.

# Safety Data Sheet



## Specific hazards arising from the chemical:

Combustible solid. On burning will emit toxic fumes, including those of oxides of carbon and aldehydes. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards".

## Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material, sand or soil). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers or drums for disposal. Wash area down with detergent and excess water. Material is slippery when wet.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Avoid skin and eye contact and breathing in dust.

Avoid handling which leads to dust formation. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges. Electrostatic discharges may occur when pumping/transferring/pouring the dry powder. Wash hands thoroughly after handling.

### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Cyclohexane: 8hr TWA = 350 mg/m<sup>3</sup> (100 ppm), 15 min STEL = 1,050 mg/m<sup>3</sup> (300 ppm)

# Safety Data Sheet



As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Powder
<b>Colour:</b>	White
<b>Odour:</b>	Slight Acrylic
<b>Odour Threshold:</b>	Not available

Product Name: CARBOPOL ULTREZ 20 POLYMER  
Substance No: 000000035212

Issued: 30/09/2019  
Version: 4

# Safety Data Sheet



<b>Solubility:</b>	Swells in water.
<b>Specific Gravity:</b>	1.4 @ 20°C
<b>Relative Vapour Density (air=1):</b>	Not available
<b>Vapour Pressure (20 °C):</b>	Not available
<b>Flash Point (°C):</b>	Not applicable
<b>Flammability Limits (%):</b>	Not available
<b>Autoignition Temperature (°C):</b>	~480 (dust cloud)
<b>Explosive properties:</b>	Minimum explosive concentration: 115 g/m <sup>3</sup>
<b>Melting Point/Range (°C):</b>	Not available
<b>Decomposition Point (°C):</b>	Not available
<b>pH:</b>	2.5 - 3 (1% in water)
<b>Partition Coefficient:</b>	Not available

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical stability:</b>	Stable under normal conditions of use.
<b>Possibility of hazardous reactions:</b>	Dust explosion hazard. Heat may be generated if the material comes into contact with strong basic materials such as ammonia, sodium hydroxide, potassium hydroxide or strongly basic amines. Hazardous polymerisation will not occur.
<b>Conditions to avoid:</b>	Avoid exposure to heat, sources of ignition, and open flame. Avoid dust generation. Avoid exposure to moisture.
<b>Incompatible materials:</b>	Incompatible with alkalis, strong bases.
<b>Hazardous decomposition products:</b>	Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

<b>Ingestion:</b>	Swallowing may result in irritation of the gastrointestinal tract. Swallowing may result in nausea, vomiting, diarrhoea and abdominal pain.
<b>Eye contact:</b>	An eye irritant.
<b>Skin contact:</b>	Contact with skin may result in irritation.
<b>Inhalation:</b>	Breathing in dust may result in respiratory irritation.
<b>Acute toxicity:</b>	Not classified for acute toxicity based on available data.
<b>Skin corrosion/irritation:</b>	Non-irritant (rabbit).
<b>Serious eye damage/irritation:</b>	Irritant (rabbit).
<b>Respiratory or skin sensitisation:</b>	Not a skin sensitiser.

Product Name: CARBOPOL ULTREZ 20 POLYMER  
Substance No: 00000035212

Issued: 30/09/2019  
Version: 4

# Safety Data Sheet



**Chronic effects:** No information available for the product.

**Mutagenicity:** No information available.

**Carcinogenicity:** Not listed as carcinogenic according to the International Agency for Research on Cancer (IARC).

**Reproductive toxicity:** No information available.

**Specific Target Organ Toxicity (STOT) - single exposure:** No information available.

**Specific Target Organ Toxicity (STOT) - repeated exposure:** No information available.

**Aspiration hazard:** No information available.

A two-year inhalation study in rats exposed to a respirable, water-absorbent sodium polyacrylate dust resulted in lung effects such as inflammation, hyperplasia and tumors. There were no observed adverse effects at exposures of 0.05 mg/m<sup>3</sup>. In addition, long-term medical monitoring of potentially exposed workers has not revealed lung effects such as those observed in the rat. However, the inhalation of respirable dusts should be avoided by implementing respiratory protection measures and observing the recommended permissible exposure limit of 0.05 mg/m<sup>3</sup>.

Contact dermatitis may occur in sensitive individuals under extreme conditions of prolonged and repeated contact such as high exposure accompanied by elevated temperature and occlusion (held onto the skin) by clothing.

This material readily absorbs moisture and may become thick and gelatinous upon contact with mucous membranes of the eye, or upon inhalation into the nasal passages.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Avoid contaminating waterways.

**Persistence/degradability:** No information available for the product.

**Bioaccumulative potential:** No information available.

**Mobility in soil:** No information available.

**Aquatic toxicity:** Harmful to aquatic organisms.

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

## 14. TRANSPORT INFORMATION

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Product Name: CARBOPOL ULTREZ 20 POLYMER

Substance No: 000000035212

Issued: 30/09/2019

Version: 4

# Safety Data Sheet



## **Air Transport**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## **15. REGULATORY INFORMATION**

### **Classification:**

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### **Classification of the chemical:**

Eye Irritation - Category 2A

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Aquatic Toxicity - Category 3

### **Hazard Statement(s):**

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

**Poisons Schedule (SUSMP):** None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## **16. OTHER INFORMATION**

Supplier Safety Data Sheet; 03/ 2019.  
CARBOPOL is a registered trademark.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

### **Reason(s) for Issue:**

Reissue of an obsolete SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.