

SAFETY DATA SHEET



Revision date: 11-Nov-2024

Revision Number 5

Section 1: Identification

Product identifier

Product Name AMARIGE A923708

Product Code(s) 000000035527

Other means of identification

UN number or ID number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

Recommended use Fragrances.

Uses advised against No information available.

Details of manufacturer or importer

Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia
ABN:51 600 546 512
70 Marple Avenue
Villawood NSW 2163
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

GHS Classification

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1A
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

Label elements

Exclamation mark
Environment

**Signal word**

WARNING

Hazard statements

H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.
Avoid breathing dust/fume/gas/mist/vapors/spray.
Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/clothing and eye/face protection.
Avoid release to the environment.

Precautionary Statements - Response

Specific treatment (see First aid on this SDS).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water and soap.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
Collect spillage.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Very toxic to aquatic life.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Hexyl salicylate	6259-76-3	10-<30
Benzyl salicylate	118-58-1	1-<10
.alpha.-Hexylcinnamaldehyde	101-86-0	1-<10
9-Acetyl-8-cedrene	32388-55-9	1-<10
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	54464-57-2	1-<10
Oils, ylang ylang	8006-81-3	1-<10
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	1-<10
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	1-<10
Coumarin	91-64-5	1-<10

Diethyl phthalate	84-66-2	1-<10
Isoeugenol	97-54-1	0.1-<1
Non-hazardous ingredients	Proprietary	Balance

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician. Wash off immediately with soap and plenty of water for at least 15 minutes.
Ingestion	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by skin contact. Treat symptomatically.

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible liquid. Product is or contains a sensitizer. In the event of fire, cool tanks with water spray. May cause sensitization by skin contact. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

precautions for fire-fighters Use personal protection equipment.

Hazchem code •3Z

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protection equipment. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

General hygiene considerations Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store away from foodstuffs and sources of heat or ignition. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Incompatible materials Strong oxidizing agents.

Section 8: Exposure controls and personal protection**Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Diethyl phthalate 84-66-2	8hr TWA = 5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³

Chemical name	European Union	United Kingdom	Germany DFG
Octanal, 7-hydroxy-3,7-dimethyl- 107-75-5	-	-	skin sensitizer
Diethyl phthalate 84-66-2	-	TWA: 5 mg/m ³ STEL: 10 mg/m ³	-
Isoeugenol 97-54-1	-	-	skin sensitizer

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Eye/face protection

Goggles.

Skin and body protection

Wear suitable protective clothing. Boots. Overalls.

Hand protection

Impervious gloves.

Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	Clear
Color	Pale Yellow to Yellow
Odor	Fruity, Floral, Citrus, Green, Warm, Ambery, Musky, Woody
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	108 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.008 - 1.028	@ 20 °C
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.
Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Direct sunlight.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

Skin contact May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Itching. Rashes. Hives. Redness. May cause redness and tearing of the eyes.

Acute toxicity

Numerical measures of toxicity - Product Information

No information available

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexyl salicylate	> 5 g/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Benzyl salicylate	= 2227 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
.alpha.-Hexylcinnamaldehyde	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat) 4 h
9-Acetyl-8-cedrene	-	> 5000 mg/kg (Rabbit)	-
Oils, ylang ylang	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-
Octanal, 7-hydroxy-3,7-dimethyl-	> 5 g/kg (Rat)	> 2000 mg/kg (Rabbit)	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rabbit)	-
Coumarin	> 5000 mg/kg (Rat)	= 293 mg/kg (Rat)	-
Diethyl phthalate	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat) 6 h

Isoeugenol	= 1560 mg/kg (Rat)	-	-
------------	----------------------	---	---

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Classification based on data available for ingredients. Causes skin irritation.
Serious eye damage/eye irritation	Classification based on data available for ingredients. Causes serious eye irritation.
Respiratory or skin sensitization	May cause an allergic skin reaction. Classification based on data available for ingredients.
Germ cell mutagenicity	No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	Australia	European Union	IARC
Coumarin - 91-64-5	-	-	Group 3
Isoeugenol - 97-54-1	Carc. 2	-	Group 2B

Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Benzyl salicylate	-	LC50: =1.03mg/L (96h, Danio rerio)	-	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	EC50 (72 h) - Scenedesmus subspicatus - 2.6 mg/L NOEC (72 h) - Scenedesmus subspicatus - 2.6 mg/L	LC50 (96 h) - Lepomis macrochirus - 1.3 mg/L NOEC (30 days) - Danio rerio - 0.16 mg/L (1)	-	EC50 (48 h) - Daphnia magna - 1.38 mg/L NOEC (21 days) - Daphnia magna - 0.044 mg/L(1)

	(1)			
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss)	-	EC50: =20mg/L (48h, Daphnia magna)
Diethyl phthalate	EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: =21mg/L (96h, Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss)	-	EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia magna)

Terrestrial ecotoxicity There is no data for this product.

Chemical name	Earthworm	Avian	Honeybees
Diethyl phthalate	Acute Toxicity: LC50 0.66 - 1.09 mg/cm ² (Eisenia foetida 48 h filter paper) Source: IUCLID	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Hexyl salicylate	5.5
Benzyl salicylate	4
9-Acetyl-8-cedrene	5.9
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl-	5.7
Octanal, 7-hydroxy-3,7-dimethyl-	1.68
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.9
Diethyl phthalate	2.2

Mobility

Mobility No information available.

Other adverse effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused products Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Dispose of in accordance with federal, state and local regulations.

See section 8 for more information

Section 14: Transport information

ADG Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number or ID number 3082
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL SALICYLATE AND 9-ACETYL-8-CEDRENE)
Transport hazard class(es) 9
Packing group III
Environmental hazard Yes
Hazchem code *3Z

IATA Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL SALICYLATE AND 9-ACETYL-8-CEDRENE)
Transport hazard class(es) 9
Packing group III

IMDG Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 3082
UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS HEXYL SALICYLATE AND 9-ACETYL-8-CEDRENE)
Transport hazard class(es) 9
Packing group III
IMDG EMS Fire F-A
IMDG EMS Spill S-F
Marine pollutant P

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
 No information available

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).
Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 6

Australian Industrial Chemicals Introduction Scheme (AICIS)

Chemical name	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Hexyl salicylate - 6259-76-3	Present	-
Benzyl salicylate - 118-58-1	Present	-
.alpha.-Hexylcinnamaldehyde - 101-86-0	Present	-
9-Acetyl-8-cedrene - 32388-55-9	Present	-
Naphthalene, 2-acetyl-1,2,3,4,6,7,8-octahydro-2,3,8,8-tetramethyl- - 54464-57-2	Present	-
Oils, ylang ylang - 8006-81-3	Present	-
Octanal, 7-hydroxy-3,7-dimethyl- - 107-75-5	Present	-
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool) - 78-70-6	Present	-
Coumarin - 91-64-5	Present	-
Diethyl phthalate - 84-66-2	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our assessment.
Isoeugenol - 97-54-1	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories**AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

NZIoC

Contact supplier for inventory compliance status.

TSCA

Contact supplier for inventory compliance status.

DSL/NDSL

Contact supplier for inventory compliance status.

EINECS/ELINCS

Contact supplier for inventory compliance status.

ENCS Contact supplier for inventory compliance status.
IECSC Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.
PICCS Contact supplier for inventory compliance status.

Legend:**AIIIC- Australian Inventory of Industrial Chemicals****NZIoC - New Zealand Inventory of Chemicals****TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**Section 16: Other information**

Reason(s) For Issue: Reissue of an obsolete SDS
Revised Primary SDS

Prepared By This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).

Revision date: 11-Nov-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend**

SVHC: Substances of Very High Concern for Authorization:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances

vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate

LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
National Institute of Technology and Evaluation (NITE)
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
Australian Industrial Chemicals Introduction Scheme (AICIS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
U.S. National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet