# SAFETY DATA SHEET



Revision date: 06-Jun-2022

**Revision Number** 4

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name SILKFLO 362 DIDECENE

**Product Code(s)** 000000035678

Other means of identification

**CAS No.** 68649-11-6

Pure substance/mixture Substance

Recommended use of the chemical and restrictions on use

**Recommended use** Cosmetics applications.

Uses advised against No information available.

**Supplier** 

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

| Aspiration hazard                         | Category 1 |
|---|------------|
| Acute toxicity - Inhalation (Dusts/Mists) | Category 4 |

#### SIGNAL WORD

Danger

### Label elements

Health hazard Exclamation mark





#### **Hazard statements**

H304 - May be fatal if swallowed and enters airways

H332 - Harmful if inhaled

#### **Precautionary Statements - Prevention**

Avoid breathing dust / fume / gas / mist / vapours / spray

Use only outdoors or in a well-ventilated area

## **Precautionary Statements - Response**

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

## **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

| Chemical name                 | CAS No.    | Weight-% |
|-------------------------------|------------|----------|
| 1-Decene, dimer, hydrogenated | 68649-11-6 | 100      |

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Emergency telephone number** 

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing

has stopped, give artificial respiration. Get medical attention immediately.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention if

symptoms occur.

**Skin contact** Wash skin with soap and water. Call a physician if symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician

immediately.

Most important symptoms and effects, both acute and delayed

**Symptoms** Aspiration risk: may cause lung damage if swallowed.

Indication of any immediate medical attention and special treatment needed

Note to physicians Delayed pulmonary edema may occur. Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Water spray. Dry chemical or CO2. Foam.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Ensure adequate ventilation. Avoid contact with skin,

eyes, and clothing. Avoid breathing vapors or mists. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Do not touch or walk through

spilled material.

For emergency responders Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection

recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Remove ignition sources. Provide

adequate ventilation. Do not touch or walk through spilled material. Absorb with earth, sand

or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled

containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure

adequate ventilation. Use only outdoors. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package

label instructions.

General hygiene considerations Contaminated work clothing should not be allowed out of the workplace. Regular cleaning

of equipment, work area and clothing is recommended. Wash hands before breaks and

immediately after handling the product. Wear suitable gloves.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place.

Protect from sunlight. Keep container closed when not in use. Store away from

incompatible materials described in Section 10.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

#### **Appropriate engineering controls**

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.











Eye/face protection Glasses.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear an organic

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

**Appearance** No information available.

ColorColourlessOdorOdourless

Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available None known pH (as aqueous solution) No data available None known

Melting point / freezing point -73 °C Boiling point / boiling range 223 °C

Flash point 160 °C Pensky-Martens Closed Cup (PMCC)

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure <1 mmHg @20 °C
Vapor density No data available
Relative density 0.8 (relative density)
Water solubility No data available

Solubility(ies) Immiscible in cold water None known Partition coefficient >6.5 None known

Autoignition temperature 324 °C

Decomposition temperatureNo data availableNone knownKinematic viscosity4.5 - 6.4 cSt @ 40°CNone knownDynamic viscosityNo data availableNone known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

**Conditions to avoid** Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight.

**Incompatible materials** 

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Oxides of carbon.

## 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

#### Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation Harmful if inhaled. May cause adverse lung effects if high concentrations are inhaled.

Eye contact May cause irritation.

Skin contact May cause irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration

may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters

airways.

**Symptoms** Aspiration risk: may cause lung damage if swallowed.

Numerical measures of toxicity - Product Information

ATEmix (oral) >5000 mg/kg

ATEmix (inhalation-dust/mist) <2.09 mg/L (Inhalation LC50,rat)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by

aspiration).

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Avoid contaminating waterways.

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Bioaccumulative potential

**Bioaccumulation** This product shows a low bioaccumulation potential.

Bioconcentration Factor (BCF): >10.

**Component Information** 

| Chemical name                 | Partition coefficient |  |
|-------------------------------|-----------------------|--|
| 1-Decene, dimer, hydrogenated | >6.5                  |  |

**Mobility** 

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Dispose of in accordance with federal, state and local regulations.

## 14. TRANSPORT INFORMATION

#### **ADG**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### **IATA**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

#### Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

## **International Inventories**

AllC This material is listed on the Australian Inventory of Industrial Chemicals.

#### Leaend:

AIIC - Australian Inventory of Industrial Chemicals

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## 16. OTHER INFORMATION

Silkflo is a registered trademark. Supplier Safety Data Sheet 02/2012

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 06-Jun-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

## Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

**End of Safety Data Sheet**