

# Safety Data Sheet



## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** SEPIWHITE MSH

**Recommended Use of the Chemical and Restrictions on Use** Cosmetic applications.

**Supplier:** Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
**ABN:** 51 600 546 512  
**Street Address:** 70 Marple Avenue  
Villawood NSW 2163  
Australia

**Telephone Number:** +61 2 8717 2929  
**Facsimile:** +61 2 9755 9611  
**Emergency Telephone:** 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

**Classification of the chemical:**  
Eye Damage - Category 1

**SIGNAL WORD:** DANGER



**Hazard Statement(s):**  
H318 Causes serious eye damage.

**Precautionary Statement(s):**

**Prevention:**  
P280 Wear protective gloves, protective clothing and eye protection.

**Response:**  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/physician.

**Storage:**  
No storage statements.

**Disposal:**  
No disposal statements.

*Product Name: SEPIWHITE MSH*  
*Substance No: 000000035770*

*Issued: 01/04/2019*  
*Version: 4*

# Safety Data Sheet



Poisons Schedule (SUSMP): None allocated.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Undecylenoyl phenylalanine	175357-18-3	80-100%	H318

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

### Skin Contact:

If skin or hair contact occurs, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs seek medical advice.

### Eye Contact:

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre. Continue to wash with large amounts of water until medical help is available.

### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

### Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media:

Dry agent (dry chemical powder).

### Unsuitable Extinguishing Media:

Water jet.

### Specific hazards arising from the chemical:

Combustible solid. On burning will emit toxic fumes, including those of oxides of carbon and oxides of nitrogen.

### Special protective equipment and precautions for fire-fighters:

Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

Product Name: SEPIWHITE MSH  
Substance No: 00000035770

Issued: 01/04/2019  
Version: 4

# Safety Data Sheet



## Emergency procedures/Environmental precautions:

Shut off all possible sources of ignition. Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

## Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in dust. Work up wind or increase ventilation. Cover with damp absorbent (inert material). Sweep or vacuum up, but avoid generating dust. Collect and seal in properly labelled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling:

Avoid skin and eye contact and breathing in dust.

Avoid handling which leads to dust formation. May form flammable dust clouds in air. For precautions necessary refer to Safety Data Sheet "Dust Explosion Hazards". Take precautionary measures against static discharges.

### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place and out of direct sunlight. Store between 15°C and 25°C. Store away from sources of heat or ignition. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for spills.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

### Appropriate engineering controls:

Ensure ventilation is adequate to maintain air concentrations below Workplace Exposure Standards. Avoid generating and breathing in dusts. Keep containers closed when not in use.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

# Safety Data Sheet



## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



Wear overalls, chemical goggles and impervious gloves. Avoid generating and inhaling dusts. If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical state:</b>	Powder
<b>Colour:</b>	White to Yellowish
<b>Odour:</b>	Bland
<b>Odour Threshold:</b>	Not available
<b>Solubility:</b>	Very slightly soluble in cold water. Soluble in alcohol and ketones.
<b>Specific Gravity:</b>	1.08 g/cm <sup>3</sup> @ 20°C
<b>Relative Vapour Density (air=1):</b>	Not available
<b>Vapour Pressure (20 °C):</b>	Not available
<b>Flash Point (°C):</b>	Not available
<b>Flammability Limits (%):</b>	Not available
<b>Autoignition Temperature (°C):</b>	Not available
<b>Solubility in water (g/L):</b>	0.0302
<b>Melting Point/Range (°C):</b>	78 - 80
<b>Boiling Point/Range (°C):</b>	229 - 237
<b>Decomposition Point (°C):</b>	Not available
<b>pH:</b>	Not available
<b>Viscosity:</b>	Not applicable
<b>Partition Coefficient:</b>	-0.04

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	No information available.
<b>Chemical stability:</b>	Stable under normal conditions of use.
<b>Possibility of hazardous reactions:</b>	Hazardous polymerisation will not occur.
<b>Conditions to avoid:</b>	Avoid exposure to heat, sources of ignition, and open flame. Avoid dust generation.

# Safety Data Sheet



**Incompatible materials:** Incompatible with oxidising agents.

**Hazardous decomposition products:** Oxides of carbon. Oxides of nitrogen.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

**Ingestion:** No adverse effects expected, however, large amounts may cause nausea and vomiting.

**Eye contact:** A severe eye irritant. Contamination of eyes can result in permanent injury.

**Skin contact:** Contact with skin may result in irritation.

**Inhalation:** Material may be irritant to the mucous membranes of the respiratory tract (airways).

**Acute toxicity:** No LD50 data available for the product.

**Skin corrosion/irritation:** Non-irritant. (1)  
**Serious eye damage/irritation:** Causes serious eye damage. (1)  
**Respiratory or skin sensitisation:** Not a skin sensitiser. (1)

**Chronic effects:** No information available for the product.

**Mutagenicity:** Non-mutagenic in AMES test. (1)  
**Carcinogenicity:** No information available.  
**Reproductive toxicity:** No information available.  
**Specific Target Organ Toxicity (STOT) - single exposure:** No information available.  
**Specific Target Organ Toxicity (STOT) - repeated exposure:** No information available.  
**Aspiration hazard:** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Avoid contaminating waterways.

**Persistence/degradability:** This product is readily biodegradable.  
Degree of Elimination (activated sludge): 75% (28 days, OECD 301B) (1)

**Bioaccumulative potential:** This product shows a low bioaccumulation potential. (1)

**Mobility in soil:** No information available.

**Aquatic toxicity:** 72hr LC50 (Algae): 78 - 105 mg/L (1)

# Safety Data Sheet



Log Octanol/Water Partition Coefficient: -0.04 (1)  
48hr EC50 (Daphnia magna): >110 mg/L (1)

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

## 14. TRANSPORT INFORMATION

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Eye Damage - Category 1

### Hazard Statement(s):

H318 Causes serious eye damage.

**Poisons Schedule (SUSMP):** None allocated.

This material is new and has not been assessed in Australia. It is being used in quantities < 10 kg per annum for cosmetic applications under the provisions of subsection 21(4)(b) of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

## 16. OTHER INFORMATION

(1) Supplier Safety Data Sheet; 08/ 2014.

SEPIWHITE is a registered trademark.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

# Safety Data Sheet



## **Reason(s) for Issue:**

5 Yearly Revised Primary SDS  
Change in Group Standard  
Minor Text Changes

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.