# SAFETY DATA SHEET



Revision date: 27-May-2021

**Revision Number** 4

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

Product Name FRAGRANCE K314626

**Product Code(s)** 000000035871

Other means of identification

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

CEDARWOOD CHINESE OIL AND LAVENDER OIL SPIKE)

UN number 3082

Pure substance/mixture Mixture

Recommended use of the chemical and restrictions on use

**Recommended use** Perfumes, fragrances.

**Uses advised against** No information available.

**Supplier** 

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163

Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Flammable liquids	Category 4 - (H227)
Aspiration hazard	Category 1 - (H304)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 1 - (H318)
Skin sensitization	Category 1A - (H317)
Acute aquatic toxicity	Category 2 - (H401)
Chronic aquatic toxicity	Category 2 - (H411)

### **SIGNAL WORD**

Danger

#### Label elements

Exclamation mark Health hazard Corrosion Environment



### **Hazard statements**

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves / protective clothing / eye protection / face protection

Avoid breathing dust / fume / gas / mist / vapours / spray

Contaminated work clothing should not be allowed out of the workplace

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Avoid release to the environment

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

If skin irritation or rash occurs: Get medical advice/attention

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction.

Collect spillage

# **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep cool

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other hazards which do not result in classification

May be harmful if swallowed

Poisons Schedule (SUSMP) None allocated

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	78-70-6	10-<30
Spike lavender oil	8016-78-2	1-<10
Nopyl Acetate	128-51-8	1-<10
Octanal, 7-hydroxy-3,7-dimethyl-	107-75-5	1-<10
Lavandin oil	8022-15-9	1-<10
Lavender oil	8000-28-0	1-<10
Coumarin	91-64-5	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	106-24-1	1-<10
Rosemary Oil	8000-25-7	1-<10
Geranyl acetate	105-87-3	1-<10
D,L-Citronellol	106-22-9	1-<10
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	106-25-2	1-<10
3-Cyclohexene-1-carboxaldehyde,	31906-04-4	1-<10
4-(4-hydroxy-4-methylpentyl)- (Lyral)		
Cypress, cupressus funebris, extract	85085-29-6	1-<10
(Cedarwood Chinese Oil)		
Non-hazardous ingredients	Proprietary	Balance

## 4. FIRST AID MEASURES

### **Description of first aid measures**

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing

has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical advice/attention. Delayed

pulmonary edema may occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present

and easy to do. Continue rinsing. Get immediate medical advice/attention.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. May cause an allergic skin reaction. In the case of skin irritation or

allergic reactions see a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical

advice/attention.

Self-protection of the first aider

Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Avoid contact with skin, eyes, and clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required.

#### Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation. Itching. Rashes. Hives. Difficulty in breathing. Coughing and/ or

wheezing. Dizziness.

### Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization by skin contact. Treat symptomatically. Because of the danger of

aspiration, emesis or gastric lavage should not be employed unless the risk is justified by

the presence of additional toxic substances.

# 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

Suitable Extinguishing Media Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal

protein foam can be used.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Product is or contains a sensitizer. May cause sensitization by skin contact. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code •3Z

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Avoid contact with skin, eyes, and clothing.

Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage

if safe to do so.

# Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far

ahead of liquid spill for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

General hygiene considerations

Advice on safe handling Use personal protection equipment. Do not breathe vapor or mist. Keep away from heat,

hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. In case of insufficient ventilation, wear suitable respiratory equipment. Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out

of the reach of children. Protect from direct sunlight.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) None allocated

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and

the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.









**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Antistatic boots. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid Appearance Clear

**Color** Pale Yellow to Yellow

Odor Fresh, Herbal, Green, Floral, Spicy, Woody, Powdery

Odor threshold No information available.

PropertyValuesRemarks • MethodpHNo data availableNone known

No data available pH (as aqueous solution) None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known Flash point 76 °C CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density None known No data available Relative density 0.947 - 0.967 @ 20 °C No data available Water solubility None known Solubility(ies) No data available None known Partition coefficient No data available None known **Autoignition temperature** No data available None known

Decomposition temperature Kinematic viscosity Dynamic viscosity No data available None known
No data available None known
No data available None known

Other information

### 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Direct sunlight.

Incompatible materials

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can

produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be

fatal. May cause irritation of respiratory tract.

**Eye contact** Specific test data for the substance or mixture is not available. Severely irritating to eyes.

Causes serious eye damage. May cause burns. May cause irreversible damage to eyes.

(based on components).

Skin contact Specific test data for the substance or mixture is not available. May cause sensitization by

skin contact. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components). Repeated exposure may cause skin dryness

or cracking. Causes skin irritation.

**Ingestion** Specific test data for the substance or mixture is not available. Ingestion may cause

gastrointestinal irritation, nausea, vomiting and diarrhoea. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema

and pneumonitis. May be fatal if swallowed and enters airways.

**Symptoms** Redness. Burning. May cause blindness. Itching. Rashes. Hives. Difficulty in breathing.

Coughing and/ or wheezing. Dizziness. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) >2,000 mg/kg ATEmix (dermal) >5,000 mg/kg

**Component Information** 

01 1	0 11050	D 11.050	1110 1050
Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	= 2790 mg/kg (Rat)	= 5610 mg/kg (Rat)	-
Nopyl Acetate	= 3 g/kg (Rat)	-	-
Octanal, 7-hydroxy-3,7-dimethyl-	> 5 g/kg (Rat)	-	-
Lavandin oil	> 5 g/kg (Rat)	> 5 g/kg (Rabbit)	-
Lavender oil	= 4250 mg/kg (Rat) = 0.17 g/kg (Rat)	> 5 g/kg(Rabbit)	-
Coumarin	= 293 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	= 3600 mg/kg (Rat)	> 5 g/kg(Rabbit)	-
Rosemary Oil	= 5 g/kg (Rat)	> 10 g/kg(Rabbit)	-
Geranyl acetate	= 6330 mg/kg ( Rat )	-	-
D,L-Citronellol	= 3450 mg/kg ( Rat )	= 2650 mg/kg ( Rabbit )	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	= 4500 mg/kg (Rat)	> 5 g/kg(Rabbit)	-
3-Cyclohexene-1-carboxaldehy de, 4-(4-hydroxy-4-methylpentyl)- (Lyral)	= 3250 μL/kg (Rat)	= 11300 μL/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Classification based on data available for ingredients. Irritating to skin.

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes burns. Risk of serious

damage to eyes.

**Respiratory or skin sensitization** May cause sensitization by skin contact.

Germ cell mutagenicity

No information available.

Carcinogenicity

No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

**Ecotoxicity** Toxic to aquatic life with long lasting effects. Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	EC50: =88.3mg/L (96h, Desmodesmus subspicatus)	LC50: =27.8mg/L (96h, Oncorhynchus mykiss) LC50: 22 - 46mg/L (96h, Leuciscus idus)		EC50: =20mg/L (48h, Daphnia magna)
2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- (Geraniol)	-	LC50: =22mg/L (96h, Danio rerio)	-	-
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (Nerol)	-	LC50: =20.3mg/L (96h, Danio rerio)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

Chemical name	Partition coefficient
1,6-Octadien-3-ol, 3,7-dimethyl- (Linalool)	2.84 - 3.1

Mobility

Mobility in soil No information available.

Other adverse effects

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

# 14. TRANSPORT INFORMATION

#### **ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number 3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

CEDARWOOD CHINESE OIL AND LAVENDER OIL SPIKE)

Hazard class 9
Packing group III
Environmental hazard Yes
Hazchem code •3Z

### **IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

CEDARWOOD CHINESE OIL AND LAVENDER OIL SPIKE)

Transport hazard class(es) 9
Packing group III

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea: DANGEROUS GOODS.

UN number 3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS

CEDARWOOD CHINESE OIL AND LAVENDER OIL SPIKE)

Transport hazard class(es)

Packing group

IMDG EMS Fire

F-A

IMDG EMS Spill

S-F

Marine pollutant

9

III

F-A

Yes

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

**International Inventories** 

AllC All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 27-May-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris.

**End of Safety Data Sheet**