SAFETY DATA SHEET

Revision date: 29-Jun-2022

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

OL HS2095 (FDLIM17013)
s on use
available.
incorporated in Australia

Emergency telephone number

Emergency telephone number

umber 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION


GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

B



Skin sensitization	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

SIGNAL WORD Warning

Label elements

Environment Exclamation mark



Hazard statements

H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Avoid breathing dust / fume / gas / mist / vapours / spray Wash hands thoroughly after handling Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Avoid release to the environment **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse Collect spillage **Precautionary Statements - Storage** No storage statements **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classification Toxic to aquatic life Causes mild skin irritation

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Mixture</u>

Chemical name	CAS No.	Weight-%
Oils, lime	8008-26-2	1-<10
Flavour ingredients determined not to be hazardous	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation or rash occurs: Get medical advice/attention.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Consult a physician if necessary.
Most important symptoms and effe	cts, both acute and delayed
Current and a	May appeal ellergic skip reaction. Redness, Reshes, Hives

Symptoms May cause allergic skin reaction. Redness. Rashes. Hives.				
Indication of any immediate medical attention and special treatment needed				
Note to physicians	May cause sensitization by skin contact. Treat symptomatically.			

5. FIRE FIGHTING MEASURES				
Suitable Extinguishing Media				
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.			
Unsuitable extinguishing media	No information available.			
Specific hazards arising from the c	hemical			
Specific hazards arising from the chemical	Non-combustible. However following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes, including those of oxides of carbon. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.			
Hazardous combustion products	Oxides of carbon.			
Special protective actions for fire-f	Special protective actions for fire-fighters			
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
Hazchem code	•3Z			
6. ACCIDENTAL RELEASE MEASURES				

Personal precautions, protective equipment and emergency procedures

Personal precautions

Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.

For emergency responders	Clear area of all unprotected personnel. Use personal protection recommended in Section 8.			
Environmental precautions				
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.			
Methods and material for containme	Methods and material for containment and cleaning up			
Methods for containment	Stop leak if you can do it without risk. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.			
Methods for cleaning up	Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use personal protective equipment as required. Pick up and transfer to properly labelled containers.			

7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions.
General hygiene considerations	Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wear suitable gloves and eye/face protection.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Store away from incompatible materials described in Section 10. Store away from sources of heat or ignition. Keep container closed when not in use.
Incompatible materials	Oxidizing agents.
Poisons Schedule (SUSMP)	None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.


Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Remarks • Method

None known None known None known None known None known None known None known

None known None known None known None known None known None known None known

None known

None known

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Information on basic physical and chemical properties			
Physical state	Liquid		
Appearance	Viscous		
Color	Bright Lime Green		
Odor	Tangy Dry Lime		
Odor threshold	No information available.		
Property	<u>Values</u>		
рН	No data available		
pH (as aqueous solution)	No data available		
Melting point / freezing point	No data available		
Boiling point / boiling range	No data available		
Flash point	Not Applicable		
Evaporation rate	No data available		
Flammability (solid, gas)	No data available		
Flammability Limit in Air			
Upper flammability or explosive	Not Applicable		
limits			
Lower flammability or explosive	Not Applicable		
limits			
Vapor pressure	No data available		
Vapor density	No data available		
Relative density	0.980-1.010 @20°C		
Water solubility	No data available		
Solubility(ies)	Miscible in water		
Partition coefficient	No data available		
Autoignition temperature	Not Applicable		
Decomposition temperature	No data available		

No data available

No data available

Other information

Kinematic viscosity

Dynamic viscosity

10. STABILITY AND REACTIVITY

Reactivity	
Reactivity	No information available.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	zt None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	
Incompatible materials	Oxidizing agents.
Hazardous decomposition product	<u>S</u>

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	Causes mild skin irritation. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
Symptoms	May cause allergic skin reaction. Redness. Rashes. Hives.
Numerical measures of toxicity - P	roduct Information

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Oils, lime	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

No information available. Skin corrosion/irritation Serious eye damage/eye irritation No information available. Respiratory or skin sensitization May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data. Germ cell mutagenicity No information available. Carcinogenicity No information available. **Reproductive toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. No information available. Aspiration hazard

Delayed and immediate effects as well as chronic effects from short and long-term exposure

12. ECOLOGICAL INFORMATION

Eastevialty

<u>Ecotoxicity</u>			
Ecotoxicity	Keep out of waterways. Toxic to aquatic life with long lasting effects.		
Persistence and degradability			
Persistence and degradability	No information available.		
Bioaccumulative potential			
Bioaccumulation	No information available.		
<u>Mobility</u>			
Mobility in soil	No information available.		
Other adverse effects			
13. DISPOSAL CONSIDERATIONS			
Waste treatment methods			

Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail; DANGEROUS GOODS. UN number Proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIME OIL)
Hazard class	9
Packing group	111
Environmental hazard	Yes
Special Provisions	274, 331, 335, 375, AU01
Hazchem code	•3Z

ΙΑΤΑ

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIME
	OIL)
Transport hazard class(es)	9
Packing group	

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIME OIL)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

AIIC

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals or are regulated through the Food Standards Australia New Zealand (FSANZ).

Legend:

AllC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 29-Jun-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sectio	n 8: EXPOSURE CONTROLS/PERSONA	L PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		-

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet