SAFETY DATA SHEET

Revision date: 11-Jul-2022

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

| Product identifier | | | |
|---|---|--|--|
| Product Name | PEACH FLAVOUR O/S NAT E46283 (FAPEA46283) | | |
| Product Code(s) | 00000038289 | | |
| Other means of identification | | | |
| Pure substance/mixture | Mixture | | |
| Recommended use of the chemical | and restrictions on use | | |
| Recommended use | Flavour. | | |
| Uses advised against | No information available. | | |
| Supplier Ixom Operations Pty Ltd (Bronson & Ja ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611 | acobs division) - incorporated in Australia | | |
| Emergency telephone number | | | |
| | | | |

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Flammable liquids

Category 4

SIGNAL WORD Warning



Revision Number 5

Label elements

Hazard statements

H227 - Combustible liquid

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response**

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish. **Precautionary Statements - Storage** Store in a well-ventilated place **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant

Other hazards which do not result in classificationPoisons Schedule (SUSMP)None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

| Chemical name | CAS No. | Weight-% |
|--------------------------------------|----------|----------|
| Ethyl acetate | 141-78-6 | 1-<10 |
| Flavour ingredients at non-hazardous | - | to 100 |
| concentrations | | |

4. FIRST AID MEASURES

Description of first aid measures

| General advice | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
|----------------|--|
| Inhalation | Remove to fresh air. Call a physician if symptoms occur. |
| Eye contact | Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician. Get medical attention if symptoms occur. |
| Skin contact | Wash skin with soap and water. Call a physician if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur. |

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES

| Suitable Extinguishing Media | | | |
|---|---|--|--|
| Suitable Extinguishing Media | Dry chemical, CO2, water spray or regular foam. | | |
| | | | |
| Unsuitable extinguishing media | No information available. | | |
| Specific hazards arising from the chemical | | | |
| Specific hazards arising from the chemical | Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. | | |
| Hazardous combustion products | Oxides of carbon. | | |
| Special protective actions for fire-fighters | | | |
| Special protective equipment for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | | |

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| Personal precautions | Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Wash thoroughly after handling. Use personal protective equipment as required. Remove all sources of ignition. | | |
|--|--|--|--|
| Other information | Ventilate the area. | | |
| For emergency responders | Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8. | | |
| Environmental precautions | | | |
| Environmental precautions | Prevent further leakage or spillage if safe to do so. Refer to protective measures listed in Sections 7 and 8. | | |
| Methods and material for containment and cleaning up | | | |
| Methods for containment | Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Dike far ahead of spill to collect runoff water. Do not touch or walk through spilled material. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. | | |
| Methods for cleaning up | Slippery when spilt. Avoid accidents, clean up immediately. Dam up. Soak up with inert absorbent material. Use personal protective equipment as required. Pick up and transfer to properly labelled containers. | | |

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Ensure adequate ventilation. Wash thoroughly after handling. Use personal protection equipment. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use according to package label instructions. Handle in accordance with good industrial hygiene

| | and safety practice. |
|--------------------------------------|---|
| General hygiene considerations | Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands and face before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. |
| Conditions for safe storage, includi | ng any incompatibilities |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Protect from direct sunlight. Store away from incompatible materials described in Section 10. Keep container closed when not in use. |
| | Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements. |
| Incompatible materials | Strong oxidizing agents. |
| Poisons Schedule (SUSMP) | None allocated |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Ethyl acetate: 8hr TWA = 720 mg/m³ (200 ppm), 15 min STEL = 1440 mg/m³ (400 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

| Engineering controls | Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits. |
|----------------------|--|
| | If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal |

Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

| Eye/face protection | Glasses. | |
|---------------------------------|--|--|
| Skin and body protection | Wear suitable protective clothing. Boots. Overalls. | |
| Hand protection | Impervious gloves. | |
| Respiratory protection | If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716. | |
| Environmental exposure controls | No information available. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Information on basic physical and chemical properties | | | |
|---|------------------------------|------------------|--|
| Physical state | Liquid | | |
| Appearance | Clear | | |
| Color | Colourless | | |
| Odor | Characteristic Peach | | |
| Odor threshold | No information available. | | |
| | | | |
| Property | Values | Remarks • Method | |
| рН | No data available | None known | |
| pH (as aqueous solution) | No data available | None known | |
| Melting point / freezing point | No data available | None known | |
| Boiling point / boiling range | No data available | None known | |
| Flash point | 70 °C | CC (closed cup) | |
| Evaporation rate | No data available | None known | |
| Flammability (solid, gas) | No data available | None known | |
| Flammability Limit in Air | | None known | |
| Upper flammability or explosive | No data available | | |
| limits | Ne data available | | |
| Lower flammability or explosive limits | No data available | | |
| Vapor pressure | No data available | None known | |
| Vapor density | No data available | None known | |
| Relative density | 0.9356 - 0.9556 @ 20°C | None known | |
| Water solubility | No data available | None known | |
| Solubility(ies) | No data available None known | | |
| Partition coefficient | No data available None known | | |
| Autoignition temperature | No data available | None known | |
| Decomposition temperature | No data available None known | | |
| | | | |

Kinematic viscosity Dynamic viscosity No data available No data available None known None known

Other information

10. STABILITY AND REACTIVITY

| Reactivity | |
|---|--|
| Reactivity | No information available. |
| Chemical stability | |
| Stability | Stable under normal conditions. |
| Explosion data Sensitivity to mechanical impac | ot None. |
| Sensitivity to static discharge | Yes. |
| Possibility of hazardous reactions | |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | |
| Conditions to avoid | Heat. Heat, flames and sparks. Static discharge (electrostatic discharge). Avoid contact with combustible substances. Direct sunlight. |
| Incompatible materials | |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | <u>S</u> |

Hazardous decomposition products Oxides of carbon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

| Product Information | No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are: | |
|---------------------|---|--|
| Inhalation | May cause irritation. | |
| Eye contact | May cause irritation. | |
| Skin contact | May cause irritation. | |
| Ingestion | May cause gastrointestinal discomfort if consumed in large amounts. | |
| Symptoms | No information available. | |

Numerical measures of toxicity - Product Information Refer to component information below.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|--------------------|-----------------------------|---------------------|
| Ethyl acetate | = 5620 mg/kg (Rat) | > 18000 mg/kg (Rabbit) > 20 | = 4000 ppm (Rat)4 h |
| | | mL/kg (Rabbit) | |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | No information available. |
|-----------------------------------|---------------------------|
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | No information available. |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Avoid contaminating waterways.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|---------------|--|--|-------------------------------|--|
| Ethyl acetate | EC50: =3300mg/L (48h, Desmodesmus subspicatus) | LC50: 220 - 250mg/L (96h, Pimephales promelas) LC50: =484mg/L (96h, Oncorhynchus mykiss) LC50: 352 - 500mg/L (96h, Oncorhynchus mykiss) | - | EC50: =560mg/L (48h, Daphnia magna) |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

| Waste from residues/unused products | Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations. |

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

<u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

National pollutant inventory

Subject to reporting requirement
Chemical name
National pollutant inventory

| onemical hame | National policitant inventory |
|--------------------------|----------------------------------|
| Ethyl acetate - 141-78-6 | 10 tonne/yr Threshold category 1 |
| | |

| International Inventories AIIC | All the constituents of this material are listed on the Australian Inventory of Industrial |
|-----------------------------------|--|
| | |

| | Chemicals or are regulated through the Food Standards Australia New Zealand (FSANZ). |
|-------|---|
| NZIoC | All the constituents of this material are listed on the New Zealand Inventory of Chemicals or |

are regulated through the Food Standards Australia New Zealand (FSANZ).

Leaend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 11-Jul-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

| Legend Sec | tion 8: EXPOSURE CONTROLS/PERSONAL | <u>_ PROTECTION</u> | |
|------------|------------------------------------|---------------------|----------------------------------|
| TWA | TWA (time-weighted average) | STEL | STEL (Short Term Exposure Limit) |
| Ceiling | Maximum limit value | * | Skin designation |
| С | Carcinogen | | |

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and

control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet