SAFETY DATA SHEET

Revision date: 27-Feb-2024



Revision Number 3

Section 1: Identification		
Product identifier		
Product Name	PLUM COLA FLAVOUR	E48070 (FAPLU48070)
Product Code(s)	00000038620	
Other means of identification		
UN number or ID number	1197	
Pure substance/mixture	Mixture	
Recommended use of the chemic	cal and restrictions on use	
Recommended use	Flavour.	
Uses advised against	No information available.	
Details of manufacturer or impor	<u>ter</u>	
Supplier Ixom Operations Pty Ltd (Bronson A ABN:51 600 546 512 70 Marple Avenue Villawood NSW 2163 Australia	& Jacobs division) - incorporat	ed in Australia
Telephone Number: +61 2 8717 2929 Facsimile: +61 2 9755 9611		
Emergency telephone number		
Emergency telephone number	1 800 033 111 (ALL HOU	RS)
Please ensure you refer to the limitations of t	his Safety Data Sheet as set out in the	"Other Information" section at the end of this Data Sheet.
Section 2: Hazard identif	ication	
(ADG).		Code for the Transport of Dangerous Goods by Road and Rail ria of Safe Work Australia - Globally Harmonized System (GHS).
GHS Classification Flammable liquids		Category 3

Label elements Flame



Signal word WARNING

Hazard statements H226 - Flammable liquid and vapor

Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use only non-sparking tools. Take action to prevent static discharges. Use explosion-proof electrical/ ventilating / lighting/ .? / equipment. Wear protective gloves/clothing and eye/face protection. **Precautionary Statements - Response**

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. In case of fire: Use CO2, dry chemical, or foam for extinction. **Precautionary Statements - Storage** Store in a well-ventilated place. Keep cool. **Precautionary Statements - Disposal** Dispose of contents/container to an approved waste disposal plant.

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Flavour ingredients at non-hazardous	-	100
concentrations		

Additional information

Contains propylene glycol, ethyl acetate.

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. If symptoms persist, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if symptoms occur.
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If symptoms persist, call a physician.

Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Get medical attention if symptoms occur.
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	No information available.
Effects of Exposure	No information available.
Indication of any immediate medical attention and special treatment needed	
Note to physicians	Treat symptomatically.
Section 5: Firefighting measures	

Suitable Extinguishing Media

Suitable extinguishing media Dry chemical. Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Flammable. Risk of ignition. Keep product and empty container away from heat and sources of ignition. Containers may explode when heated. In the event of fire, cool tanks with water spray. Runoff may create fire or explosion hazard. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Hazardous combustion products Oxides of carbon.

Special protective actions for fire-fighters

Special protective equipment and
precautions for fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout gear.
Use personal protection equipment.

Hazchem code

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

3Y

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Wash thoroughly after handling.
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

For emergency responders	Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containme	nt and cleaning up
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
Methods for cleaning up	Take precautionary measures against static discharges. Use non-sparking tools. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharges. Keep in an area equipped with sprinklers. Use according to package label instructions.
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Protect from direct sunlight. Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations.
Incompatible materials	Oxidizing agent.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Propane-1,2-diol (propylene glycol) (total: vapour & particulates): 8hr TWA = 474 mg/m³ (150 ppm); (particulates only): 8hr TWA = 10 mg/m³

Ethyl acetate: 8hr TWA = 720 mg/m³ (200 ppm), 15 min STEL = 1440 mg/m³ (400 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls


Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available
Color	Dark red

Odor Odor threshold	Sweet, Fruity Plum Cola No information available	
	No information available	
Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	52 °C	CC (closed cup)
Evaporation rate	No data available	None known
Flammability (solid, gas) Flammability Limit in Air	No data available	None known None known
Upper flammability or explosive limits	No data available	None known
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.140 - 1.160	@ 20 °C
Water solubility	No data available	None known
Solubility(ies)	Miscible in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity Dynamic viscosity	No data available No data available	None known None known
Section 10: Stability and re	eactivity	
Reactivity		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. Yes.	
Possibility of hazardous reactions		
	-	
Possibility of hazardous reactions	- None under normal processing.	
Possibility of hazardous reactions Conditions to avoid		
-	None under normal processing.	sharge (electrostatic discharge). Direct sunlight.
Conditions to avoid	None under normal processing.	sharge (electrostatic discharge). Direct sunlight.
<u>Conditions to avoid</u> Conditions to avoid	None under normal processing.	charge (electrostatic discharge). Direct sunlight.
Conditions to avoid Conditions to avoid Incompatible materials	None under normal processing. Heat, flames and sparks. Static disc Oxidizing agent.	sharge (electrostatic discharge). Direct sunlight.

Hazardous decomposition products Oxides of carbon.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation of respiratory tract.
Eye contact	May cause irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.
A quito toxioity	

Acute toxicity _.

Numerical measures of toxicity - Product Information No information available

See section 16 for terms and abbreviations

Delayed and immediate effects as	well as chronic effects from short and long-term exposure
Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity Aquatic ecotoxicity	Avoid contaminating waterways.
Terrestrial ecotoxicity	There is no data for this product.
Persistence and degradability Persistence and degradability	No information available.
Bioaccumulative potential Bioaccumulation Component Information	There is no data for this product.
<u>Mobility</u> Mobility	No information available.
Other adverse effects Other adverse effects Section 13: Disposal cons	No information available.
Waste treatment methods	
<u>Waste treatment methods</u> Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with federal, state and local regulations. Dispose of waste in accordance with environmental legislation.
Waste from residues/unused	
Waste from residues/unused products	and local regulations. Dispose of waste in accordance with environmental legislation. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld
Waste from residues/unused products Contaminated packaging	and local regulations. Dispose of waste in accordance with environmental legislation. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
Waste from residues/unused products Contaminated packaging See section 8 for more information	and local regulations. Dispose of waste in accordance with environmental legislation. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.
Waste from residues/unused products Contaminated packaging See section 8 for more information Section 14: Transport info	and local regulations. Dispose of waste in accordance with environmental legislation. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. rmation Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code
Waste from residues/unused products Contaminated packaging See section 8 for more information Section 14: Transport info ADG UN number or ID number Proper shipping name Transport hazard class(es) Packing group	and local regulations. Dispose of waste in accordance with environmental legislation. Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. rmation Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS. 1197 EXTRACTS, FLAVOURING, LIQUID 3 III

UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Transport hazard class(es)	3
Packing group	III
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.
UN number	1197
UN proper shipping name	EXTRACTS, FLAVOURING, LIQUID
Transport hazard class(es)	3
Packing group	III
IMDG EMS Fire	F-E
IMDG EMS Spill	S-D

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
U U	Contact supplier for inventory compliance status	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Major hazard (accident/incident planning) regulation Verify that license requirements are met <u>Hazardous chemical</u> Liquids that meet the criteria for Class 3 Packing Group II or III

Threshold quantity (T) 50 000

National pollutant inventory

Subject to reporting requirement

International Inventories				
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial			
	Chemicals or are regulated through the Food Standards Australia New Zealand (FSANZ).			
NZIoC	Contact supplier for inventory compliance status.			
TSCA	Contact supplier for inventory compliance status.			
DSL/NDSL	Contact supplier for inventory compliance status.			
EINECS/ELINCS	Contact supplier for inventory compliance status.			
ENCS	Contact supplier for inventory compliance status.			
IECSC	Contact supplier for inventory compliance status.			
KECL	Contact supplier for inventory compliance status.			
PICCS	Contact supplier for inventory compliance status.			
Legend:				
AllC- Australian Inventory of Indu	strial Chemicals			
NZIoC - New Zealand Inventory of	f Chemicals			
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory				
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List				
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances				
ENCS - Japan Existing and New Chemical Substances				
IECSC - China Inventory of Existing Chemical Substances				
KECL - Korean Existing and Evaluated Chemical Substances				
PICCS - Philippines Inventory of Chemicals and Chemical Substances				
International Regulations				

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information			
Reason(s) For Issue:	Reissue of an obsolete SDS		
Prepared By	This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).		
Revision date:	27-Feb-2024		

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		-

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.

End of Safety Data Sheet