

# SAFETY DATA SHEET



Revision date: 26-Jul-2022

Revision Number 2

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

### Product identifier

**Product Name** FRAGRANCE LAVENDER & EUCALYPTUS 1641

**Product Code(s)** 000000038924

### Other means of identification

**UN number** 3082

**Pure substance/mixture** Mixture

### Recommended use of the chemical and restrictions on use

**Recommended use** Fragrances.

**Uses advised against** No information available.

### Supplier

Ixom Operations Pty Ltd (Bronson & Jacobs division) - incorporated in Australia  
ABN:51 600 546 512  
70 Marple Avenue  
Villawood NSW 2163  
Australia

Telephone Number: +61 2 8717 2929

Facsimile: +61 2 9755 9611

### Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Flammable liquids	Category 4
Aspiration hazard	Category 1
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Reproductive toxicity	Category 1B
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

**SIGNAL WORD**

Danger

**Label elements**

Environment  
Health hazard  
Exclamation mark



**Hazard statements**

- H227 - Combustible liquid
- H304 - May be fatal if swallowed and enters airways
- H315 - Causes skin irritation
- H317 - May cause an allergic skin reaction
- H319 - Causes serious eye irritation
- H360Df - May damage the unborn child. Suspected of damaging fertility

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H411 - Toxic to aquatic life with long lasting effects

**Precautionary Statements - Prevention**

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
- Avoid breathing dust / fume / gas / mist / vapours / spray
- Wash hands thoroughly after handling
- Contaminated work clothing should not be allowed out of the workplace
- Wear protective gloves / protective clothing / eye protection / face protection
- Avoid release to the environment

**Precautionary Statements - Response**

- Specific treatment (see First aid on this SDS)
- If exposed or concerned: Get medical advice/attention
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- If eye irritation persists: Get medical advice/attention
- IF ON SKIN: Wash with plenty of soap and water
- If skin irritation or rash occurs: Get medical advice/attention
- Take off contaminated clothing and wash before reuse
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- Do NOT induce vomiting
- In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish.
- Collect spillage

**Precautionary Statements - Storage**

Store locked up  
Store in a well-ventilated place

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

**Other hazards which do not result in classification**

Toxic to aquatic life

**Poisons Schedule (SUSMP)**                      None allocated

**3. COMPOSITION/INFORMATION ON INGREDIENTS****Mixture**

Chemical name	CAS No.	Weight-%
Diethyl phthalate	84-66-2	30-60
Dipentene	138-86-3	10-<30
Lavandin oil	8022-15-9	1-<10
Pine oil	8002-09-3	1-<10
Lavender oil	8000-28-0	1-<10
Dibutyl phthalate	84-74-2	1-<10
Eucalyptus oil	8000-48-4	1-<10
Fragrance ingredients present at non-hazardous concentrations	-	to 100

**4. FIRST AID MEASURES****Description of first aid measures**

<b>General advice</b>	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
<b>Emergency telephone number</b>	
<b>Inhalation</b>	Remove to fresh air. Call a physician if symptoms occur.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician if irritation persists.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Call a physician immediately.

**Most important symptoms and effects, both acute and delayed**

**Symptoms**                                      Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians**                              May cause sensitization by skin contact. Delayed pulmonary edema may occur. Treat symptomatically.

## 5. FIRE FIGHTING MEASURES

### Suitable Extinguishing Media

**Suitable Extinguishing Media** Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

**Unsuitable extinguishing media** No information available.

### Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Combustible liquid. On burning will emit toxic fumes, including those of oxides of carbon. In the event of fire, cool tanks with water spray. Environmentally hazardous. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**Hazardous combustion products** Oxides of carbon.

### Special protective actions for fire-fighters

**Special protective equipment for fire-fighters** Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**Hazchem code** •3Z

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Keep people away from and upwind of spill/leak. Use personal protective equipment as required.

**Other information** Ventilate the area.

**For emergency responders** Shut off ignition sources. Clear area of all unprotected personnel. Use personal protection recommended in Section 8.

### Environmental precautions

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not allow to enter into soil/subsoil. Prevent product from entering drains. See Section 12 for additional Ecological Information.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Remove ignition sources. Provide adequate ventilation. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Slippery when spilt. Avoid accidents, clean up immediately. Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Use non-sparking tools. Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling**

**Advice on safe handling**

Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Ensure adequate ventilation. Take off contaminated clothing and wash before reuse. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use personal protection equipment. Handle in accordance with good industrial hygiene and safety practice. Use according to package label instructions. Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding.

**General hygiene considerations**

Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes, and clothing. Wear suitable gloves and eye/face protection.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Store locked up. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from sunlight. Keep away from open flames, hot surfaces and sources of ignition. Store away from incompatible materials described in Section 10. Keep container closed when not in use.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

**Incompatible materials**

Strong oxidizing agents.

**Poisons Schedule (SUSMP)**

None allocated

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Limits**

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Diethyl phthalate: 8hr TWA = 5 mg/m<sup>3</sup>

Dibutyl phthalate: 8hr TWA = 5 mg/m<sup>3</sup>, Repr. 1B

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

Repr. 1B (Toxic to Reproduction Category 1B) - May damage fertility or the unborn child.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

**Appropriate engineering controls**

**Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

**Individual protection measures, such as personal protective equipment**

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



**Eye/face protection**

Goggles.

**Skin and body protection**

Wear suitable protective clothing. Boots. Overalls.

**Hand protection**

Impervious gloves.

**Respiratory protection**

If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls**

No information available.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	Pale Yellow to Yellow
<b>Odor</b>	Fresh , Lavender , Eucalyptus , Floral , Herbal , Woody , Musky , Camphoraceous
<b>Odor threshold</b>	No information available.

<b><u>Property</u></b>	<b><u>Values</u></b>	<b><u>Remarks • Method</u></b>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Melting point / freezing point</b>	No data available	
<b>Boiling point / boiling range</b>	No data available	
<b>Flash point</b>	65 °C	CC (closed cup)
<b>Evaporation rate</b>	No data available	None known
<b>Flammability (solid, gas)</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	

Vapor pressure	No data available	
Vapor density	No data available	
Relative density	0.987 - 1.007 @ 20°C	
Water solubility	No data available	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information**10. STABILITY AND REACTIVITY**Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge Yes.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Heat, flames and sparks. Static discharge (electrostatic discharge). Direct sunlight.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Oxides of carbon.

**11. TOXICOLOGICAL INFORMATION**Acute toxicityInformation on likely routes of exposure

**Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation.

**Skin contact** Causes skin irritation. May cause sensitization by skin contact.

**Ingestion**

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways.

**Symptoms**

Irritation. May cause redness and tearing of the eyes. May cause allergic skin reaction. Redness. Rashes. Hives. Aspiration risk: may cause lung damage if swallowed.

**Numerical measures of toxicity - Product Information**

ATEmix (oral) >5000 mg/kg

**Numerical measures of toxicity - Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diethyl phthalate	= 8600 mg/kg ( Rat )	> 11200 mg/kg ( Rat )	> 4.64 mg/L ( Rat ) 6 h
Dipentene	= 5300 mg/kg ( Rat )	-	-
Lavandin oil	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Pine oil	= 3200 mg/kg ( Rat )	= 5000 mg/kg ( Rabbit )	> 3.79 mg/L ( Rat ) 4 h
Lavender oil	= 4250 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Dibutyl phthalate	= 7499 mg/kg ( Rat )	> 20000 mg/kg ( Rabbit )	>= 15.68 mg/L ( Rat ) 4 h
Eucalyptus oil	= 2480 mg/kg ( Rat )	= 2480 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Skin corrosion/irritation**

Causes skin irritation. Classification is based on mixture calculation methods based on component data.

**Serious eye damage/eye irritation**

Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.

**Respiratory or skin sensitization**

May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.

**Germ cell mutagenicity**

No information available.

**Carcinogenicity**

No information available.

**Reproductive toxicity**

H360Df - May damage the unborn child. Suspected of damaging fertility. Classification is based on mixture calculation methods based on component data.

**STOT - single exposure**

No information available.

**STOT - repeated exposure**

No information available.

**Aspiration hazard**

May be fatal if swallowed and enters airways. Risk of serious damage to the lungs (by aspiration).



**12. ECOLOGICAL INFORMATION****Ecotoxicity****Ecotoxicity** Toxic to aquatic life with long lasting effects. Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethyl phthalate	EC50: =23mg/L (72h, Desmodesmus subspicatus) EC50: =21mg/L (96h, Desmodesmus subspicatus) EC50: 42 - 255mg/L (72h, Pseudokirchneriella subcapitata) EC50: 2.11 - 4.29mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =17mg/L (96h, Pimephales promelas) LC50: =16.8mg/L (96h, Pimephales promelas) LC50: =22mg/L (96h, Lepomis macrochirus) LC50: =16.7mg/L (96h, Lepomis macrochirus) LC50: =12mg/L (96h, Oncorhynchus mykiss)	-	EC50: 36 - 74mg/L (48h, Daphnia magna) EC50: =86mg/L (48h, Daphnia magna)
Pine oil	-	-	-	EC50: 17 - 28mg/L (48h, Daphnia magna)
Dibutyl phthalate	EC50: =1.2mg/L (72h, Desmodesmus subspicatus) EC50: =0.4mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 0.71 - 1.2mg/L (96h, Pimephales promelas) LC50: 0.31 - 5.45mg/L (96h, Pimephales promelas) LC50: >1.24mg/L (96h, Oncorhynchus mykiss) LC50: 1.24 - 5.3mg/L (96h, Oncorhynchus mykiss) LC50: 1.38 - 1.74mg/L (96h, Lepomis macrochirus) LC50: 0.42 - 1.28mg/L (96h, Lepomis macrochirus)	-	EC50: =2.99mg/L (48h, Daphnia magna) EC50: =3.4mg/L (48h, Daphnia magna)

**Persistence and degradability****Persistence and degradability** No information available.**Bioaccumulative potential****Bioaccumulation** No information available.**Component Information**

Chemical name	Partition coefficient
Diethyl phthalate	2.35
Dibutyl phthalate	5.38

**Mobility****Mobility in soil** No information available.**Other adverse effects****Endocrine Disruptor Information**

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Diethyl phthalate	Group III Chemical	-	-
Dibutyl phthalate	Group I Chemical	High Exposure Concern	-

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

#### **Waste from residues/unused products**

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

#### **Contaminated packaging**

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Dispose of in accordance with federal, state and local regulations.

### 14. TRANSPORT INFORMATION

#### **ADG**

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

**UN number** 3082  
**Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS DIPENTENE)  
**Hazard class** 9  
**Packing group** III  
**Environmental hazard** Yes  
**Special Provisions** 274; 331; 335; 375; AU01  
**Hazchem code** •3Z

#### **IATA**

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS DIPENTENE)  
**Transport hazard class(es)** 9  
**Packing group** III

#### **IMDG**

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

**UN number** 3082  
**UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS DIPENTENE)  
**Transport hazard class(es)** 9  
**Packing group** III  
**IMDG EMS Fire** F-A  
**IMDG EMS Spill** S-F  
**Marine pollutant** Yes

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations****Australia**

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

**Poisons Schedule (SUSMP)** None allocated

**National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Dipentene - 138-86-3	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total 1 tonne/h Threshold category 2a total 25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total 2000 tonne/yr Threshold category 2b total
Dibutyl phthalate - 84-74-2	10 tonne/yr Threshold category 1

**International Inventories****AICC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

**Legend:**

**AICC - Australian Inventory of Industrial Chemicals**

**International Regulations**

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**16. OTHER INFORMATION**

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS

**Issuing Date:** 26-Jul-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

---

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

**Key literature references and sources for data used to compile the SDS**

EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
Japan GHS Classification  
Australian Industrial Chemicals Introduction Scheme (AICIS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
Organization for Economic Co-operation and Development Screening Information Data Set  
RTECS (Registry of Toxic Effects of Chemical Substances)  
World Health Organization

**Disclaimer**

**This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.**

**If clarification or further information is needed, the user should contact their Bronson & Jacobs representative or Ixom Operations Pty Ltd at the contact details on page 1.**

**Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.**

**Bronson and Jacobs incorporating the businesses of Woods and Woods and Keith Harris and Australian Botanical Products.**

**End of Safety Data Sheet**