

## **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product Name:

### **TOXIMUL 8363**

**Recommended Use of the Chemical** Surfactant. and Restrictions on Use

Supplier: ABN: Street Address:	Ixom Operations Pty Ltd 51 600 546 512 Level 8, 1 Nicholson Street East Melbourne Victoria 3002 Australia
Telephone Number:	+61 3 9906 3000
Emergency Telephone:	<b>1 800 033 111 (ALL HOURS)</b>

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

#### Classification of the chemical:

Eye Damage - Category 1 Acute Aquatic Toxicity - Category 1 Chronic Aquatic Toxicity - Category 1

#### SIGNAL WORD: DANGER



Hazard Statement(s): H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.

#### **Precautionary Statement(s):**

#### Prevention:

P280 Wear protective gloves / protective clothing / eye protection / face protection. P273 Avoid release to the environment.

#### **Response:**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P391 Collect spillage.

Product Name: TOXIMUL 8363 Substance No: 00000050323

#### Storage:

No storage statements.

#### Disposal:

P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Poisons Schedule (SUSMP): None allocated.

### **3. COMPOSITION AND INFORMATION ON INGREDIENTS**

**Product Description:** Nonionic surfactant blend, 100%.

### 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

#### Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.

#### Skin Contact:

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

#### **Eye Contact:**

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre.

#### Ingestion:

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

#### Indication of immediate medical attention and special treatment needed:

Treat symptomatically. Can cause corneal burns.

### **5. FIRE FIGHTING MEASURES**

#### Suitable Extinguishing Media:

Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.

#### Hazchem or Emergency Action Code: · 3Z

#### Specific hazards arising from the chemical:

Combustible liquid.

#### Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes, including those of oxides of carbon, oxides of nitrogen, and ammonia. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

### 6. ACCIDENTAL RELEASE MEASURES

ІХОП



#### **Emergency procedures/Environmental precautions:**

Isolate spill or leak area immediately. Clear area of all unprotected personnel. Ventilate closed spaces before entering. If contamination of sewers or waterways has occurred advise local emergency services.

#### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

## 7. HANDLING AND STORAGE

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

#### Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols.

#### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia.

#### Appropriate engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

#### Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Wear overalls, chemical goggles and impervious gloves. Wash contaminated clothing and other protective equipment before storage or re-use.

Always wash hands before smoking, eating, drinking or using the toilet. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:Clear LiquidColour:AmberOdour:Ether - likeSolubility:Completely misSpecific Gravity:1.03 @25°CRelative Vapour Density (air=1):>1 (estimated)Product Name: TOXIMUL 8363Substance No: 00000050323

Clear Liquid Amber Ether - like Completely miscible with water. 1.03 @25°C >1 (estimated)

Issued: 30/01/2015 Version: 2



Vapour Pressure (20 °C): Flash Point (°C): Flammability Limits (%): Autoignition Temperature (°C): Melting Point/Range (°C): Boiling Point/Range (°C): pH: Viscosity: Evaporation Rate: Not available >93.9 (PMCC) Not available Not available 14.4 (Pour point) Not available 9.9 (1% aqueous) 270 cPs @25°C <1 (Ethyl ether = 1)

## **10. STABILITY AND REACTIVITY**

Reactivity:	No information available.
Chemical stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerisation will not occur.
Conditions to avoid:	Avoid exposure to heat, sources of ignition, and open flame.
Incompatible materials:	Incompatible with strong oxidising agents , and strong acids .
Hazardous decomposition products:	Oxides of carbon. Oxides of nitrogen. Ammonia.

### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:	No adverse effects expected, however, large amounts may cause nausea and vomiting.
Eye contact:	A severe eye irritant. Contamination of eyes can result in permanent injury.
Skin contact:	Contact with skin may result in irritation. May cause skin sensitisation in sensitive individuals. Repeated or prolonged skin contact may lead to allergic contact dermatitis.
Inhalation:	Breathing in mists or aerosols may produce respiratory irritation.

Acute toxicity: No LD50 data available for the product.

Chronic effects: No information available for the product.

### **12. ECOLOGICAL INFORMATION**

Ecotoxicity

Avoid contaminating waterways.

48hr EC50 (Daphnia magna):7.2 mg/L96hr LC50 (rainbow trout):0.91 mg/L

## **13. DISPOSAL CONSIDERATIONS**

Product Name: TOXIMUL 8363 Substance No: 00000050323



#### Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

## **14. TRANSPORT INFORMATION**

#### Road and Rail Transport

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.



UN No:3082Transport Hazard Class:9 Miscellaneous Dangerous GoodsPacking Group:IIIProper Shipping Name orENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NONIONICTechnical Name:SURFACTANT BLEND)Hazchem or Emergency Action3Z

#### Marine Transport

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN No:	3082
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	III
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NONIONIC
Technical Name:	SURFACTANT BLEND)
IMDG EMS Fire:	F-A
IMDG EMS Spill:	S-F

#### Air Transport

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN No:	3082
Transport Hazard Class:	9 Miscellaneous Dangerous Goods
Packing Group:	
Proper Shipping Name or	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NONIONIC
Technical Name:	SURFACTANT BLEND)
Packing Group: Proper Shipping Name or	III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (NONIONIC

## **15. REGULATORY INFORMATION**

#### **Classification:**

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.



#### Classification of the chemical:

Eye Damage - Category 1 Acute Aquatic Toxicity - Category 1 Chronic Aquatic Toxicity - Category 1

#### Hazard Statement(s):

H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.

#### Poisons Schedule (SUSMP): None allocated.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## **16. OTHER INFORMATION**

Supplier Safety Data Sheet; 01/2011.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

### Reason(s) for Issue:

Product Name change

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.