# **SAFETY DATA SHEET**



Revision date: 06-Aug-2020

**Revision Number** 4

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

**Product Name** YUBASE 3

000000050366 Product Code(s)

Other means of identification

Base Oil 70N; SK Phazol 7; White mineral oil. **Synonyms** 

Recommended use of the chemical and restrictions on use

Recommended use Manufacture of lubricants. Food applications, white mineral oil.

Uses advised against No information available.

**Supplier** 

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8. 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Aspiration hazard	Category 1
Acute toxicity - Inhalation (Vapors)	Category 4
Skin corrosion/irritation	Category 2
Reproductive toxicity	Category 2

#### **SIGNAL WORD**

Danger

## Label elements

Revision date: 06-Aug-2020 Revision Number 4

#### Health hazard Exclamation mark



#### **Hazard statements**

H304 - May be fatal if swallowed and enters airways

H315 - Causes skin irritation H332 - Harmful if inhaled

H361d - Suspected of damaging the unborn child

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H313 - May be harmful in contact with skin

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust / fume / gas / mist / vapours / spray

Use only outdoors or in a well-ventilated area

Wash hands thoroughly after handling

Wear protective gloves

Use personal protective equipment as required

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see First aid on this SDS)

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

## Other hazards which do not result in classification

Poisons Schedule (SUSMP)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### <u>Substance</u>

Chemical name	CAS No.	Weight-%
Distillates, petroleum, hydrotreated light paraffinic	64742-55-8	100%

## 4. FIRST AID MEASURES

#### Description of first aid measures

**General advice** For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

**000000050366** - YUBASE 3 Revision date: 06-Aug-2020

Revision Number 4

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation If breathing is difficult, (trained personnel should) give oxygen. If breathing is irregular or

stopped, administer artificial respiration. Immediate medical attention is required.

Eye contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also

under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.

Skin contact Wash skin with soap and water. Call a physician if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms Irritation.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Delayed pulmonary edema may occur.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible material. Cool drums with water spray. Extremely slippery when spilled. Most vapors are heavier than air. Vapors may spread along ground and collect in low or

confined areas (sewers, basements, tanks). Pay attention to flashback.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid breathing dust / fume / gas / mist / vapours / spray. Avoid contact with skin, eyes and

inhalation of vapors. Do not touch or walk through spilled material. Evacuate personnel to safe areas. Extremely slippery when spilled. Remove all sources of ignition. Stop leak if you

can do it without risk. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**000000050366** - YUBASE 3 Revision date: 06-Aug-2020

Revision Number 4

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Not to be used by pregnant workers and workers who have recently given birth or who are

breastfeeding. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash thoroughly after

handling. Keep out of reach of children.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container

closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

This material is a Scheduled Poison and must be stored, maintained and used in

accordance with the relevant regulations.

Incompatible materials Strong oxidizing agents.

Poisons Schedule (SUSMP) 5

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Oil mist, refined mineral: 8hr TWA = 5 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

000000050366 - YUBASE 3 Revision date: 06-Aug-2020 Revision Number 4

#### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, RESPIRATOR.











Eye/face protection Glasses.

**Skin and body protection** Wear suitable protective clothing. Overalls. Boots.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Clear Liquid

Appearance No information available.

Color Colourless

Odor Slight Hydrocarbon
Odor threshold No information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

No data available None known Melting point / freezing point No data available None known Boiling point / boiling range 290-450°C None known Flash point >=190°C CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

No data available

Upper flammability or explosive No data available

limits

Lower flammability or explosive

limits

Vapor pressure <0.01 kPa @20°C None known Vapor density >=5 (air=1) None known

**000000050366** - YUBASE 3 Revision date: 06-Aug-2020

Revision Number 4

0.83 Relative density None known None known Soluble in water Water solubility None known Solubility(ies) No data available **Partition coefficient** No data available None known **Autoignition temperature** 260-371°C None known Decomposition temperature No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions 
None under normal processing.

**Conditions to avoid** 

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides.

## 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye contact** May cause irritation.

**Skin contact** Causes skin irritation.

**Ingestion** Aspiration may cause pulmonary edema and pneumonitis.

00000050366 - YUBASE 3

Revision date: 06-Aug-2020 Revision Number 4

**Symptoms** No information available.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates, petroleum,	-	-	= 3900 mg/m³ (Rat) 4 h
hydrotreated light paraffinic			-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Irritating to skin.

Serious eye damage/eye irritation No information available.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The DMSO extract by IP 346 of the oil is less than 3%; consequently it is not classified as

a carcinogen.

**Reproductive toxicity** H361d - Suspected of damaging the unborn child.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** May be fatal if swallowed and enters airways.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** . Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates, petroleum, hydrotreated light	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
paraffinic				

Persistence and degradability

Persistence and degradability Inherently biodegradable.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

**Mobility** 

Revision date: 06-Aug-2020 Revision Number 4

Mobility in soil

No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

## 14. TRANSPORT INFORMATION

#### **ADG**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### **IMDG**

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National regulations**

#### <u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 5

**International Inventories** 

AICS All the constituents of this material are listed on the Australian Inventory of Chemical

Substances.

Legend:

AICS - Australian Inventory of Chemical Substances

#### **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

Revision date: 06-Aug-2020 Revision Number 4

#### The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## 16. OTHER INFORMATION

Supplier Safety Data Sheet 07/2018

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Change in Hazardous Chemical Classification

Issuing Date: 06-Aug-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their lxom representative or lxom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

00000050366 - YUBASE 3

Revision date: 06-Aug-2020 Revision Number 4

**End of Safety Data Sheet**