SAFETY DATA SHEET

Revision date: 22-Apr-2022



Revision Number 3

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	CHLORINATED PARAFFIN E50
Product Code(s)	00000050967
Other means of identification	
UN number	3082
CAS No.	85535-85-9
Recommended use of the cher	nical and restrictions on use
Recommended use	Lubricants and lubricant additives, anti-set off and adhesive agent, flame retardant, plasticiser in polyvinyl chloride and in paints, extreme pressure additives (metal cutting/working fluids), solvent in carbonless copy paper and fat liquors used in leather processing, softeners.
Uses advised against	As a plasticiser in products for childrens' toys and food contact applications.
Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia	

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Effects on or via lactation	Yes

Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

SIGNAL WORD Warning

Label elements

Environment



Hazard statements

H362 - May cause harm to breast-fed children

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use Do not breathe mist, vapours, spray. Avoid contact during pregnancy/while nursing Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Avoid release to the environment **Precautionary Statements - Response** If exposed or concerned: Get medical advice/attention Collect spillage **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

AUH066 - Repeated exposure may cause skin dryness or cracking General Hazards

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Alkanes, C14-17, chloro-	85535-85-9	100%

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.

Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Get medical attention if symptoms occur.	
Most important symptoms and effe	ects, both acute and delayed	
Symptoms	No information available.	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Treat symptomatically.	
5. FIRE FIGHTING MEASU	RES	
Suitable Extinguishing Media		
Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal protein foam can be used.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the c	chemical	
Specific hazards arising from the chemical	Non-combustible. Decomposes on heating emitting toxic fumes. Environmentally hazardous.	
Special protective actions for fire-fighters		
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	•3Z	
6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Stop leak if you can do it	

Environmental precautions See Section 12 for additional Ecological Information. Methods and material for containment and cleaning up Prevent further leakage or spillage if safe to do so.	Personal precautions	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling.	
Environmental precautions See Section 12 for additional Ecological Information. Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and	For emergency responders	Use personal protection recommended in Section 8.	
Methods and material for containment and cleaning up Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and	Environmental precautions		
Methods for containment Prevent further leakage or spillage if safe to do so. Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and	Environmental precautions	See Section 12 for additional Ecological Information.	
Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and	Methods and material for containment and cleaning up		
5 I	Methods for containment	Prevent further leakage or spillage if safe to do so.	
	Methods for cleaning up	,	

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling	Not to be used by pregnant workers and workers who have recently given birth or who are breastfeeding. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Wash thoroughly after handling.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep in a dry, cool and well-ventilated place. Keep at a temperature not exceeding 40 °C. Keep container closed when not in use.
Incompatible materials	Alkali metals. Alkaline earth metals. Strong oxidizing agents.
Poisons Schedule (SUSMP)	None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Skin and body protection	Wear suitable protective clothing. Protective shoes or boots. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and on Physical state	Liquid	
Appearance	No information available.	
Color	No information available.	
Odor	Slight	
Odor threshold	No information available.	
Property_	Values	Remarks • Method
рН	Not applicable	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	>200°C	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive limits	Not applicable	
Vapor pressure	Negligible	None known
Vapor density	No data available	None known
Relative density	1.10-1.38 @25°C	None known
Water solubility	Immiscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Other information		
Dour Doint	10°C to 20°C	

-40°C to 20°C

Information on basic physical and chemical properties

10. STABILITY AND REACTIVITY

Pour Point

Reactivity	
Reactivity	Non-reactive under normal conditions of use, storage and transport.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Can react with alkali metals and alkaline earth metals which have a strong affinity for chlorine. Can react with iron, zinc and aluminium at high temperatures leading to decomposition.
Conditions to avoid	

Conditions to avoid	Heat, flames and sparks. Prolonged heating at temperatures in excess of 70°C or heating above 200°C for short periods of time will result in decomposition and liberation of hydrogen chloride.	
Incompatible materials		
Incompatible materials	Alkali metals. Alkaline earth metals. Strong oxidizing agents.	
Hazardous decomposition products		
Hazardous decomposition products Carbon oxides. Chlorine. Chlorine compounds. Hydrogen chloride.		
11. TOXICOLOGICAL INFORMATION		

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye contact	May cause irritation.
Skin contact	May cause irritation. Repeated exposure may cause skin dryness or cracking.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.

Numerical measures of toxicity - Product Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Alkanes, C14-17, chloro-	= 2000 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	Not a skin sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
Developmental toxicity	Effects on or via lactation.
STOT - single exposure	No information available.

STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Material may accumulate in body tissues and fluids rich in lipid content hence may cause harm to breastfed babies.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Alkanes, C14-17, chloro-	-	LC50: >500mg/L (48h, Leuciscus idus)	-	-

Persistence and degradability

Persistence and degradability No information available	Persistence and degradability	No information available.
--	-------------------------------	---------------------------

Bioaccumulative potential

Bioaccumulation

This chemical shows a high bioaccumulation potential.

Component Information

Chemical name	Partition coefficient
Alkanes, C14-17, chloro-	5.5 - 6.0

<u>Mobility</u>

Mobility in soil No information available.

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Alkanes, C14-17, chloro-	Group III Chemical	-	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-17,
	CHLORO-)
Hazard class	9
Packing group	III
Hazchem code	•3Z

ΙΑΤΑ

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-17, CHLORO-)
Transport hazard class(es)	9
Packing group	

<u>IMDG</u>

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALKANES, C14-17, CHLORO-)
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes
•	

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS

Issuing Date: 22-Apr-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

	Legend	Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION	
--	--------	--	--

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet