SAFETY DATA SHEET

Revision date: 01-Sep-2023



Revision Number 4

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier		
Product Name	NEUSAN	
Product Code(s)	00000051721	
Other means of identification		
UN number	1760	
Recommended use of the chemical and restrictions on use		
Recommended use	Sanitiser.	
Uses advised against	No information available	
Cumpling		

Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 2
Chronic aquatic toxicity	Category 2

SIGNAL WORD Danger

Label elements

Corrosion Environment



Hazard statements

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Wash eyes thoroughly after handling. Wear protective gloves / protective clothing / eye protection / face protection Avoid release to the environment IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Collect spillage **Precautionary Statements - Storage** Store locked up **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification General Hazards

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Lauryl dimethylamine oxide	1643-20-5	<10
L(+)-Lactic Acid	79-33-4	<10
Non hazardous component(s)	-	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.	
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.	
Most important symptoms and effe	ects, both acute and delayed	
	-	
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.	
Indication of any immediate medic	al attention and special treatment needed	
Note to physicians	Treat symptomatically. Can cause corneal burns.	
5. FIRE FIGHTING MEASU	IRES	
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	
Unsuitable extinguishing media	No information available.	
Specific hazards arising from the c	chemical	
Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Environmentally hazardous.	
Hazardous combustion products	Carbon oxides. Nitrogen oxides.	
Special protective actions for fire-f	lighters	
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Hazchem code	2X	
6. ACCIDENTAL RELEASI	EMEASURES	
Personal precautions, protective e	quipment and emergency procedures	
Personal precautions	Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Local authorities should be advised if significant spillages cannot be contained.	
Methods and material for containment and cleaning up		

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.	
7. HANDLING AND STORA	GE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin, eyes, and clothing. Do not breathe vapor or mist. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep container closed when not in use.	
Incompatible materials	Nitrosating agents.	
Poisons Schedule (SUSMP)	None allocated	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Skin and body protection	Rubber boots. Apron. Overalls.
Hand protection	Elbow-length impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Physical state

	Na information available	
Appearance	No information available	
Color	Colourless	
Odor	Mild	
Odor threshold	No information available	
Property_	<u>Values</u>	Remarks • Method
рН	5	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	0.99	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

<u>Reactivity</u>		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Hazardous polymerization	Hazardous polymerization does not occur.	
Conditions to avoid		

Conditions to avoid Heat.

Incompatible materials

Incompatible materials Nitrosating agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.

Numerical measures of toxicity - Product Information

Refer to component information below.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
L(+)-Lactic Acid	3543 mg/kg bodyweight (EPA	> 2000 mg/kg bodyweight (EPA	> 7.94 mg/l/4h (OECD 403
	OPP 81-1 method)	OPP 81-2 method)	method)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.

STOT - repeated exposureNo information available.Aspiration hazardNo information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity

Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Lauryl dimethylamine oxide	-	LC50: =134mg/L (96h, Danio rerio)	-	-
L(+)-Lactic Acid	EC50: =3.5mg/L (70h, Pseudokirchneriella subcapitata)	LC50: =320mg/L (96h, Brachydanio rerio) LC50: 100 - 180mg/L (96h, Lepomis macrochirus) LC50: 100 - 180mg/L (96h, Oncorhynchus mykiss)	-	EC50: =240mg/L (48h, Daphnia magna) EC50: 180 - 320mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation

No information available.

Component Information

Chemical name	Partition coefficient
L(+)-Lactic Acid	-0.62

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

...

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number

1760

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (CONTAINS LAURYL DIMETHYL AMINE OXIDE)
Transport hazard class(es)	8
Packing group	I

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (CONTAINS LAURYL DIMETHYL AMINE OXIDE) MARINE
	POLLUTANT
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP)	None allocated
--------------------------	----------------

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.
NZIOC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend: AllC- Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Reason(s) For Issue: 5 Yearly Revised Primary SDS Change in Hazardous Chemical Classification Change to Transport Information Change in UN Number Change in Handling & Storage Requirements Change in Group Standard

Issuing Date: 01-Sep-2023

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section	on 8: EXPOSURE CONTROLS/PERSONAL	L PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

<u>Disclaimer</u>

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet