

Safety Data Sheet



1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **TURBOSET ULTRA ECO**

Recommended Use of the Chemical and Restrictions on Use Polyurethane for wood interiors.

Supplier: Ixom Operations Pty Ltd
ABN: 51 600 546 512
Street Address: Level 8, 1 Nicholson Street
East Melbourne Victoria 3002
Australia

Telephone Number: +61 3 9906 3000
Emergency Telephone: **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:
Skin Sensitisation - Category 1

SIGNAL WORD: WARNING



Hazard Statement(s):
H317 May cause an allergic skin reaction.

Precautionary Statement(s):

Prevention:
P261 Avoid breathing mist, vapours, spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves, protective clothing.

Response:
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see First Aid Measures on Safety Data Sheet).
P363 Wash contaminated clothing before re-use.

Storage:
No storage statements.

Disposal:
P501 Dispose of contents and container in accordance with local, regional, national, international regulations.

Safety Data Sheet



Poisons Schedule (SUSMP): None allocated.

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Components	CAS Number	Proportion	Hazard Codes
Adipic acid dihydrazide	1071-93-8	1-10%	H317
Non hazardous component(s)	-	to 100%	-

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

Inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Skin Contact:

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

Eye Contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Ingestion:

Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.

Indication of immediate medical attention and special treatment needed:

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards arising from the chemical:

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. Containers may rupture or explode in heat of fire.

Special protective equipment and precautions for fire-fighters:

Decomposes on heating emitting toxic fumes, including those of oxides of carbon, aldehydes. May also include isocyanates and small amounts of hydrogen cyanide. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

6. ACCIDENTAL RELEASE MEASURES

Emergency procedures/Environmental precautions:

Clear area of all unprotected personnel. If contamination of sewers or waterways has occurred advise local emergency services.

Safety Data Sheet



Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. For large amounts: Dike spillage. Pump off product.

7. HANDLING AND STORAGE

Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols. Stir well before use. Minimize contact with air to reduce contamination with mould, fungus, or other organisms which could cause decomposition or spoilage. When using do not eat, drink or smoke. Wash thoroughly after handling. Launder contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities:

Store in a cool, well ventilated place. Protect from freezing. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters: No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator or an air-supplied respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Opaque Liquid
Colour:	White
Odour:	Acrylate
Odour Threshold:	Not available
Solubility:	Dispersible in water.
Specific Gravity:	1.02 - 1.1 @25°C
Relative Vapour Density (air=1):	<1
Vapour Pressure (20 °C):	18 torr
Flash Point (°C):	Not applicable
Flammability Limits (%):	Not available

Safety Data Sheet



Autoignition Temperature (°C): Not available
Boiling Point/Range (°C): 100
pH: 7.5 - 9.0
Viscosity: <4000 mPa.s @25°C
Freezing Point/Range (°C): 0

10. STABILITY AND REACTIVITY

Reactivity: No information available.

Chemical stability: Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions: Hazardous polymerisation will not occur.

Conditions to avoid: Do not allow product to freeze. Acidic conditions will cause the polymer to precipitate out of solution.

Incompatible materials: Incompatible with strong acids , bases , strong oxidising agents .

Hazardous decomposition products: Oxides of carbon. Aldehydes. Oxides of nitrogen. Hydrogen chloride. Chlorinated compounds.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: Swallowing may result in irritation of the gastrointestinal tract.

Eye contact: May be an eye irritant.

Skin contact: Contact with skin may result in irritation. A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

Inhalation: Breathing in mists or aerosols may produce respiratory irritation.

Acute toxicity: Based on data from components or similar materials:
Oral LD50 (rat): >10,000 mg/kg
Dermal LD50 (rabbit): >2,000 mg/kg

Respiratory or skin sensitisation: A skin sensitiser (guinea pig). The product has not been tested; the classification is based on the components of the mixture.

Chronic effects:

Mutagenicity: No information available.
Carcinogenicity: No information available.
Reproductive toxicity: No information available.
Specific Target Organ Toxicity (STOT) - single exposure: No information available.
Specific Target Organ Toxicity (STOT) - repeated exposure: No information available.
Aspiration hazard: No information available.

Under decomposition conditions, isocyanates may be generated from this product. Isocyanates can cause skin sensitisation and/or respiratory sensitisation. Pre-existing skin problems may be aggravated by prolonged or repeated contact. Persons with sensitive airways (e.g., asthmatics) may react to vapours.

12. ECOLOGICAL INFORMATION

Ecotoxicity	Avoid contaminating waterways.
Persistence/degradability:	No information available.
Bioaccumulative potential:	No information available.
Mobility in soil:	No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

14. TRANSPORT INFORMATION

Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

Classification of the chemical:

Skin Sensitisation - Category 1

Hazard Statement(s):

H317 May cause an allergic skin reaction.

Poisons Schedule (SUSMP): None allocated.

A constituent of this material is new and has been introduced under an Assessment Certificate for a Polymer of Low Concern granted under Section 24A of the Industrial Chemicals (Notification and Assessment) Act 1989 as amended.

16. OTHER INFORMATION

Safety Data Sheet



Supplier Safety Data Sheet; 02/ 2019.
TURBOSET is a trademark.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Reason(s) for Issue:

5 Yearly Revised Primary SDS
Change in Hazardous Chemical Classification
Change in Handling & Storage Requirements

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.