# **SAFETY DATA SHEET**



Revision date: 03-Sep-2024

Revision Number 2

# Section 1: Identification

**Product identifier** 

**DSP 915 Product Name** 

00000053314 Product Code(s)

Other means of identification

CAS No. 68551-20-2

**Synonyms** Flotation Oil

Recommended use of the chemical and restrictions on use

Recommended use Flotation agent.

No information available. Uses advised against

Details of manufacturer or importer

**Supplier** 

IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8. 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

## Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail: NON-DANGEROUS GOODS.

#### **GHS Classification**

Flammable liquids	Category 4
Aspiration hazard	Category 1

#### Label elements

Health hazard



#### Signal word DANGER

#### **Hazard statements**

H227 - Combustible liquid

H304 - May be fatal if swallowed and enters airways

#### **Precautionary Statements - Prevention**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Wear eye protection/ face protection.

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet to extinguish...

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep cool.

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

#### Other hazards which do not result in classification

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
C13-C16 Isoalkanes	68551-20-2	>98
Aromatics	-	<2

# Section 4: First aid measures

### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air. (Call a physician if symptoms occur).

**Eye contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water. (Call a physician if symptoms occur).

Ingestion Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth

to an unconscious person. Get medical attention if symptoms occur.

### Most important symptoms and effects, both acute and delayed

Page 2/10

Symptoms Aspiration risk: may cause lung damage if swallowed.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically. Aspiration hazard.

# Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media Carbon dioxide (CO2).

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible liquid. Cool drums with water spray.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

# Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Remove all sources of ignition. Avoid breathing vapors or

mists. Stop leak if you can do it without risk. Use personal protective equipment as required. Wash thoroughly after handling. Take precautionary measures against static discharges.

For emergency responders

Use personal protection recommended in Section 8.

Environmental precautions

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

# Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing vapors or mists. Wash thoroughly after

handling. Use personal protection equipment. Keep away from open flames, hot surfaces

and sources of ignition. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking. All equipment may need to be explosion-proof based on a risk assessment.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

sources of heat or ignition. Keep container closed when not in use.

Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Strong oxidizing agents.

# Section 8: Exposure controls and personal protection

### Control parameters

**Exposure Limits** No value assigned for this specific material by Safe Work Australia. However, supplier

recommended Workplace Exposure Standard(s):

C12-C14 Isoalkanes TWA 1,200 mg/m3

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

### **Engineering controls**

Ensure adequate ventilation, especially in confined areas. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.



Eye/face protection Glasses.

**Skin and body protection** Protective shoes or boots. Overalls.

Hand protection Impervious gloves.

**Respiratory protection** If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

**Thermal hazards** No information available.

# Section 9: Physical and chemical properties

### Information on basic physical and chemical properties

Physical stateLiquidAppearanceLiquidColorColourlessOdorMild

Odor threshold No information available

Property Values Remarks • Method

None known Ha pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range 214.4-316°C None known Flash point 79°C ASTM D 93 **Evaporation rate** No data available None known No data available None known Flammability (solid, gas) Flammability Limit in Air None known

No data available

No data available

Upper flammability or explosive

limits

-

Lower flammability or explosive

limits

Vapor pressure 0.36 mmHg at 37.8°C None known Vapor density 1 (air=1) None known 0.79 at 15.6°C Relative density None known Water solubility No data available None known Negligible solubility in water. Solubility(ies) None known No data available None known **Partition coefficient** No data available **Autoignition temperature** None known No data available **Decomposition temperature** None known 3.3 cSt at 38°C None known Kinematic viscosity **Dynamic viscosity** No data available None known

Other information

# Section 10: Stability and reactivity

Reactivity

**Reactivity** No information available.

Chemical stability

Stability Stable under normal ambient and anticipated storage and handling conditions of

temperature and pressure.

**Explosion data** 

Sensitivity to mechanical impact None.

**Sensitivity to static discharge** May be ignited by heat, sparks or flames.

Possibility of hazardous reactions

**Possibility of hazardous reactions** None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Heat, flames and sparks.

Incompatible materials

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

# Section 11: Toxicological information

### Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** May cause irritation.

**Skin contact** May cause irritation. Repeated exposure may cause skin dryness or cracking.

Ingestion Aspiration may cause pulmonary edema and pneumonitis. May cause central nervous

system depression.

**Symptoms** Aspiration risk: may cause lung damage if swallowed.

Acute toxicity .

Numerical measures of toxicity - Product Information

ATEmix (oral) >5000 mg/kg
ATEmix (dermal) >2000 mg/kg
ATEmix (inhalation-dust/mist) >5.3 mg/l

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** No information available.

**Serious eye damage/eye irritation** No information available.

Page 6/10

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# Section 12: Ecological information

**Ecotoxicity** 

Aquatic ecotoxicity Keep out of waterways.

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability Readily biodegradable.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

# Section 13: Disposal considerations

Waste treatment methods

**Waste from residues/unused** Dispose of in accordance with federal, state and local regulations.

 000000053314 - DSP 915
 Revision date: 03-Sep-2024

 Revision Number 2
 Revision Number 2

products

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers. Empty containers should be taken to an approved waste handling site for

recycling or disposal.

See section 8 for more information

# Section 14: Transport information

ADG Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS

GOODS.

**IMDG**Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

# Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number 5

# **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
C13-C16 Isoalkanes - 68551-20-2	Present	-

#### **Illicit Drug Precursors/Reagents**

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Revision date: 03-Sep-2024 000000053314 - DSP 915 **Revision Number** 2

**International Inventories** 

This material is listed on the Australian Inventory of Industrial Chemicals. AIIC

**NZIoC** Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **DSL/NDSL** Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** 

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# Section 16: Other information

Supplier Safety Data Sheet 06/2020

Reason(s) For Issue: Reissue of an obsolete SDS

**Prepared By** This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 03-Sep-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Page 9/10

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

#### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**