## SAFETY DATA SHEET



Revision date: 19-Aug-2022

**Revision Number** 1

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product identifier** 

**Product Name** LILAFLOT 821M

000000053322 Product Code(s)

Other means of identification

**UN** number 1760

CAS No. 1173163-11-5

Recommended use of the chemical and restrictions on use

Recommended use Surfactant.

Uses advised against No information available.

<u>Supplier</u>

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

## Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

## GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

#### SIGNAL WORD

Danger

#### Label elements

Corrosion

**Exclamation mark** 





#### **Hazard statements**

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Do not breathe mist, vapours, spray.

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves / protective clothing / eye protection / face protection

Avoid release to the environment

#### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of soap and water

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Collect spillage

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification Poisons Schedule (SUSMP) None allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical name	CAS No.	Weight-%
1-Propanamine, 3-(isotridecyloxy)-, acetate	1173163-11-5	60-100

## 4. FIRST AID MEASURES

#### Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air. Call a physician if symptoms occur.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Immediately call a POISON CENTER or doctor/physician.

**Ingestion** Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water.

Never give anything by mouth to an unconscious person. Get immediate medical

advice/attention.

## Most important symptoms and effects, both acute and delayed

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

**Unsuitable extinguishing media**Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Combustible

liquid. Environmentally hazardous.

Hazardous combustion products Carbon oxides. Nitrogen oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Hazchem code 2X

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Ensure adequate

ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Do not eat, drink or smoke when using this product. Use personal protective equipment as

required. Wash thoroughly after handling.

**Environmental precautions** 

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

#### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use a non-combustible material like vermiculite, sand or earth to soak up the product and

place into a container for later disposal.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not eat, drink

or smoke when using this product. Use personal protection equipment. Wash thoroughly

after handling.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from

sources of heat or ignition. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

Incompatible materials Aluminium. Copper. Zinc.

Poisons Schedule (SUSMP) None allocated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

**Exposure Limits** No value assigned for this specific material by Safe Work Australia.

#### **Appropriate engineering controls**

**Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location.

Ensure adequate ventilation, especially in confined areas.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

 ${\tt OVERALLS, CHEMICAL\ GOGGLES,\ FACE\ SHIELD,\ GLOVES\ (Long),\ APRON,\ RUBBER\ BOOTS.}$ 











Eye/face protection Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.

Skin and body protection Wear suitable protective clothing. Apron. Overalls. Rubber boots.

Hand protection Impervious gloves.

If determined by a risk assessment an inhalation risk exists, wear an organic Respiratory protection

vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

No information available. **Environmental exposure controls** 

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

**Appearance** No information available.

Color Light yellow Ammonia Odor

Odor threshold No information available.

**Property** Values Remarks • Method

8.5 (1%) None known pН pH (as aqueous solution) No data available None known Melting point / freezing point < -10°C None known Boiling point / boiling range >100°C None known Flash point >100°C None known **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive

limits

No data available No data available

Lower flammability or explosive limits

No data available None known Vapor pressure Vapor density No data available None known 0.891 @20°C Relative density None known Water solubility Dispersible None known Solubility(ies) No data available None known Partition coefficient  $log Pow = -0.38 @25^{\circ}C$ None known No data available Autoignition temperature None known No data available **Decomposition temperature** None known Kinematic viscosity No data available None known Dynamic viscosity 115 mPa.s @20°C None known

Other information

## 10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

**Chemical stability** 

Stability Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions Corrosive to metals.

**Conditions to avoid** 

**Conditions to avoid** Extremes of temperature and direct sunlight.

**Incompatible materials** 

**Incompatible materials** Aluminium. Copper. Zinc.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides. Nitrogen oxides.

## 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Information on likely routes of exposure

**Product Information**No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

Eye contact Causes serious eye damage. May cause irreversible damage to eyes.

**Skin contact** Contact causes severe skin irritation and possible burns.

**Ingestion** Can burn mouth, throat, and stomach.

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Burning.

Numerical measures of toxicity - Product Information

ATEmix (oral) 500 mg/kg

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes burns.

Serious eye damage/eye irritation Causes serious eye damage.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Bioaccumulative potential

**Bioaccumulation** No information available.

**Mobility** 

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

## 14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and

Rail; DANGEROUS GOODS.

UN number 1760

Proper shipping name CORROSIVE LIQUID, N.O.S. (1-PROPANAMINE, 3-(ISOTRIDECYLOXY)-, ACETATE)

Hazard class 8
Packing group II
Hazchem code 2X

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number 1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (1-PROPANAMINE, 3-(ISOTRIDECYLOXY)-, ACETATE)

Transport hazard class(es) 8
Packing group | |

**IMDG** 

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number 1760

UN proper shipping name CORROSIVE LIQUID, N.O.S. (1-PROPANAMINE, 3-(ISOTRIDECYLOXY)-, ACETATE)

Transport hazard class(es) 8
Packing group II
IMDG EMS Fire F-A
IMDG EMS Spill S-B
Marine pollutant Yes

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **National regulations**

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

**International Inventories** 

AIIC This material is not listed on the Australian Inventory of Industrial Chemicals.

Legend:

**AIIC - Australian Inventory of Industrial Chemicals** 

**International Regulations** 

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **16. OTHER INFORMATION**

Supplier Safety Data Sheet 06/2022

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 19-Aug-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**