# SAFETY DATA SHEET

Revision date: 20-Jan-2022



Revision Number 2

# **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier	
Product Name	REZOLV 50
Product Code(s)	00000053487
Other means of identification	
UN number	1824
Recommended use of the chemical	and restrictions on use
Recommended use	CIP (cleaning in process) of high temperature food processing equipment including pasteurisers, vacreators, evaporators, and spray driers. CIP and manual cleaning of stainless steel equipment. pH control agent. Food additive.
Uses advised against	No information available.
Supplier	

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

## Emergency telephone number

Emergency telephone number

## 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

## GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

## SIGNAL WORD Danger

## Label elements

Corrosion Exclamation mark

## **Hazard statements**

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H335 - May cause respiratory irritation

## **Precautionary Statements - Prevention**

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Use only outdoors or in a well-ventilated area Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep container tightly closed Store locked up Store in corrosion resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification Poisons Schedule (SUSMP) 6

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Chemical name	CAS No.	Weight-%
Sodium hydroxide	1310-73-2	50
Water	7732-18-5	50

# 4. FIRST AID MEASURES

## **Description of first aid measures**

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If

	breathing has stopped, give artificial respiration. Get medical attention immediately.	
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.	
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.	
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.	
Most important symptoms and effects, both acute and delayed		
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.	
5. FIRE FIGHTING MEASURES		
Suitable Extinguishing Media		
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.	

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the<br/>chemicalCorrosive hazard. Wear protective gloves/clothing and eye/face protection. Contact with<br/>metals may evolve flammable hydrogen gas.

Special protective actions for fire-fighters

Special protective equipment for<br/>fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout<br/>gear. Use personal protection equipment.

Hazchem code

2R

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsEvacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors.<br/>Ensure adequate ventilation. Do not touch or walk through spilled material. Stop leak if you<br/>can do it without risk. Use personal protective equipment as required. Wash thoroughly<br/>after handling.For emergency respondersUse personal protection recommended in Section 8.Environmental precautionsLocal authorities should be advised if significant spillages cannot be contained.Methods and material for containmentPrevent further leakage or spillage if safe to do so.

Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water.	
7. HANDLING AND STORA	GE	
Precautions for safe handling		
Advice on safe handling	Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Keep out of reach of children. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Do not store in aluminium or galvanised containers nor use die-cast zinc or aluminium bungs; plastic bungs should be used. At temperatures greater than 40°C, tanks must be stress relieved. Keep container closed when not in use.	
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.	
Packaging materials	Do not store in aluminium containers. Do not store in tin containers. Do not store in zinc containers.	
Incompatible materials	Ammonium salts. Aluminium. Tin. Zinc.	
Poisons Schedule (SUSMP)	6	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control parameters**

**Exposure Limits** 

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Sodium hydroxide: Peak Limitation = 2 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls

# **Engineering controls** Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering

controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Tight sealing safety goggles. Face protection shield.
Skin and body protection	Boots. Apron. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Information on basic physical and chemical properties			
Physical state	Liquid		
Appearance	Clear to Slightly turbid		
Color	Colourless to Slightly Coloured		
Odor	No information available.		
Odor threshold	No information available.		
Property	Values	Remarks • Method	
рН	14 (literature)	None known	
pH (as aqueous solution)	No data available	None known	
Melting point / freezing point	ca. 12°C (calculated)	None known	
Boiling point / boiling range	ca. 145°C (literature)	None known	
Flash point	Not applicable	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive	Not applicable		
limits			
Lower flammability or explosive	Not applicable		
limits			
Vapor pressure	1.34 mmHg @20°C (calculated)	None known	
Vapor density	No data available	None known	
Relative density	ca. 1.52 @20°C	None known	
Water solubility	Miscible in water	None known	
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	Not applicable	None known	
Decomposition temperature	No data available	None known	

Kinematic viscosity Dynamic viscosity No data available No data available None known None known

Other information

# **10. STABILITY AND REACTIVITY**

Reactivity		
Reactivity	May react with ammonium salts resulting in evolution of ammonia gas.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impac	t None.	
Sensitivity to static discharge	None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	Contact with metals (aluminum, zinc, tin) may release hydrogen gas. Reacts with ammonium salts, evolving ammonia gas. Reacts readily with various reducing sugars (i.e. fructose, galactose, maltose, dry whey solids) to produce carbon monoxide. Take precautions including monitoring the tank atmosphere for carbon monoxide to ensure safety of personnel before vessel entry.	
Conditions to avoid		
Conditions to avoid	Do not contaminate food or feed stuffs.	
Incompatible materials		
Incompatible materials	Ammonium salts. Aluminium. Tin. Zinc.	
Hazardous decomposition products		

Hazardous decomposition products None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.

## Numerical measures of toxicity - Product Information

No information available.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide	-	= 1350 mg/kg (Rabbit)	-
Water	> 90 mL/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.	
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.	
Respiratory or skin sensitization	No information available.	
Germ cell mutagenicity	No information available.	
Carcinogenicity	No information available.	
Reproductive toxicity	No information available.	
STOT - single exposure	May cause respiratory irritation.	
STOT - repeated exposure	No information available.	
Aspiration hazard	No information available.	

# **12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

Ecotoxicity

Keep out of waterways.

No information available.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
			microorganisms	
Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	-
		Oncorhynchus mykiss)		

# Persistence and degradability

Persistence and degradability	No information available.
Bioaccumulative potential	No information available.
Mobility	

Mobility in soil

Other adverse effects

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

# **14. TRANSPORT INFORMATION**

## <u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	1824
Proper shipping name	SODIUM HYDROXIDE SOLUTION
Hazard class	8
Packing group	II
Hazchem code	2R

### <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packing group	11

## IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	1824
UN proper shipping name	SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Packing group	II

# 15. REGULATORY INFORMATION

## Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations

### <u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP)

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals.
NZIoC	All the constituents of this material are listed on the New Zealand Inventory of Chemicals.

Legend:

AllC - Australian Inventory of Industrial Chemicals NZIOC - New Zealand Inventory of Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

6

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

**Reason(s) For Issue:** 5 Yearly Revised Primary SDS

Issuing Date: 20-Jan-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend S	ection 8: EXPOSURE CONTROLS/PERSON	VAL PROTECTION
TŴA	TWA (time-weighted average)	STEL
Ceiling	Maximum limit value	*
С	Carcinogen	

STEL (Short Term Exposure Limit) Skin designation

## Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

## **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet