

### SOLUS AP25

#### 1. Identification

Product identifier SOLUS AP25

Other means of identification None.

Recommended use of the chemical and restrictions on use Recommended use Internal boiler water treatment

Restrictions on use Industrial usage.

#### Company/undertaking identification

VEOLIA WATER TECHNOLOGIES & SOLUTIONS AUSTRALIA PTY LTD 103 Raubers Road, Northgate, QLD 4013 Australia C/o Buddle Findlay, Level 18, Hsbc Tower, 188 Quay Street, Auckland, 1010, New Zealand Tel: 1800 064 140 (AUS) 0800 945635 (NZ) Email: vtc.vwts.apacproductregulatory.all@veolia.com

#### **Emergency telephone**

+61-290372994 (Aust) +64-98010034 (NZ)

#### 2. Hazard(s) identification

Classification of the hazardou	s chemical	
Physical hazards	Corrosive to metals	Category 1
Health hazards	Skin corrosion/irritation	Category 1A
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	

#### Label elements, including precautionary statements

Hazard	sym	bol	(s)
--------	-----	-----	-----

	Corrosion
Signal word	Danger
Hazard statement(s)	May be corrosive to metals. Causes severe skin burns and eye damage.
Precautionary statement(s)	
Prevention	Keep only in original container. Do not breathe mist/vapors. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.
Storage	Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Supplemental information	None.
Other hazards which do not result in classification	None known.



### **SOLUS AP25**

#### 3. Composition/information on ingredients

**Mixtures** 

identifiers	ingredients
10-73-2	5- <10
1	10-73-2

### Description of necessary first aid measures

Description of necessary first an	d measures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
Symptoms caused by exposure	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Medical attention and special treatment	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
5. Fire-fighting measures	
Extinguishing media	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for fire fighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting	Move containers from fire area if you can do so without risk.

Move containers from fire area if you can do so without risk. equipment/instructions

None.

#### Specific methods Use standard firefighting procedures and consider the hazards of other involved materials. 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.		
For emergency responders	Keep unnecessary personnel away. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Use personal protection recommended in Section 8 of the SDS.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		

Hazchem code



SOLUS /	AP25
---------	------

Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spillage to prevent material damage. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS		
7. Handling and storage			
Precautions for safe handling	Do not breathe mist/vapors. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Store locked up. Store in a cool, dry place out of direct sunlight. Store in corrosive resistant container with a resistant inner liner. Store in tightly closed container. Keep only in the original container. Store away from incompatible materials (see Section 10 of the SDS).		

### 8. Exposure controls and personal protection

Control parameters Follow standard monitoring procedures
--

#### **Occupational exposure limits**

Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
UK. EH40 Workplace Expos	sure Limits (WELs)		
Components	Туре	Value	
Sodium hydroxide (CAS 1310-73-2)	STEL	2 mg/m3	
ological limit values	No biological exposure limits noted for the ingredient(s).		
ppropriate engineering ntrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
lividual protection measures,	, for example personal protective equ	uipment (PPE)	
Eye/face protection	Wear safety glasses with side shield	s (or goggles) and a face shield.	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
giene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
	equipment to remove contaminants.		
Physical and chemical			

#### ĉ

Appearance	Liquid
Physical state	Liquid.
Form	Not available.

# 

## SAFETY DATA SHEET

### SOLUS AP25

Color	Amber
Odor	Slight ammonia odor
Odor threshold	Not available.
pH (concentrated product)	> 13 Neat
Melting point/freezing point	-10 °C
Initial boiling point and boiling range	104 °C
Flash point	Not Applicable
Evaporation rate	Slower than Ether
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	18 mmHg
Vapor pressure temp.	21 °C
Vapor density	< 1
Relative density	1.16
Relative density temperature	21 °C
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	11 mPa.s
Viscosity temperature	21 °C
Other physical and chemical par	rameters
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
pH in aqueous solution	> 13 (5% Solution)
Pour point	-7 °C
VOC	0 % ESTIMATED
10. Stability and reactivity	
Reactivity	May be corrosive to metals.
Chemical stability	Not available.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.

Hazardous decomposition No hazardous decomposition products are known. products

#### 11. Toxicological information

Incompatible materials

#### Information on possible routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.

Strong acids. Strong oxidizing agents. Metals.



### **SOLUS AP25**

Symptoms related to exposure

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

• • • • •	· · · · · · · · · · · · · · · · · · ·	
Acute toxicity		
Product	Species	Test Results
SOLUS AP25		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 5000 mg/kg (Calculated according to GHS additivity formula)
Inhalation		
LC50	Rat	> 20 mg/l, 4 Hour (Calculated according to GHS additivity formula)
Oral		
LD50	Rat	> 5000 mg/kg (Calculated according to GHS additivity formula)
Components	Species	Test Results
Sodium hydroxide (CAS 1310-73-	2)	
Acute		
Dermal		
LD50	Rabbit	1350 mg/kg
Oral		
LD50	Rabbit	> 500 mg/kg
Skin corrosion/irritation	Causes severe skin burns and eye dama	ge.
Serious eye damage/irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not available.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harmful.	
12. Ecological information	ı	

		possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Product		Species	Test Results	
Aquatic				
Crustacea	LC50	Daphnia magna	2836 mg/l, 48 hour (pH adjusted)	
	NOEL	Daphnia magna	625 mg/l, 48 hour (pH adjusted)	
Fish	LC50	Fathead Minnow	> 5000 mg/l, 96 hour (pH adjusted)	
		Rainbow Trout	> 5000 mg/l, 96 hour (pH adjusted)	
	NOEL	Fathead Minnow	5000 mg/l, 96 hour (pH adjusted)	
		Rainbow Trout	5000 mg/l, 96 hour (pH adjusted)	

The product is not classified as environmentally hazardous. However, this does not exclude the

Ecotoxicity

## 

# SAFETY DATA SHEET

### **SOLUS AP25**

Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available for this product.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

### 13. Disposal considerations

Disposal methods	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.


#### 14. Transport information

ADG	
AD 0	

ADG	
UN number	1824
UN proper shipping	name SODIUM HYDROXIDE SOLUTION
Transport hazard cla	ss(es)
Class	8
Subsidiary risk	-
Packing group	ll
Environmental hazar	ds No
Hazchem code	2R
Special precautions	for user Read safety instructions, SDS and emergency procedures before handling.
ΙΑΤΑ	
UN number	1824
UN proper shipping	name SODIUM HYDROXIDE SOLUTION
Transport hazard cla	ss(es)
Class	8
Subsidiary risk	-
Packing group	ll
Environmental hazar	
	for user Read safety instructions, SDS and emergency procedures before handling.
	not be approved under IATA, please check BOL for exact container classification.
IMDG	
UN number	1824
UN proper shipping i	
Transport hazard cla	ss(es)
Class	8
Subsidiary risk	-
Packing group	ll
Environmental hazar	ds
Marine pollutant	
EmS	F-A, S-B
	for user Read safety instructions, SDS and emergency procedures before handling.
RQ(Sodium hydroxide	
Transport in bulk accord	
Annex II of MARPOL 73/7 the IBC Code	ð and



SOLUS AP25



### 15. Regulatory information

#### Safety, health and environmental regulations

National regulations

This Safety Data Sheet was prepared in accordance with Australia Model Code of Practice for the preparation of Safety Data Sheets for Hazardous Chemicals.

Group Standard - Water Treatment Chemicals (Corrosive) - HSR002681

Australia Medicines & Poisons Appendix A Poisons schedule number not allocated. Australia Medicines & Poisons Appendix B Poisons schedule number not allocated. Australia Medicines & Poisons Appendix D Poisons schedule number not allocated. Australia Medicines & Poisons Appendix E Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Appendix F Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Appendix G Poisons schedule number not allocated. Australia Medicines & Poisons Appendix H Poisons schedule number not allocated. Australia Medicines & Poisons Appendix I Poisons schedule number not allocated. Australia Medicines & Poisons Appendix J Poisons schedule number not allocated. Australia Medicines & Poisons Appendix K Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 10 Sodium hydroxide (CAS 1310-73-2) Australia Medicines & Poisons Schedule 2 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 3 Poisons schedule number not allocated. Australia Medicines & Poisons Schedule 4 Poisons schedule number not allocated.

# 

# SAFETY DATA SHEET

### SOLUS AP25

Australia Medicines & Po	isons Schedule 5	
Sodium hydroxide (CA		
Australia Medicines & Po		
Sodium hydroxide (CA		
Australia Medicines & Po		
Poisons schedule num Australia Medicines & Po		
Poisons schedule num Australia Medicines & Po		
Poisons schedule num High Volume Industrial C		
Sodium hydroxide (CA Importation of Ozone Dep	S 1310-73-2) > 1000000 TONNES See the reg bleting Substances (Customs(Prohibited imports) Regulations 19	gulation for additional information. <b>956, Schedule 10, as amended)</b>
Not listed.		
National Pollutant Invento	ory (NPI) substance reporting list	
Not listed.		
Prohibited Carcinogenic	Substances	
Not regulated. Prohibited Substances (N NOHSC:1005 (1994) as an	lational Model Regulation for the control of Workplace Hazardou nended)	s Substances, Schedule 2
Not listed.		
Resricted Importation of	Organochlorine Chemicals (Customs(Prohibited Imports) Regula	ations 1956, Schedule 9)
Not listed.		
Restricted Carcinogenic	Substances	
Not regulated.		
nternational regulations		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable. Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable. Basel Convention		
Not applicable.		
nternational Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	N
China	Inventory of Existing Chemical Substances in China (IECSC)	N
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
NUIEA	New Zealand Inventory	Ye
		100
New Zealand Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes



Country(s) or region

Inventory name

Toxic Substances Control Act (TSCA) Inventory

Physical and chemical properties: Form Physical and chemical properties: Odor On inventory (yes/no)\*

United States & Puerto Rico Yes \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

NSF Registered and/or meets USDA (according to 1998 guidelines):	Registration No. – 152248 Category Code(s): G5 Cooling and retort water treatment products G6 Boiler treatment products, steam line products – food contact
16. Other information	
Issue date	01-February-2021
Revision date	19/02/2023
Key abbreviations or acronyms used	AICIS: Australian Inventory of Industrial Chemicals.
References:	No data available
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision information	Product and Company Identification: Product Registration Numbers Physical and chemical properties: Appearance