SAFETY DATA SHEET

Revision date: 28-Nov-2024



Revision Number 3

-		
Section 1: Identification		
Product identifier		
Product Name	TOXIMUL 8240	
Product Code(s)	00000053690	
Other means of identification		
CAS No.	61791-12-6	
Synonyms	Castor oil, ethoxylated; TOXIMUL 8240-A.	
Recommended use of the chemical and restrictions on use		
Recommended use	Surfactant. For industrial use only.	
Uses advised against	No information available.	
Details of manufacturer or importer		
Supplier IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia		
Telephone Number: +61 3 9906 3000		
Emergency telephone number		
Emergency telephone number	1 800 033 111 (ALL HOURS)	
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.		
Section 2: Hazard identification	ation	

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

GHS Classification

Label elements

Other hazards which do not result in classification

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Castor oil, ethoxylated	61791-12-6	90-100

Section 4: First aid measures

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. (Call a physician if symptoms occur).
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Symptoms may be delayed.	

Section 5: Firefighting measures

Suitable Extinguishing Media		
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.	
Unsuitable extinguishing media	Solid water jet/stream may scatter and spread the fire.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	Combustible liquid. Water may cause splattering. Most vapors are heavier than air. Vapors may spread along ground and collect in low or confined areas (sewers, basements, tanks). Flash back possible over considerable distance.	
Special protective actions for fire-fighters		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. Move containers from fire area if you can do it without risk.	

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin, eyes and inhalation of vapors. Remove all sources of ignition. Evacuate personnel to safe areas. Use personal protective equipment as required. Wash thoroughly after handling.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Take up with sand or other noncombustible absorbent material and place into containers for later disposal. Never return spill or leaks to original containers for re-use. After cleaning, flush away traces with water.		

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Avoid breathing vapors or mists. Remove all sources of ignition. Use personal protection equipment. Wash thoroughly after handling.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep container closed when not in use.		
	Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.		
Incompatible materials	Strong oxidizing agents.		

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Eye/face protection	Glasses.
Skin and body protection	Overalls. Boots.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Appearance Color Odor Odor threshold	Liquid No information available Pale Amber Mild No information available	
Property pH pH (as aqueous solution) Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive limits	Values 6-7 (5% aqueous) No data available No data available No data available >148.9°C Estimated slower than ethyl ether No data available No data available	Remarks • Method None known None known None known Pensky-Martens Closed Cup (PMCC) None known None known None known
Lower flammability or explosive limits	No data available	
Vapor pressure Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	No data available Estimated heavier than air 1.054 @25°C Miscible No data available No data available No data available No data available No data available O data available O data available	None known None known None known None known None known None known None known None known
Other information		
Pour Point	10°C	

Section 10: Stability and reactivity

Reactivity

Reactivity	Non-reactive under normal conditions of use, storage and transport.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks.	
Incompatible materials		
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products		

Hazardous decomposition products None known based on information supplied.

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	May cause irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	No information available.

Acute toxicity_.

Numerical measures of toxicity - Product Information

On basis of test data			
Oral LD50	>	6400	mg/kg (rat)
Dermal LD50	>	5000	mg/kg (rabbit)

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	Not a respiratory sensitizer.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP. (OSHA - Occupational Safety and Health Administration) (IARC - International Agency for Research on Cancer) (NTP - National Toxicology Program).
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	Prolonged inhalation may be harmful.

Section 12: Ecological information

Ecotoxicity

 Aquatic ecotoxicity
 Keep out of waterways.

 Acute
 Algae EC50 Algae > 93 mg/l, 72 hours

 Crustacea EC50 Daphnia > 100 mg/l, 48 hours
 Fish LC50 Fish 448 mg/l, 96 hours.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Castor oil, ethoxylated	-	LC50: >45mg/L (96h,	-	-
		Danio rerio)		

Terrestrial ecotoxicity

There is no data for this product.

Persistence and degradability

Persistence and degradability Not readily biodegradable.

Bioaccumulative potential			
Bioaccumulation	There is no data for this product.		
<u>Mobility</u>			
Mobility	No information available.		
Other adverse effects			
Other adverse effects	No information available.		
Section 13: Disposal considerations			
Waste treatment methods			
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.		
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld		

See section 8 for more information

Section 14: Transport information			
ADG	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.		
IATA	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.		
IMDG	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.		

containers. Empty containers should be taken to an approved waste handling site for

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

recycling or disposal.

National regulations

<u>Australia</u>

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Castor oil, ethoxylated - 61791-12-6	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

International Inventories	
AIIC	This material is listed on the Australian Inventory of Industrial Chemicals.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AIIC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Supplier Safety Data Sheet 07/2023

Reason(s) For Issue:	Revised Primary SDS Addition/Change of synonymous name(s)	
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and	

SDS Services).

Revision date:

28-Nov-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) **Environmental Protection Agency** Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet