

# Safety Data Sheet



## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** **NINOL 96-SL**

**Other name(s):** Lauramide DEA; Lauric acid, diethanolamide; N,N-Diethanollauramide.

**Recommended Use of the Chemical and Restrictions on Use** Surfactant.  
For industrial use only.

**Supplier:** Ixom Operations Pty Ltd  
**ABN:** 51 600 546 512  
**Street Address:** Level 8, 1 Nicholson Street  
East Melbourne Victoria 3002  
Australia

**Telephone Number:** +61 3 9906 3000  
**Emergency Telephone:** **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Skin Irritation - Category 2  
Eye Damage - Category 1

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Oral Toxicity - Category 5  
Chronic Aquatic Toxicity - Category 3  
Acute Aquatic Toxicity - Category 3

**SIGNAL WORD:** DANGER



### Hazard Statement(s):

H315 Causes skin irritation.  
H318 Causes serious eye damage.

### Precautionary Statement(s):

#### Prevention:

P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves / protective clothing / eye protection / face protection.

# Safety Data Sheet

**Response:**

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Specific treatment (see First Aid Measures on Safety Data Sheet).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

**Storage:**

No storage statements.

**Disposal:**

No disposal statements.

**Poisons Schedule (SUSMP):** S5 Caution.

## 3. COMPOSITION AND INFORMATION ON INGREDIENTS

| Components             | CAS Number | Proportion | Hazard Codes             |
|------------------------|------------|------------|--------------------------|
| N,N-Diethanollauramide | 120-40-1   | 90-100%    | H315 H318                |
| Diethanolamine         | 111-42-2   | <7%        | H302 H315 H318 H335 H373 |

## 4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126; New Zealand 0800 764 766) or a doctor.

**Inhalation:**

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

**Skin Contact:**

If skin or hair contact occurs, immediately remove any contaminated clothing and wash skin and hair thoroughly with running water and soap. If swelling, redness, blistering or irritation occurs seek medical assistance.

**Eye Contact:**

Immediately wash in and around the eye area with large amounts of water for at least 15 minutes. Eyelids to be held apart. Remove clothing if contaminated and wash skin. Urgently seek medical assistance. Transport promptly to hospital or medical centre.

**Ingestion:**

Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water. Seek medical advice.

**Indication of immediate medical attention and special treatment needed:**

Treat symptomatically. Can cause corneal burns.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:**

Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

# Safety Data Sheet



## Unsuitable Extinguishing Media:

None known.

## Specific hazards arising from the chemical:

Combustible liquid. Environmentally hazardous.

## Special protective equipment and precautions for fire-fighters:

On burning will emit toxic fumes, including those of oxides of carbon, oxides of nitrogen. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Keep containers cool with water spray.

## 6. ACCIDENTAL RELEASE MEASURES

### Emergency procedures/Environmental precautions:

Isolate spill or leak area immediately. Clear area of all unprotected personnel. Ventilate closed spaces before entering. Do not allow container or product to get into drains, sewers, streams or ponds. If contamination of sewers or waterways has occurred advise local emergency services.

### Personal precautions/Protective equipment/Methods and materials for containment and cleaning up:

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact and breathing in vapours. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal. After cleaning, flush away any residual traces with water.

## 7. HANDLING AND STORAGE

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

This material is a Scheduled Poison S5 and must be stored, maintained and used in accordance with the relevant regulations.

### Precautions for safe handling:

Avoid skin and eye contact and breathing in vapour, mists and aerosols. Keep out of reach of children. Wash hands thoroughly after handling.

### Conditions for safe storage, including any incompatibilities:

Store in a cool, dry, well ventilated place. Store away from sources of heat or ignition. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Control Parameters:** No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Diethanolamine: 8hr TWA = 13 mg/m<sup>3</sup> (3 ppm)

# Safety Data Sheet



As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls:

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Workplace Exposure Standards. Keep containers closed when not in use.

Vapour heavier than air - prevent concentration in hollows or sumps. DO NOT enter confined spaces where vapour may have collected.

## Individual protection measures, such as Personal Protective Equipment (PPE):

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



Wear overalls, chemical goggles and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|   |                                    |
|---|------------------------------------|
| <b>Physical state:</b>                  | Paste                              |
| <b>Colour:</b>                          | White                              |
| <b>Odour:</b>                           | Not specified                      |
| <b>Odour Threshold:</b>                 | Not available                      |
| <b>Specific Gravity:</b>                | 0.98                               |
| <b>Relative Vapour Density (air=1):</b> | >1 (estimated)                     |
| <b>Vapour Pressure (20 °C):</b>         | Not available                      |
| <b>Flash Point (°C):</b>                | >93.9 (PMCC)                       |
| <b>Flammability Limits (%):</b>         | Not available                      |
| <b>Autoignition Temperature (°C):</b>   | Not available                      |
| <b>Solubility in water (g/L):</b>       | Not available                      |
| <b>Melting Point/Range (°C):</b>        | 37.78                              |
| <b>Boiling Point/Range (°C):</b>        | 150                                |
| <b>Decomposition Point (°C):</b>        | Not available                      |
| <b>pH:</b>                              | 10 @2% aqueous                     |
| <b>Evaporation Rate:</b>                | Estimated slower than ethyl ether. |

## 10. STABILITY AND REACTIVITY

|  |   |
|--|---|
| <b>Reactivity:</b>                         | Non-reactive under normal conditions of use, storage and transport. |
| <b>Chemical stability:</b>                 | Stable under normal conditions of use.                              |
| <b>Possibility of hazardous reactions:</b> | None known.   |
| <b>Conditions to avoid:</b>                | Avoid exposure to heat, sources of ignition, and open flame.        |
| <b>Incompatible materials:</b>             | Incompatible with strong acids.                                     |
| <b>Hazardous decomposition products:</b>   | Oxides of carbon. Oxides of nitrogen.                               |

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

|                      |  |
|----------------------|--|
| <b>Ingestion:</b>    | No adverse effects expected, however, large amounts may cause nausea and vomiting.   |
| <b>Eye contact:</b>  | A severe eye irritant. Contamination of eyes can result in permanent injury.         |
| <b>Skin contact:</b> | Contact with skin will result in irritation.   |
| <b>Inhalation:</b>   | Material may be irritant to the mucous membranes of the respiratory tract (airways). |

### Acute toxicity:

Oral LD50 (rat): 2000-5000 mg/kg

Dermal LD50 (rabbit): >2000 mg/kg

|   |                                       |
|---|---------------------------------------|
| <b>Respiratory or skin sensitisation:</b> | Not expected to be a skin sensitizer. |
|---|---------------------------------------|

**Chronic effects:** Diethanolamine has been classified by the International Agency for Research on Cancer (IARC) as a Group 2B carcinogen. Group 2B - The agent is possibly carcinogenic to humans.

**Specific Target Organ Toxicity (STOT) - single exposure:** Not applicable.

**Specific Target Organ Toxicity (STOT) - repeated exposure:** Not applicable.

**Aspiration hazard:** Not applicable.

## 12. ECOLOGICAL INFORMATION

|                                   |  |
|-----------------------------------|--|
| <b>Ecotoxicity</b>                | Avoid contaminating waterways.         |
| <b>Persistence/degradability:</b> | The material is readily biodegradable. |
| <b>Bioaccumulative potential:</b> | No information available.              |
| <b>Mobility in soil:</b>          | No information available.              |

Product Name: NINOL 96-SL  
Substance No: 000000053738

Issued: 16/04/2019  
Version: 1

# Safety Data Sheet



48hr EC50 (Daphnia magna): 35 mg/L  
96hr LC50 (fish): 31 mg/L

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods:

Refer to Waste Management Authority. Dispose of contents and container in accordance with local, regional, national, international regulations.

## 14. TRANSPORT INFORMATION

### Road and Rail Transport

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

### Marine Transport

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### Air Transport

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

## 15. REGULATORY INFORMATION

### Classification:

This material is hazardous according to Safe Work Australia; HAZARDOUS CHEMICAL.

### Classification of the chemical:

Skin Irritation - Category 2

Eye Damage - Category 1

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

Acute Oral Toxicity - Category 5

Chronic Aquatic Toxicity - Category 3

Acute Aquatic Toxicity - Category 3

### Hazard Statement(s):

H315 Causes skin irritation.

H318 Causes serious eye damage.

**Poisons Schedule (SUSMP):** S5 Caution.

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

## 16. OTHER INFORMATION

Supplier Safety Data Sheet; 08/ 2018.

NINOL is a registered trademark of Stepan Company.

This safety data sheet has been prepared by Ixom Operations Pty Ltd (Toxicology & SDS Services).

Product Name: NINOL 96-SL  
Substance No: 000000053738

Issued: 16/04/2019  
Version: 1

# Safety Data Sheet



## Reason(s) for Issue:

First Issue Primary SDS

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.