# SAFETY DATA SHEET



Revision date: 16-Jun-2020

**Revision Number** 1

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name MERPOL HCS

Product Code(s) 000000053882

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Surfactant

For industrial use only.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

#### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Acute aquatic toxicity	Category 2

# SIGNAL WORD

Warning

#### Label elements

**Exclamation mark** 



#### **Hazard statements**

H302 - Harmful if swallowed H315 - Causes skin irritation

H319 - Causes serious eye irritation

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H401 - Toxic to aquatic life

### **Precautionary Statements - Prevention**

Wash hands thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves, protective clothing, eye protection, face protection

Avoid release to the environment

#### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### **Precautionary Statements - Storage**

No storage statements

#### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

# Other hazards which do not result in classification Poisons Schedule (SUSMP) None allocated

# roisons schedule (Sosivir)

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical name	CAS No.	Weight-%
Alcohol ethoxylate	-	55-65
Hexylene glycol	107-41-5	5-15
Non hazardous component(s)	-	to 100

# 4. FIRST AID MEASURES

#### Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

**Inhalation** Remove to fresh air and keep at rest in a position comfortable for breathing. If breathing is

irregular or stopped, administer artificial respiration. Seek immediate medical

000000053882 - MERPOL HCS

Revision date: 16-Jun-2020 Revision Number 1

attention/advice.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water. Call a physician if symptoms occur.

Ingestion Clean mouth with water. Get medical attention if symptoms occur.

# Most important symptoms and effects, both acute and delayed

Symptoms Irritation.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** 

**Suitable Extinguishing Media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Combustible material.

Hazardous combustion products Carbon oxides.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation.

Evacuate personnel to safe areas. Stop leak if you can do it without risk. Remove all

sources of ignition.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Take up with sand or other non-combustible absorbent material and place into containers

for later disposal. After cleaning, flush away traces with water. Never return spill or leaks to original containers for re-use.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this

product.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and

transport requirements.

**Incompatible materials**Strong acids Strong oxidizing agents

Poisons Schedule (SUSMP) None allocated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Chemical name	Australia	ACGIH TLV
Hexylene glycol	25 ppm Peak	STEL: 50 ppm vapor fraction
107-41-5	121 mg/m³ Peak	STEL: 10 mg/m <sup>3</sup> inhalable particulate
		matter, aerosol only
		TWA: 25 ppm vapor fraction

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### **Appropriate engineering controls**

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to

determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.









Eye/face protection Goggles.

**Skin and body protection** Overalls. Wear suitable protective clothing. Boots.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear an organic vapour

respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

**Appearance** No information available.

Color Pale Yellow

Odor No information available.
Odor threshold No information available.

Property Values Remarks • Method

pH 6-8 (10% in water) None known
Melting point / freezing point No data available None known
Boiling point / boiling range >100°C None known

Flash point >100°C Pensky-Martens Closed Cup (PMCC)

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available None known Vapor density No data available None known Relative density No data available None known Water solubility Partially miscible None known No data available Solubility(ies) None known No data available None known Partition coefficient No data available **Autoignition temperature** None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** 365 cP @25°C None known

Other information

# 10. STABILITY AND REACTIVITY

Reactivity

**Reactivity** Non-reactive under normal conditions of use, storage and transport.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

**Conditions to avoid** 

**Conditions to avoid** Heat, flames and sparks.

**Incompatible materials** 

**Incompatible materials** Strong acids. Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon oxides.

# 11. TOXICOLOGICAL INFORMATION

#### **Acute toxicity**

Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

**Inhalation** May cause irritation.

**Eye contact** Causes serious eye irritation.

**Skin contact** Causes skin irritation.

**Ingestion** Ingestion may cause irritation to mucous membranes

**Symptoms** Irritation. Redness. Swelling of tissue.

Numerical measures of toxicity - Product Information

On basis of test data

Revision date: 16-Jun-2020

Revision Number 1

Oral LD50 500-2000 mg/kg (rat)

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Hexylene glycol	= 3700 mg/kg (Rat)	= 12300 mg/kg (Rabbit) =	> 310 mg/m³(Rat)1 h
		8560 μL/kg (Rabbit)	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Irritating to skin.

Serious eye damage/eye irritation Causes serious eye irritation.

**Respiratory or skin sensitization** No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

Aspiration hazard No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

**Ecotoxicity** Keep out of waterways. Toxic to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Hexylene glycol	-	LC50: 10500 -	-	EC50: 2700 - 3700mg/L
		11000mg/L (96h,		(48h, Daphnia magna)
		Pimephales promelas)		
		LC50: =10000mg/L (96h,		
		Lepomis macrochirus)		
		LC50: =8690mg/L (96h,		
		Pimephales promelas)		
		LC50: =10700mg/L (96h,		
		Pimephales promelas)		
Product Information				

Product Information

SpeciesFishEndpoint typeLC50Effective dose1-10 mg/LExposure time96 hours

Persistence and degradability

Persistence and degradability Readily biodegradable.

#### Bioaccumulative potential

**Bioaccumulation** No information available.

**Component Information** 

Chemical name	Partition coefficient
Hexylene glycol	<0.14

#### **Mobility**

Mobility in soil No information available.

Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. TRANSPORT INFORMATION

#### **ADG**

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### <u>IATA</u>

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

#### IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

### 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### <u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

	Chemical name	National pollutant inventory
--	---------------	------------------------------

Hexylene glycol - 107-41-5	20 MW Threshold category 2b total 60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total 400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

**International Inventories** 

All the constituents of this material are listed on the Australian Inventory of Chemical

Substances.

Legend:

AICS - Australian Inventory of Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# 16. OTHER INFORMATION

Supplier Safety Data Sheet 08/2018

ACGIH is a registered trademark of The American Conference of Governmental Industrial Hygienists.

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 16-Jun-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**