# SAFETY DATA SHEET

Revision date: 16-Dec-2020



Revision Number 1

## **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier			
Product Name	DSP 553		
Product Code(s)	00000053945		
Other means of identification			
UN number	3267		
Pure substance/mixture	Mixture		
Recommended use of the chemical and restrictions on use			
Recommended use	Mineral flotation collector.		
Uses advised against	No information available.		

## Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

## Emergency telephone number

Emergency telephone number

## 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

## 2. HAZARDS IDENTIFICATION

## GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).


Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals	Category 1
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1

## SIGNAL WORD

Danger

#### Label elements



#### Hazard statements

H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H317 - May cause an allergic skin reaction

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

## **Precautionary Statements - Prevention**

Do not breathe mist, vapours, spray. Contaminated work clothing should not be allowed out of the workplace Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves / protective clothing / eye protection / face protection Use personal protective equipment as required Avoid release to the environment **Precautionary Statements - Response** If exposed or concerned: Get medical advice/attention Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Absorb spillage to prevent material damage Collect spillage **Precautionary Statements - Storage** Store locked up Store in corrosive resistant container with a resistant inner liner **Precautionary Statements - Disposal** 

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

#### Other hazards which do not result in classification

AUH031 - Contact with acids liberates toxic gas 5

Poisons Schedule (SUSMP)

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Chemical name	CAS No.	Weight-%
Sodium mercaptobenzothiazole (NaMBT)	2492-26-4	10-30
Phosphorodithioic acid, O,O-bis(methylphenyl) ester, sodium salt	61792-48-1	10-30

Sodium hydroxide	1310-73-2	1-<5
Non hazardous component(s)	-	to 100

## 4. FIRST AID MEASURES

## Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.

## Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause allergic skin reaction.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Treat symptomatically. Can cause corneal burns.		

5. FIRE FIGHTING MEASU Suitable Extinguishing Media	RES
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the chemical

**Specific hazards arising from the chemical** Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Environmentally hazardous.

Special protective actions for fire-fighters

Special protective equipment for<br/>fire-fightersFirefighters should wear self-contained breathing apparatus and full firefighting turnout<br/>gear. Use personal protection equipment.

Hazchem code

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

2X

Personal precautions	Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment as required.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent entry into waterways, sewers, basements or confined areas.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		
7. HANDLING AND STORAGE			
Precautions for safe handling			

Advice on safe handling	Avoid breathing vapors or mists. Avoid contact with skin and eyes. Do not eat, drink or
	smoke when using this product. Keep out of reach of children.

## Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container closed when not in use.
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.
Packaging materials	Do not store in aluminium containers. Do not store in zinc containers.
Incompatible materials	Acids. Mineral acids. Aluminium. Zinc.
Poisons Schedule (SUSMP)	5

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Sodium hydroxide: Peak Limitation = 2 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

Peak Limitation - a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not exceed 15 minutes.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

## Appropriate engineering controls

**Engineering controls** 

Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

## Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Goggles. Face protection shield.	
Skin and body protection	Wear suitable protective clothing. Apron. Overalls. Rubber boots.	
Hand protection	Impervious gloves.	
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.	
Environmental exposure controls	No information available.	

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state	Liquid	
Appearance	No information available.	
Color	Dark yellow to Dark brown	
Odor	Characteristic	
Odor threshold	No information available.	
Property_	Values	Remarks • Method
рН	11-13	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known

Relative densityca. 1.1None knownWater solubilityMiscible in waterNone knownSolubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known	Vapor density	No data available	None known	
Solubility(ies)No data availableNone knownPartition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known	Relative density	ca. 1.1	None known	
Partition coefficientNo data availableNone knownAutoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known	Water solubility	Miscible in water	None known	
Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone known	Solubility(ies)	No data available	None known	
Decomposition temperature No data available None known	Partition coefficient	No data available	None known	
	Autoignition temperature	No data available	None known	
	Decomposition temperature	No data available	None known	
	Kinematic viscosity	No data available	None known	
Dynamic viscosity No data available None known		No data available	None known	
	Other information			

# **10. STABILITY AND REACTIVITY**

Reactivity	
Reactivity	Contact with acids liberates toxic gas.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Possibility of hazardous reactions	
Possibility of hazardous reactions	Can react with mineral acids evolving flammable and toxic hydrogen sulphide gas. Contact with metals (aluminum, zinc, tin) may release hydrogen gas.
Conditions to avoid	
Conditions to avoid	Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Acids. Mineral acids. Aluminium. Zinc.
Hazardous decomposition products	<u>5</u>

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Phosphorus oxides. Hydrogen sulfide. Oxides of sulfur.

# 11. TOXICOLOGICAL INFORMATION

## Acute toxicity

## Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation of respiratory tract.
Eye contact	Causes serious eye damage. May cause irreversible damage to eyes.
Skin contact	Contact causes severe skin irritation and possible burns. May cause sensitization by skin contact.

Ingestion Can burn mouth, throat, and stomach.

Symptoms Irritation/Corrosion.

Numerical measures of toxicity - Product Information

No information available.

## Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium mercaptobenzothiazole (NaMBT)	= 1476 mg/kg(Rat)	> 7940 mg/kg (Rabbit)	>8.2 mg/L (Rat)6 h
Sodium hydroxide	-	= 1350 mg/kg (Rabbit)	-

See section 16 for terms and abbreviations

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Chronic effects:	This product may liberate carbon disulfide on contact with moist skin. Chronic exposure to carbon disulfide may produce central and peripheral nervous system, cardiovascular, gastrointestinal kidney and eye disorders.

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

## Ecotoxicity

Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Sodium	EC50: =0.3mg/L (96h,	LC50: 0.3 - 1.1mg/L (96h,	-	EC50: 1.9 - 5.1mg/L
mercaptobenzothiazole	Pseudokirchneriella	Oncorhynchus mykiss)		(48h, Daphnia magna)
(NaMBT)	subcapitata)	LC50: =3.8mg/L (96h,		
		Lepomis macrochirus)		
Sodium hydroxide	-	LC50: =45.4mg/L (96h,	-	-
		Oncorhynchus mykiss)		

## Persistence and degradability

Persistence and degradability No information available.

## Bioaccumulative potential

Bioaccumulation

No information available.

#### **Component Information**

Chemical name	Partition coefficient
Sodium mercaptobenzothiazole (NaMBT)	-0.46

Mobility

Mobility in soil

No information available.

Other adverse effects

13. DISPUSAL CUNSIDERATIONS	13.	DISPOSAL	<b>CONSIDERATIONS</b>
-----------------------------	-----	----------	-----------------------

## Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

14. TRANSPORT INFORMATION	

## <u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3267
Proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS
	2-MERCAPTOBENZOTHIAZOLE, SODIUM SALT)
Hazard class	8
Packing group	ll
Hazchem code	2X

## <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS
	2-MERCAPTOBENZOTHIAZOLE, SODIUM SALT)
Transport hazard class(es)	8
Packing group	II

## IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	3267
UN proper shipping name	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (CONTAINS
	2-MERCAPTOBENZOTHIAZOLE, SODIUM SALT)
Transport hazard class(es)	8
Packing group	II

IMDG EMS Fire	F-A
IMDG EMS Spill	S-B

## **15. REGULATORY INFORMATION**

## Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

## Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 5

International Inventories AICS

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

## International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## **16. OTHER INFORMATION**

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 16-Dec-2020

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

## **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Sec	tion 8: EXPOSURE CONTROLS/PERSONAL	PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**