# SAFETY DATA SHEET

Revision date: 15-Jan-2021



Revision Number 1

# **1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER**

Product identifier		
Product Name	DSP 250	
Product Code(s)	00000053955	
Other means of identification		
UN number	3082	
Recommended use of the chemical and restrictions on use		
Recommended use	Mineral flotation collector.	
Uses advised against	No information available.	

Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

#### Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

# 2. HAZARDS IDENTIFICATION

#### GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Flammable liquids	Category 4
Aspiration hazard	Category 1
Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1B
Carcinogenicity	Category 2
Acute aquatic toxicity	Category 1

#### Chronic aquatic toxicity

Category 1

#### SIGNAL WORD Danger

Label elements

Environment Health hazard Exclamation mark



#### Hazard statements

H227 - Combustible liquid

- H304 May be fatal if swallowed and enters airways
- H317 May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations: H410 - Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from flames and hot surfaces. - No smoking Avoid breathing dust / fume / gas / mist / vapours / spray Wash hands thoroughly after handling Wear protective gloves Use personal protective equipment as required Avoid release to the environment Precautionary Statements - Response If exposed or concerned: Get medical advice/attention Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse Avoid breathing vapour or spray mist. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomitina In case of fire: Use extinguishing media as outlined in Section 5 of this Safety Data Sheet for extinction. Collect spillage **Precautionary Statements - Storage** Store in a well-ventilated place. Keep cool Store locked up **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

### Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixture

Chemical name	CAS No.	Weight-%
O-Isopropyl ethyl thiocarbamate	141-98-0	Not disclosed by supplier
Linear and branched alkyl mercaptans	1859096-41-5	Not disclosed by supplier
1,3-Diethyl thiourea	105-55-5	Not disclosed by supplier
Other component(s)	-	to 100

# 4. FIRST AID MEASURES

### Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.	
Emergency telephone number	Poisons Information Center, Australia: 13 11 26 Poisons Information Center, New Zealand: 0800 764 766	
Inhalation	Remove to fresh air. Call a physician if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.	
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Call a physician if symptoms occur.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes, and clothing. See section 8 for more information.	
Most important symptoms and effe	cts, both acute and delayed	
Symptoms	Irritation. Rashes. Redness. May cause allergic skin reaction. Allergic reactions and hypersensitivity may occur in rare cases. People suffering from allergies or asthma are at risk.	
Indication of any immediate medica	al attention and special treatment needed	
Note to physicians	Treat symptomatically. Delayed pulmonary edema may occur. May cause sensitization by skin contact.	
	DEC	
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	RES	
Suitable Extinguishing Media	Carbon dioxide (CO2).	
Unsuitable extinguishing media	High volume water jet.	
Specific hazards arising from the chemical		
Specific hazards arising from the chemical	May form explosive mixtures with air. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.	

Hazardous combustion products Carbon oxides. Nitrogen oxides. Oxides of sulfur.

#### Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	•3Z

# 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Do not touch or walk through spilled material.		
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.		
For emergency responders	Use personal protection recommended in Section 8.		
Environmental precautions			
Environmental precautions	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Refer to protective measures listed in Sections 7 and 8.		
Methods and material for containment and cleaning up			
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.		
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.		

# 7. HANDLING AND STORAGE

# Precautions for safe handling

v		
Advice on safe handling	Use personal protection equipment. Avoid contact with skin, eyes, and clothing. Avoid breathing vapors or mists. Handle in accordance with good industrial hygiene and safety practice. Take precautionary measures against static discharges.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wear suitable gloves.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep container closed when not in use.	
	Classified as a C1 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.	
Incompatible materials	Strong oxidizing agents. Strong acids. Copper.	

Poisons Schedule (SUSMP) No

None allocated

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Isopropyl alcohol (Isopropanol): 8hr TWA = 983 mg/m<sup>3</sup> (400 ppm), 15 min STEL = 1230 mg/m<sup>3</sup> (500 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

**Engineering controls** Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES.



vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties_			
Physical state	Liquid		
Appearance	Clear		
Color	Yellowish		
Odor	Slight		
Odor threshold	No information available.		
Property	Values	Remarks • Method	
рН	No data available	None known	
Melting point / freezing point	No data available		
Boiling point / boiling range	No data available		
Flash point	ca. 80-90°C	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive	No data available		
limits			
Lower flammability or explosive	No data available		
limits			
Vapor pressure	No data available		
Vapor density	No data available		
Relative density	ca. 0.9		
Water solubility	Slightly soluble		
Solubility(ies)	No data available	None known	
Partition coefficient	No data available	None known	
Autoignition temperature	No data available		
Decomposition temperature	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	

Other information

# **10. STABILITY AND REACTIVITY**

<u>Reactivity</u>		
Reactivity	No information available.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact None.		
Sensitivity to static discharge	Yes.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		

Conditions to avoid

Heat, flames and sparks. Static discharge (electrostatic discharge).

Incompatible materials

Incompatible materials Strong oxidizing agents. Strong acids. Copper.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Oxides of sulfur.

# **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation. Aspiration into lungs can produce severe lung damage.
Eye contact	Causes serious eye irritation.
Skin contact	May cause irritation. Will have a mild degreasing effect on the skin on frequent usage. May cause sensitization by skin contact.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea. Aspiration may cause pulmonary edema and pneumonitis.
Symptoms	Irritation. Rashes. Redness. May cause allergic skin reaction. Allergic reactions and hypersensitivity may occur in rare cases. People suffering from allergies or asthma are at risk.

Numerical measures of toxicity - Product Information No information available.

#### The following values are calculated based on chapter 3.1 of the GHS document

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1,3-Diethyl thiourea	= 316 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	May cause sensitization by skin contact. Classification is based on mixture calculation methods based on component data.
Germ cell mutagenicity	No information available.
Carcinogenicity	Suspected of causing cancer. Classification is based on mixture calculation methods based on component data.

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	May be fatal if swallowed and enters airways.

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Ecotoxicity

Keep out of waterways. Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
O-Isopropyl ethyl	-	LC50: 40 - 45mg/L (96h,	-	-
thiocarbamate		Oncorhynchus mykiss)		
Linear and branched	-	-	-	48 hr EC50 (Daphnia
alkyl mercaptans				magna): 0.090 mg/L (for
				similar substances)
1,3-Diethyl thiourea	-	LC50: =910mg/L (96h,	-	-
_		Danio rerio)		

#### Persistence and degradability

Persistence and degradability	No information available.
Bioaccumulative potential	

**Bioaccumulation** No information available.

#### **Mobility**

Mobility in soil

No information available.

Other adverse effects

### 13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste from residues/unused products	Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Do not reuse empty containers.

# **14. TRANSPORT INFORMATION**

### ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail: DANGEROUS GOODS. 3082

**UN number** 

Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LINEAF AND BRANCHED ALKYL MERCAPTANS)
Hazard class Packing group	9     •27
Hazchem code	•3Z

#### <u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LINEAR AND BRANCHED ALKYL MERCAPTANS)
Transport hazard class(es)	9
Packing group	III

#### IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number UN proper shipping name	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LINEAR AND BRANCHED ALKYL MERCAPTANS) MARINE POLLUTANT
Transport hazard class(es)	9
Packing group	
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

## **15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to the provisions of the Australian Code for the Transport of Dangerous Goods by Road and Rail when transported by road or rail in: packagings that do not incorporate a receptacle exceeding 500 kg(L); or IBCs.

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International	Inventories
AICS	

A constituent of this material is not listed on the Australian Inventory of Industrial Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# **16. OTHER INFORMATION**

Reason(s) For Issue: First Issue Primary SDS

Issuing Date:	15-Jan-2021
---------------	-------------

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

#### **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section	8: EXPOSURE CONTROLS/PERSON	AL PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

#### Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet