SAFETY DATA SHEET



Revision date: 22-Jun-2021

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name MINTAL 53C

Product Code(s) 000000054056

Other means of identification

Synonyms Talcum; Hydrated magnesium silicate.

Recommended use of the chemical and restrictions on use

Recommended use General industrial filler – Rubber, Bituminous based products.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000

Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Carcinogenicity	Category 1A
Specific target organ toxicity (repeated exposure)	Category 1

SIGNAL WORD

Danger

Label elements

Health hazard



Hazard statements

H350 - May cause cancer if inhaled

H372 - Causes damage to organs through prolonged or repeated exposure if inhaled

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Do not breathe dusts or mists

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

Get medical advice/attention if you feel unwell

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Weight-%
Talc	14807-96-6	>90
Crystalline silica (Quartz)	14808-60-7	<2.5

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If

breathing has stopped, give artificial respiration. Get medical attention immediately.

Eye contact In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention if symptoms occur.

Skin contact Wash with plenty of water. Get medical attention if symptoms occur.

Ingestion Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do NOT induce vomiting.

Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Note to physicians

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Do not breathe dust. Do not touch or walk through spilled Personal precautions

material. Ensure adequate ventilation. Evacuate personnel to safe areas. Use personal protective equipment as required. Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

See Section 12 for additional Ecological Information. **Environmental precautions**

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled Methods for cleaning up

material and place in suitable container. Avoid generating dust. After cleaning, flush away

traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe dust. Do not eat, drink or smoke when Advice on safe handling

using this product. Ensure adequate ventilation. Avoid generation of dust. Wash thoroughly

after handling. Use personal protection equipment.

Conditions for safe storage, including any incompatibilities

000000054056 - MINTAL 53C

Revision date: 22-Jun-2021 Revision Number 1

Storage Conditions Keep in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible materials Acids.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Talc (containing no asbestos fibres): 8hr TWA = 2.5 mg/m³ Magnesite (Magnesium carbonate): 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.











Eye/face protection

Glasses.

Skin and body protection

Protective shoes or boots. Overalls.

Hand protection Impervious gloves.

If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator Respiratory protection

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid **Appearance** Powder

Color White to Off-white

Odourless Odor

No information available. **Odor threshold**

Property Values Remarks • Method

pН Not applicable None known No data available pH (as aqueous solution) None known Melting point / freezing point No data available None known No data available Boiling point / boiling range None known Flash point Not applicable None known No data available None known **Evaporation rate** Flammability (solid, gas) No data available None known None known Flammability Limit in Air

No data available

Upper flammability or explosive No data available

limits

Lower flammability or explosive

limits Vapor pressure No data available None known

Vapor density Relative density

No data available None known 2.7 None known Insoluble in water None known No data available None known No data available None known

Partition coefficient Autoignition temperature Not applicable None known No data available **Decomposition temperature** None known No data available None known Kinematic viscosity Dynamic viscosity No data available None known

Other information

Water solubility

Solubility(ies)

10. STABILITY AND REACTIVITY

Reactivity

No information available. Reactivity

Chemical stability

Stable under normal conditions. Stability

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Dust formation.

Incompatible materials

Incompatible materials Acids.

Hazardous decomposition products

Hazardous decomposition products Oxides of silicon.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Dust contact with the eyes can lead to mechanical irritation.

Skin contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Symptoms No information available.

Numerical measures of toxicity - Product Information

No information available.

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Refer to 'Chronic effects' section below.

Chemical name	Australia
Crystalline silica (Quartz) - 14808-60-7	Carc. 1A

Reproductive toxicity No information available.

STOT - single exposure No information available.

000000054056 - MINTAL 53C

Revision date: 22-Jun-2021 Revision Number 1

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

Chronic effects:

The toxicity of crystalline silica is directly proportional to the ability of any particle to reach the lower respiratory tract. Quartz particles with an aerodynamic diameter below 10um are likely to be most harmful to humans, as they reach the lower respiratory tract and are less readily removed by the lungs.

Increases in lung cancer have been attributed to the inhalation of crystalline silica in a number of industries, including; ore mining, quarrying and granite works, ceramics, pottery, refractory brick and diatomaceous earth industries and in foundry workers.

The International Agency for Research on Cancer has classified crystalline silica as a Type 1 Carcinogen - Carcinogenic to Humans, based on sufficient evidence in humans and animals.

Increasing in vitro and in vivo evidence suggests that lung carcinomas in rats are a result of marked and persistent inflammation and epithelial proliferation.

Crystalline silica also causes a range of non-neoplastic pulmonary effects, including; inflammation, silicosis, lymph node fibrosis, airways disease, emphysema and increased permeability of the airspace epithelium. In case of prolonged inhalation and/or exceeding exposure limits, the breathable quartz powder may cause silicosis.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Talc	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories

AICS All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 10/2016

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 22-Jun-2021

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their lxom representative or lxom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet