# **SAFETY DATA SHEET**



Revision date: 06-Aug-2024

**Revision Number** 2

## Section 1: Identification

**Product identifier** 

Product Name ENZYBREW 10

**Product Code(s)** 000000054097

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended use Detergent.

Uses advised against No information available.

**Details of manufacturer or importer** 

Supplier

IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

### Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

### Section 2: Hazard identification

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

#### **GHS Classification**

CTTC CTGCCTTCGGTCTT	
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3

#### Label elements

Corrosion

Exclamation mark



#### Signal word DANGER

#### **Hazard statements**

H302 - Harmful if swallowed

H315 - Causes skin irritation

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wash eyes thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/clothing and eye/face protection.

### **Precautionary Statements - Response**

Specific treatment (see First aid on this SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Rinse mouth.

## **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

### **Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

### Other hazards which do not result in classification

## Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Sodium carbonate	497-19-8	>30
Sodium percarbonate	15630-89-4	>30
Disodium metasilicate	6834-92-0	1-<5

### Section 4: First aid measures

### **Description of first aid measures**

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

**Inhalation** Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If not

breathing, give artificial respiration. Get medical attention immediately if symptoms occur.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical

attention if irritation develops and persists.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician. Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Coughing and/ or wheezing. Difficulty in breathing.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically. Can cause corneal burns.

### Section 5: Firefighting measures

Suitable Extinguishing Media

**Suitable extinguishing media** Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media None known.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Promotes the combustion (oxidizer). Can cause fire and explosion when in contact with flammable substances. Any material contaminated with the product (e.g. clothes) ignites

easily and burns vigorously - increased fire hazard.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure

adequate ventilation. Do not touch or walk through spilled material. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash

thoroughly after handling.

**Other information** Refer to protective measures listed in Sections 7 and 8.

**Environmental precautions** 

**Environmental precautions** Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust. After cleaning, flush away

traces with water. Never return spill or leaks to original containers for re-use.

### Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Ensure

adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Use personal protection equipment. Wash

thoroughly after handling.

**General hygiene considerations** Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this

product. Avoid contact with skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from

moisture. Keep at temperatures between 4 and 25 °C. Store away from foodstuffs. Keep

container closed when not in use.

**Incompatible materials**None known based on information supplied.

### Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for particulates:

Dusts not otherwise classified: 8hr TWA = 10 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

Engineering controls Eyewash stations. Apply technical measures to comply with the occupational exposure

limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering

controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

None known

None known

### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, DUST MASK.



**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** Wear suitable protective clothing. Boots. Overalls.

Hand protection Impervious gloves.

Respiratory protection If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

**Environmental exposure controls** No information available.

Thermal hazards No information available.

### Section 9: Physical and chemical properties

#### Information on basic physical and chemical properties

Physical stateSolidAppearancePowderColorWhite

**Odor** Characteristic

Odor threshold No information available

**Property** Values Remarks • Method No data available None known Hq pH (as aqueous solution) No data available None known Melting point / freezing point No data available None known Boiling point / boiling range No data available None known No data available Flash point None known No data available **Evaporation rate** None known

No data available

Flammability (solid, gas) Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density No data available

Water solubilityNo data availableNone knownSolubility(ies)Partially soluble in water.None knownPartition coefficientNo data availableNone known

Autoignition temperature
Decomposition temperature
Kinematic viscosity
Dynamic viscosity

No data available No data available No data available No data available None known None known None known

Other information

## Section 10: Stability and reactivity

Reactivity

Reactivity Hygroscopic.

Chemical stability

Stability Stable.

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

**Conditions to avoid** Protect from moisture. Contact with foodstuffs.

Incompatible materials

**Incompatible materials**None known based on information supplied.

Hazardous decomposition products

Hazardous decomposition products Carbon oxides.

### Section 11: Toxicological information

### Information on likely routes of exposure

Product Information No adverse health effects expected if the chemical is handled in accordance with this Safety

Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is

mishandled and overexposure occurs are:

**Inhalation** Irritating to respiratory system.

**Eye contact** Causes serious eye damage.

**Skin contact** Causes skin irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Harmful if

swallowed.

**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness).

Coughing and/ or wheezing. Difficulty in breathing.

Acute toxicity .

### Numerical measures of toxicity - Product Information

**ATEmix (oral)** 1579.441 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate	= 4090 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2300 mg/m <sup>3</sup> (Rat) 2 h
Sodium percarbonate	= 1034 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-
Disodium metasilicate	= 1153 mg/kg (Rat)	-	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye damage.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation. Classification is based on mixture calculation methods

based on component data.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

## Section 12: Ecological information

### **Ecotoxicity**

Aquatic ecotoxicity Keep out of waterways.

	Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ī	Sodium carbonate	-	LC50: =300mg/L (96h,	-	EC50: =265mg/L (48h,
			Lepomis macrochirus)		Daphnia magna)
			LC50: 310 - 1220mg/L		

		(96h, Pimephales promelas)		
Sodium percarbonate	-	LC50: =70.7mg/L (96h,	-	EC50: =4.9mg/L (48h,
		Pimephales promelas)		Daphnia pulex)
Disodium metasilicate	-	LC50: =210mg/L (96h,	-	-
		Brachydanio rerio)		

**Terrestrial ecotoxicity** There is no data for this product.

Persistence and degradability

Persistence and degradability Biodegradable.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Mobility** 

**Mobility** No information available.

Other adverse effects

Other adverse effects No information available.

## Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Refer to Waste Management Authority. Dispose of material through a licensed waste

contractor.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

See section 8 for more information

## Section 14: Transport information

ADG Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code

(ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

<u>IATA</u> Not classified as Dangerous Goods by the criteria of the International Air Transport

Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS

GOODS.

IMDG Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous

Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### National regulations

#### Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

5

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sodium carbonate - 497-19-8	Present	-
Sodium percarbonate - 15630-89-4	Present	-
Disodium metasilicate - 6834-92-0	Present	-

#### Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **International Inventories**

Contact supplier for inventory compliance status. AIIC **NZIoC** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **TSCA** DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL PICCS** Contact supplier for inventory compliance status.

### Legend:

#### **AIIC- Australian Inventory of Industrial Chemicals**

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### Section 16: Other information

Supplier Safety Data Sheet 05/2022

Reason(s) For Issue: Revised Primary SDS

**Updated Formulation** 

Change in Hazardous Chemical Classification

Prepared By

This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and

SDS Services).

Revision date: 06-Aug-2024

**Revision Note:** 

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

### Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

C Carcinogen

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

**Environmental Protection Agency** 

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

### Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

**End of Safety Data Sheet**