SAFETY DATA SHEET

Revision date: 25-Aug-2021



Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier	
Product Name	AQUAPAC 5020
Product Code(s)	00000054101
Other means of identification	
UN number	2582
Pure substance/mixture	Mixture
Recommended use of the chemical	and restrictions on use
Recommended use	Water treatment chemical.
Uses advised against	No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number

1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Corrosive to metals	Category 1
Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

SIGNAL WORD Danger

Label elements

Corrosion Exclamation mark

Hazard statements

H290 - May be corrosive to metals H302 - Harmful if swallowed H314 - Causes severe skin burns and eve damage

Precautionary Statements - Prevention

Keep only in original container Do not breathe fume, gas, mist, vapours, spray Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Wear protective gloves / protective clothing / eye protection / face protection **Precautionary Statements - Response** Specific treatment (see First aid on this SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Rinse mouth. DO NOT induce vomiting IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell Absorb spillage to prevent material damage **Precautionary Statements - Storage** Store locked up Store in corrosion resistant container with a resistant inner liner **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Non hazardous component(s)	-	>60
Ferric chloride	7705-08-0	to 100

4. FIRST AID MEASURES

Description of first aid measures

Emergency telephone number	Poisons Information Center, Australia: 13 11 26	
	Poisons Information Center, New Zealand: 0800 764 766	

Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Get immediate medical advice/attention.
Most important symptoms and effect	cts, both acute and delayed
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.
Indication of any immediate medica	I attention and special treatment needed
Note to physicians	Treat symptomatically. Can cause corneal burns.
5. FIRE FIGHTING MEASU Suitable Extinguishing Media	RES
Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
	Bry chemical, CO2, watch spray of regular foam.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the cl	nemical
Specific hazards arising from the chemical	Corrosive. Contact with metals may evolve flammable hydrogen gas.
Special protective actions for fire-fi	ghters
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
Hazchem code	2X
6. ACCIDENTAL RELEASE	MEASURES
Personal precautions, protective eq	uipment and emergency procedures
Personal precautions	Evacuate personnel to safe areas. Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation. Stop leak if you can do it without risk. Use personal protective equipment as required.
For emergency responders	Use personal protection recommended in Section 8.
Environmental precautions	
Environmental precautions	Local authorities should be advised if significant spillages cannot be contained.
Methods and material for containme	
Methods and material for containing	ent and cleaning up

Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water.			
7. HANDLING AND STORAGE				
Precautions for safe handling				
Advice on safe handling	Avoid contact with skin and eyes. Do not breathe vapor or mist. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.			
Conditions for safe storage, include	ling any incompatibilities			
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep container closed when not in use.			
Incompatible materials	Alkalis. Metals.			
Poisons Schedule (SUSMP)	None allocated			
8. EXPOSURE CONTROL	S/PERSONAL PROTECTION			

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Iron salts, soluble (as Fe): $8hr TWA = 1 mg/m^3$

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controlsEnsure that eyewash stations and safety showers are close to the workstation location.
Apply technical measures to comply with the occupational exposure limits.If in the handling and application of this material, safe exposure levels could be exceeded,
the use of engineering controls such as local exhaust ventilation must be considered and
the results documented. If achieving safe exposure levels does not require engineering
controls, then a detailed and documented risk assessment using the relevant Personal
Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to
determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

intormation on pasic physical and c	mennical properties	
Physical state	Liquid	
Appearance	No information available.	
Color	Red	
Odor	Acidic	
Odor threshold	No information available.	
Property	Values	Remarks • Method
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
• • • • •	No data available	None known
Melting point / freezing point	>100°C	None known
Boiling point / boiling range	Not applicable	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data avallable	
Flammability Limit in Air	Net evelopele	None known
Upper flammability or explosive	Not applicable	
limits		
Lower flammability or explosive	Not applicable	
limits		N 1
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	ca. 1.4	None known
Water solubility	Miscible in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	Not applicable	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity			
Reactivity	Reacts with alkalis. Corrosive to metals.		
Chemical stability			
Stability	Stable under normal conditions.		
Explosion data Sensitivity to mechanical impact None.			
Sensitivity to static discharge	None.		
Possibility of hazardous reactions			
Possibility of hazardous reactions	Contact with metals may evolve flammable hydrogen gas.		
Conditions to avoid			
Conditions to avoid	Heat. Frost. Do not freeze.		
Incompatible materials			
Incompatible materials	Alkalis. Metals.		
Hazardous decomposition products	<u>6</u>		

Hazardous decomposition products Carbon oxides. Nitrogen oxides. Hydrogen chloride. Hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
Skin contact	Contact causes severe skin irritation and possible burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes.

<u>Numerical measures of toxicity</u> - Product Information No information available.

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ferric chloride	= 450 mg/kg (Rat)	-	-
	= 316 mg/kg (Rat)		

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes burns. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye damage. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

<u>Ecotoxicity</u>				
Ecotoxicity	Keep out of waterways.			
Persistence and degradability				
Persistence and degradability	No information available.			
Bioaccumulative potential				
Bioaccumulation	No information available.			
Component Information				
Chemical name		Partition coefficient		
Ferric chloride		-4		
<u>Mobility</u>				
Mobility in soil	No information available.			
Other adverse effects				
13. DISPOSAL CONSIDERATIONS				

Waste treatment methods

Waste from residues/unused	Dispose of in accordance with local regulations. Dispose of waste in accordance with
products	environmental legislation.

14. TRANSPORT INFORMATION

<u>ADG</u>

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

2582
FERRIC CHLORIDE SOLUTION
8
III
2X

<u>IATA</u>

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	2582
UN proper shipping name	FERRIC CHLORIDE SOLUTION
Transport hazard class(es)	8
Packing group	III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	2582
UN proper shipping name	FERRIC CHLORIDE SOLUTION
Transport hazard class(es)	8
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

<u>Australia</u>

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

International Inventories	
AIIC	All the constituents of this material are listed on the Australian Inventory of Industrial
	Chemicals or are exempt.

Legend:

- Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 10/2019

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 25-

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Se	ection 8: EXPOSURE CONTROLS/PERSONAL	_ PROTECTION	
TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
С	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be

used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet