

SAFETY DATA SHEET



Revision date: 27-Apr-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name DSR-102
Product Code(s) 000000054171

Other means of identification

UN number 3082

Recommended use of the chemical and restrictions on use

Recommended use Mining chemical.
Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd
ABN: 51 600 546 512
Level 8, 1 Nicholson Street
Melbourne 3000
Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Aspiration hazard	Category 1
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 1
Acute aquatic toxicity	Category 2

Chronic aquatic toxicity

Category 2

SIGNAL WORD

Danger

Label elementsEnvironment
Health hazard
Exclamation mark**Hazard statements**

H304 - May be fatal if swallowed and enters airways
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H332 - Harmful if inhaled
 H335 - May cause respiratory irritation
 H336 - May cause drowsiness or dizziness
 H341 - Suspected of causing genetic defects
 H351 - Suspected of causing cancer
 H361d - Suspected of damaging the unborn child
 H372 - Causes damage to organs through prolonged or repeated exposure

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Do not breathe fume, gas, mist, vapours, spray
 Wash face, hands and any exposed skin thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Wear protective gloves / protective clothing / eye protection / face protection
 Use personal protective equipment as required
 Avoid release to the environment

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention
 Specific treatment (see First aid on this SDS)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
 If skin irritation occurs: Get medical advice/attention
 Wash contaminated clothing before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
 Call a POISON CENTER or doctor/physician if you feel unwell
 IF SWALLOWED: Immediately call a POISON CENTER or doctor
 Rinse mouth
 Do NOT induce vomiting
 In case of fire: Use CO2, dry chemical, or foam for extinction
 Collect spillage

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Store in a well-ventilated place. Keep cool

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification

Poisons Schedule (SUSMP) 6

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Chemical name	CAS No.	Weight-%
Tetrachloroethylene	127-18-4	>60
Styrene	100-42-5	to 100

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. If breathing is difficult, (trained personnel should) give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash skin with soap and water. Call a physician if symptoms occur.
Ingestion	ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person. Immediate medical attention is required.

Most important symptoms and effects, both acute and delayed

Symptoms	Aspiration risk: may cause lung damage if swallowed. Irritation. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing. Drowsiness. Dizziness.
-----------------	---

Indication of any immediate medical attention and special treatment needed

Note to physicians	Aspiration hazard. Aspiration may cause pulmonary edema and pneumonitis. Effects may be delayed. Symptoms may be delayed. Adrenaline and similar sympathomimetic drugs should be avoided following exposure to tetrachloroethylene. Complications may include cardiac arrhythmia and cardiac arrest. Gastric lavage may be effective and should preferably be undertaken within one hour. Aspiration of this material into the lungs must be avoided. Following ingestion, adsorbents such as activated charcoal may be useful.
---------------------------	--

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media	Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal
-------------------------------------	---

protein foam can be used.

Unsuitable extinguishing media High volume water jet.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Not flammable. Cool drums with water spray. Environmentally hazardous.

Special protective actions for fire-fighters

Special protective equipment for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Hazchem code •3Z

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes, and clothing. Do not touch or walk through spilled material. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Use personal protective equipment as required. Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid breathing vapors or mists. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Keep out of reach of children. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Store away from foodstuffs. Keep container closed when not in use.

This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.

Packaging materials Do not store in aluminium containers.

Incompatible materials Copper.

Tetrachloroethylene is incompatible with finely powdered metals, strong bases, strong oxidising agents, potassium, sodium, amines, nitrogen dioxide, inorganic alkalis, strong acids, barium, beryllium.

Other information Inhibitor levels must be maintained.

Poisons Schedule (SUSMP) 6

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Styrene, monomer: 8hr TWA = 213 mg/m³ (50 ppm), 15 min STEL = 426 mg/m³ (100 ppm)

Perchloroethylene (Tetrachloroethylene): 8hr TWA = 340 mg/m³ (50 ppm), 15 min STEL = 1020 mg/m³ (150 ppm)

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, CHEMICAL GOGGLES, GLOVES, RESPIRATOR.



Eye/face protection	Goggles.
Skin and body protection	Boots. Wear suitable protective clothing. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available.
Color	Colourless to Yellowish
Odor	Aromatic Hydrocarbon , Ether
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	>100°C	None known
Flash point	Not applicable	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	>1	None known
Relative density	No data available	None known
Water solubility	Slightly miscible	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions. Stabilizer can lose its effectiveness if stored over a long period of time.

Explosion data**Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Possibility of hazardous reactions****Possibility of hazardous reactions** May react violently with metals such as sodium, potassium and barium, particularly if they are finely divided. May react with freshly galvanised surfaces to produce highly toxic dichloroacetylene. Contact with hot surfaces, sparks or naked flames may generate toxic fumes of phosgene and hydrogen chloride.**Hazardous polymerization** Hazardous polymerization may occur.**Conditions to avoid****Conditions to avoid** Heat. UV-radiation/sunlight. Exposure to air.**Incompatible materials****Incompatible materials** Copper.

Tetrachloroethylene is incompatible with finely powdered metals, strong bases, strong oxidising agents, potassium, sodium, amines, nitrogen dioxide, inorganic alkalis, strong acids, barium, beryllium.

Hazardous decomposition products**Hazardous decomposition products** Carbon oxides. Formaldehyde. Phosgene. Hydrogen chloride.**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** Irritating to respiratory system. May cause drowsiness or dizziness. Harmful if inhaled.**Eye contact** Causes serious eye irritation.**Skin contact** Causes skin irritation.**Ingestion** Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.**Symptoms** Aspiration risk: may cause lung damage if swallowed. Irritation. May cause redness and tearing of the eyes. Erythema (skin redness). Coughing and/ or wheezing. Difficulty in breathing. Drowsiness. Dizziness.**Numerical measures of toxicity - Product Information**

Refer to component information below.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Tetrachloroethylene	= 2629 mg/kg (Rat)	-	= 27.8 mg/L (Rat) 4 h
Styrene	>5000 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 11.7 mg/L (Rat) 4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Irritating to skin. Classification is based on mixture calculation methods based on component data.
Serious eye damage/eye irritation	Causes serious eye irritation. Classification is based on mixture calculation methods based on component data.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	Suspected of causing genetic defects. Classification is based on mixture calculation methods based on component data.
Carcinogenicity	Suspected of causing cancer. Classification is based on mixture calculation methods based on component data. Refer to 'Chronic effects' section below.

Chemical name	Australia
Tetrachloroethylene - 127-18-4	Carc. 2

Reproductive toxicity	H361d - Suspected of damaging the unborn child. Classification is based on mixture calculation methods based on component data.
STOT - single exposure	May cause respiratory irritation. May cause drowsiness or dizziness. Classification is based on mixture calculation methods based on component data.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure. Classification is based on mixture calculation methods based on component data.
Aspiration hazard	May be fatal if swallowed and enters airways.
Chronic effects:	<p>There is sufficient evidence in experimental animals for the carcinogenicity of styrene. There is limited evidence in humans for the carcinogenicity of styrene. Styrene has been classified by the International Agency for Research on Cancer (IARC) as a Group 2A agent - The agent is probably carcinogenic to humans.</p> <p>Tetrachloroethylene: Inhalational Lowest Toxic Concentration (human): 96 ppm/7hr - effects on peripheral and central nervous system and eye irritation.</p> <p>Human data: 50 ppm - odour threshold to unacclimatised persons. 600 ppm - dizziness and incoordination after 10 minutes 2,000 ppm - mild narcosis in 5 minutes.</p> <p>Evidence from animal studies have shown this compound to cause liver and kidney damage at exposure levels well above the occupational exposure limit.</p> <p>Studies in rats and mice at high doses indicate that tetrachloroethylene is an animal carcinogen. Evaluations of possible mechanisms have led to the conclusion that they are of little relevance to humans even at exposure levels well above the occupational exposure limit. Studies in workers have failed to demonstrate a relationship between exposure to tetrachloroethylene and cancer. Tetrachloroethylene has been classified by the International Agency for Research on Cancer (IARC) as a Group 2A agent - The agent is probably carcinogenic to humans.</p>

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Tetrachloroethylene	EC50: >500mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 12.4 - 14.4mg/L (96h, Pimephales promelas) LC50: 8.6 - 13.5mg/L (96h, Pimephales promelas) LC50: 11.0 - 15.0mg/L (96h, Lepomis macrochirus) LC50: 4.73 - 5.27mg/L (96h, Oncorhynchus mykiss)	-	EC50: 6.1 - 9.0mg/L (48h, Daphnia magna)
Styrene	EC50: =1.4mg/L (72h, Pseudokirchneriella subcapitata) EC50: =0.72mg/L (96h, Pseudokirchneriella subcapitata) EC50: 0.46 - 4.3mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.15 - 3.2mg/L (96h, Pseudokirchneriella subcapitata)	LC50: 3.24 - 4.99mg/L (96h, Pimephales promelas) LC50: 19.03 - 33.53mg/L (96h, Lepomis macrochirus) LC50: 6.75 - 14.5mg/L (96h, Pimephales promelas) LC50: 58.75 - 95.32mg/L (96h, Poecilia reticulata)	-	EC50: 3.3 - 7.4mg/L (48h, Daphnia magna)

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation This chemical shows a low bioaccumulation potential.

Component Information

Chemical name	Partition coefficient
Tetrachloroethylene	2.53 - 2.88
Styrene	2.95

Mobility

Mobility in soil No information available.

Other adverse effects

Endocrine Disruptor Information

Chemical name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Endocrine disrupting potential
Tetrachloroethylene	Group II Chemical	-	-
Styrene	Group I Chemical	High Exposure Concern	-

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number	3082
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRACHLOROETHYLENE)
Hazard class	9
Packing group	III
Hazchem code	•3Z

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRACHLOROETHYLENE)
Transport hazard class(es)	9
Packing group	III

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TETRACHLOROETHYLENE) MARINE POLLUTANT
Transport hazard class(es)	9
Packing group	III
IMDG EMS Fire	F-A
IMDG EMS Spill	S-F
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) 6**National pollutant inventory**

Subject to reporting requirement

Chemical name	National pollutant inventory
Tetrachloroethylene - 127-18-4	10 tonne/yr Threshold category 1
Styrene - 100-42-5	10 tonne/yr Threshold category 1

International Inventories**AIIC**

All the constituents of this material are listed on the Australian Inventory of Industrial Chemicals.

Legend:**AIIC - Australian Inventory of Industrial Chemicals****International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**16. OTHER INFORMATION**

Ixom Operations Pty Ltd Safety Data Sheet 09/ 2018

Reason(s) For Issue: First Issue Primary SDS**Issuing Date:** 27-Apr-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet**Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
Organization for Economic Co-operation and Development High Production Volume Chemicals Program
Organization for Economic Co-operation and Development Screening Information Data Set
RTECS (Registry of Toxic Effects of Chemical Substances)
World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet