SAFETY DATA SHEET



Revision date: 28-Apr-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name MGO500

Product Code(s) 000000054222

Other means of identification

Synonyms MGO500-B; MGO500-25B; MGO500-1000BB.

Recommended use of the chemical and restrictions on use

Recommended use Sewage treatment.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

Label elements

Hazard statements

Other hazards which do not result in classification

May be harmful if swallowed

Revision Number 1

Poisons Schedule (SUSMP) None allocated

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No. | Weight-% |
|-----------------------------|-------------|---------------------|
| Magnesium oxide | 1309-48-4 | >90 |
| Amorphous silica | 112945-52-5 | <5 |
| Magnesium hydroxide | 1309-42-8 | <3 |
| Calcium oxide | 1305-78-8 | <1 |
| Crystalline silica (Quartz) | 14808-60-7 | <1 (non respirable) |

4. FIRST AID MEASURES

Description of first aid measures

General advice For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New

Zealand 0800 764 766) or a doctor.

Inhalation Remove to fresh air. Call a physician if symptoms occur.

Eye contact In case of eye contact, immediately flush eyes with plenty of water for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if

symptoms occur.

Skin contact Wash with plenty of water. Get medical attention if symptoms occur.

Ingestion Rinse mouth thoroughly with water. Do NOT induce vomiting. Get medical attention if

symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the

chemical

Non-combustible.

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Revision Number 1

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Use personal

protective equipment as required. Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up

Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled

material and place in suitable container. Avoid generating dust.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of

dust. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep in a dry, cool and well-ventilated place. Protect from direct sunlight. Protect from

moisture. Keep container closed when not in use.

Incompatible materials Interhalogens.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure LimitsNo value assigned for this specific material by Safe Work Australia. However, Workplace

Exposure Standard(s) for constituent(s):

Magnesium oxide (fume): 8hr TWA = 10 mg/m ³

Silica Amorphous - Precipitated silica: 8hr TWA = 10 mg/m³

Calcium oxide: 8hr TWA = 2 mg/m³

Silica Crystalline - Quartz (respirable dust): 8hr TWA = 0.05 mg/m³, Carcinogen Category 1A

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

 000000054222 - MGO500
 Revision date: 28-Apr-2022

 Revision Number 1

Carcinogen Category 1A - established human carcinogen. There is sufficient evidence to establish a causal association between human exposure and the development of cancer.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls Apply technical measures to comply with the occupational exposure limits.

If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.











Eye/face protection Glasses.

Skin and body protection Protective shoes or boots. Overalls.

Hand protection Impervious gloves.

meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

Environmental exposure controls No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Solid

Appearance No information available.

Color White to Pink
Odor Slight

Odor thresholdNo information available.

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Not applicable None known Hq No data available None known pH (as aqueous solution) 2600-2800°C Melting point / freezing point None known Boiling point / boiling range 3600°C None known Flash point Not applicable None known No data available **Evaporation rate** None known

Revision Number 1

Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

No data available None known Vapor pressure Vapor density No data available None known Relative density >1.0 None known Water solubility Insoluble in water None known Solubility(ies) No data available None known **Partition coefficient** No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known No data available Kinematic viscosity None known Dynamic viscosity No data available None known

Other information

10. STABILITY AND REACTIVITY

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions
None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid

Conditions to avoid Dust formation. Direct sunlight. Moisture. Avoid contact with water.

Incompatible materials

Incompatible materials Interhalogens.

Hazardous decomposition products

Hazardous decomposition products None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Information on likely routes of exposure

Product InformationNo adverse health effects expected if the chemical is handled in accordance with this

Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the

Revision Number 1

chemical is mishandled and overexposure occurs are:

Inhalation May cause irritation.

Eye contact Dust contact with the eyes can lead to mechanical irritation.

Skin contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Symptoms No information available.

Numerical measures of toxicity - Product Information

Refer to component information below.

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 | |
|---------------------|--|-------------|-----------------|--|
| Magnesium oxide | = 3990 mg/kg (Rat) = 3870 mg/kg (Rat) | - | - | |
| Amorphous silica | = 3160 mg/kg (Rat) | - | - | |
| Magnesium hydroxide | = 8500 mg/kg (Rat) | - | - | |
| Calcium oxide | = 500 mg/kg (Rat) | - | - | |

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Refer to 'Chronic effects' section below.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

Chronic effects: Repeated exposure by inhalation to high levels of amorphous silica may cause

pneumonoconiosis but there is no adequate epidemiological data available to evaluate the

carcinogenicity of amorphous silica. Amorphous silica has been classified by the

International Agency for Research on Cancer (IARC) as a Group 3 agent. Group 3 - The

agent is not classifiable as to its carcinogenicity to humans.

For crystalline silica (inhaled in the form of respirable quartz or cristobalite from

occupational sources): This material has been classified by the International Agency for Research on Cancer (IARC) as a Group 1 agent. Group 1 - the agent is carcinogenic to

humans.

Revision Number 1

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|---------------------|----------------------|-------------------------|----------------|-----------|
| | | | microorganisms | |
| Magnesium hydroxide | - | LC50: =511.31mg/L (96h, | - | - |
| | | Pimephales promelas) | | |
| Calcium oxide | - | LC50: =1070mg/L (96h, | - | - |
| | | Cyprinus carpio) | | |

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

14. TRANSPORT INFORMATION

ADG

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

IATA

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.

IMDG

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Revision Number 1

National regulations

<u>Australia</u>

Not classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG)

Not classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS)

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP) None allocated

National pollutant inventory

Subject to reporting requirement

| - and out to reporting requirement | | |
|------------------------------------|--|--|
| Chemical name | National pollutant inventory | |
| Magnesium oxide - 1309-48-4 | 10 tonne/yr Threshold category 1 fume | |
| | 2000 tonne/yr Threshold category 2b fume | |
| | 60000 MWH Threshold category 2b fume | |
| | 20 MW Threshold category 2b fume | |

International Inventories

All the constituents of this material are listed on the Australian Inventory of Industrial

Chemicals.

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 02/2022

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 28-Apr-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Key literature references and sources for data used to compile the SDS

 000000054222 - MGO500
 Revision date: 28-Apr-2022

 Revision Number 1

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australian Industrial Chemicals Introduction Scheme (AICIS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

RTECS (Registry of Toxic Effects of Chemical Substances)

World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet