

SAFETY DATA SHEET



Revision date: 19-Aug-2022

Revision Number 1

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product identifier

Product Name LILAFLOT D826M

Product Code(s) 000000054285

Other means of identification

UN number 2735

CAS No. 68187-46-2

Recommended use of the chemical and restrictions on use

Recommended use Surfactant.
For research use only.

Uses advised against No information available.

Supplier

Ixom Operations Pty Ltd
ABN: 51 600 546 512
Level 8, 1 Nicholson Street
Melbourne 3000
Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number **1 800 033 111 (ALL HOURS)**

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

2. HAZARDS IDENTIFICATION

GHS Classification

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Acute toxicity - Oral	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 2

SIGNAL WORD

Danger

Label elementsCorrosion
Health hazard
Exclamation mark
Environment**Hazard statements**H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H372 - Causes damage to organs through prolonged or repeated exposure if swallowed

The following health/environmental hazard categories fall outside the scope of the Workplace Health and Safety Regulations:

H400 - Very toxic to aquatic life
H411 - Toxic to aquatic life with long lasting effects**Precautionary Statements - Prevention**Do not breathe mist, vapours, spray.
Wash face, hands and any exposed skin thoroughly after handling
Do not eat, drink or smoke when using this product
Wear protective gloves / protective clothing / eye protection / face protection
Avoid release to the environment**Precautionary Statements - Response**Get medical advice/attention if you feel unwell
Specific treatment (see First aid on this SDS)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a POISON CENTER or doctor/physician
IF ON SKIN: Wash with plenty of soap and water
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
Wash contaminated clothing before reuse
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting
Collect spillage**Precautionary Statements - Storage**

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable

Other hazards which do not result in classification**Poisons Schedule (SUSMP)** None allocated**3. COMPOSITION/INFORMATION ON INGREDIENTS****Substance****Chemical nature** Contains 10-30% C12-14 Alkyletherdiamine, acetate.

Chemical name	CAS No.	Weight-%
C12-14 Alkyletherdiamine	68187-46-2	60-90

4. FIRST AID MEASURES

Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. Call a physician if symptoms occur.
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.
Ingestion	Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Note to physicians	Treat symptomatically. Can cause corneal burns.
---------------------------	---

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Suitable Extinguishing Media	Dry chemical, CO2, water spray or regular foam.
-------------------------------------	---

Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.
---------------------------------------	--

Specific hazards arising from the chemical

Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection. Combustible liquid. Environmentally hazardous.
---	---

Hazardous combustion products	Carbon oxides. Nitrogen oxides.
--------------------------------------	---------------------------------

Special protective actions for fire-fighters

Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
---	--

Hazchem code	2X
---------------------	----

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Ensure adequate ventilation. Evacuate personnel to safe areas. Do not touch or walk through spilled material. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly after handling.
-----------------------------	---

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not breathe vapor or mist. Avoid contact with skin, eyes, and clothing. Do not eat, drink or smoke when using this product. Use personal protection equipment. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from sources of heat or ignition. Keep container closed when not in use.

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Packaging materials Do not store in aluminium containers. Do not store in copper or copper alloy containers. Do not store in zinc containers.

Incompatible materials Aluminium. Copper. Zinc.

Poisons Schedule (SUSMP) None allocated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits No value assigned for this specific material by Safe Work Australia.

Appropriate engineering controls

Engineering controls Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.



Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur: Face protection shield.
Skin and body protection	Wear suitable protective clothing. Apron. Overalls. Rubber boots.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear an organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Liquid
Appearance	No information available.
Color	Light yellow
Odor	Ammonia
Odor threshold	No information available.

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	100-199°C	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	891 kg/m ³ @20°C	None known
Water solubility	Dispersible	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	82 mPa.s @20°C	None known

Other information

10. STABILITY AND REACTIVITY

Reactivity**Reactivity** No information available.**Chemical stability****Stability** Stable under normal conditions.**Explosion data****Sensitivity to mechanical impact** None.**Sensitivity to static discharge** None.**Possibility of hazardous reactions****Possibility of hazardous reactions** None under normal processing.**Conditions to avoid****Conditions to avoid** Extremes of temperature and direct sunlight.**Incompatible materials****Incompatible materials** Aluminium. Copper. Zinc.**Hazardous decomposition products****Hazardous decomposition products** Carbon oxides. Nitrogen oxides.**11. TOXICOLOGICAL INFORMATION****Acute toxicity****Information on likely routes of exposure****Product Information** No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:**Inhalation** May cause irritation.**Eye contact** Causes serious eye damage. May cause irreversible damage to eyes.**Skin contact** Contact causes severe skin irritation and possible burns.**Ingestion** Can burn mouth, throat, and stomach.**Symptoms** Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.**Numerical measures of toxicity - Product Information**

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Skin corrosion/irritation** Causes burns.

Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure if swallowed.
Aspiration hazard	No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity Keep out of waterways. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soil No information available.

Other adverse effects

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

14. TRANSPORT INFORMATION

ADG

Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

UN number

2735

Proper shipping name

AMINES, LIQUID, CORROSIVE, N.O.S. (C12-14 ALKYLETHERDIAMINE AND C12-14 ALKYLETHERDIAMINE, ACETATE)

Hazard class	8
Packing group	II
Hazchem code	2X

IATA

Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.

UN number	2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (C12-14 ALKYLETHERDIAMINE AND C12-14 ALKYLETHERDIAMINE, ACETATE)
Transport hazard class(es)	8
Packing group	II

IMDG

Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.

UN number	2735
UN proper shipping name	AMINES, LIQUID, CORROSIVE, N.O.S. (C12-14 ALKYLETHERDIAMINE AND C12-14 ALKYLETHERDIAMINE, ACETATE)
Transport hazard class(es)	8
Packing group	II
IMDG EMS Fire	F-A
IMDG EMS Spill	S-B
Marine pollutant	Yes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as dangerous goods in accordance with the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG).

Classified as a hazardous chemical in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

See section 8 for national exposure control parameters

Poisons Schedule (SUSMP)	None allocated
---------------------------------	----------------

International Inventories

AIIC	This material is not listed on the Australian Inventory of Industrial Chemicals.
-------------	--

Legend:

AIIC - Australian Inventory of Industrial Chemicals

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

16. OTHER INFORMATION

Supplier Safety Data Sheet 07/ 2019

Reason(s) For Issue: First Issue Primary SDS

Issuing Date: 19-Aug-2022

This Safety Data Sheet has been prepared by Ixom Operations Pty Ltd (Toxicology and SDS Services).

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		

Key literature references and sources for data used to compile the SDS

EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AEGL(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian Industrial Chemicals Introduction Scheme (AICIS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Library of Medicine's PubMed database (NLM PUBMED)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program
 Organization for Economic Co-operation and Development Screening Information Data Set
 RTECS (Registry of Toxic Effects of Chemical Substances)
 World Health Organization

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of

which is available upon request.

End of Safety Data Sheet