SAFETY DATA SHEET

Revision date: 22-Jul-2024



Revision Number 1

Section 1: Identification	
Product identifier	
Product Name	REPSOL PRIMEVA P2430-P33400
Product Code(s)	00000054546
Other means of identification	
Synonyms	P2430, P2430C, P2735, P2735C, P28025, P28025S, P28045, P28150, P2836M, P28400, P2850M, P2870, P2870C, P28800, P33015, P33015C, P33025, P33025C, P33045, P33045S, P33400, P28FUEL, EVA copolymer.
Recommended use of the chem	ical and restrictions on use
Recommended use	Industrial applications.
Uses advised against	No information available.
Details of manufacturer or impo	orter
Supplier IXOM Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000	

Australia

Telephone Number: +61 3 9906 3000

Emergency telephone number

Emergency telephone number 1 800 033 111 (ALL HOURS)

Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.

Section 2: Hazard identification

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

GHS Classification

Label elements

Other hazards which do not result in classification

May form combustible dust concentrations in air.

Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Vinyl acetate	108-05-4	<0.3
Other non-hazardous components	-	to 100

Additional information

Ethylene vinyl acetate copolymer with additives.

Section 4: First aid measures

Descri	ption	of	first	aid	measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Wash skin with soap and water. (Call a physician if symptoms occur).
Ingestion	Clean mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed

Symptoms	No information available.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Dust contact with the eyes can lead to mechanical irritation.	

Section 5: Firefighting measures

Suitable Extinguishing Media

Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
------------------------------	---

Unsuitable extinguishing media Solid water jet/stream may scatter and spread the fire.

Specific hazards arising from the chemical

Specific hazards arising from the chemical Combustible solid. On burning will emit toxic fumes, including those of oxides of carbon. Dusts or fumes may form explosive mixtures in air. Avoid generation of dust. Most organic dusts are combustible and according to the circumstances under which the combustion process occurs, such materials may cause fires and/or dust explosions. Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions). Dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only

the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC). When processed with flammable liquids/vapors/mists, ignitable (hybrid) mixtures may be formed with combustible dusts. Ignitable mixtures will increase the rate of explosion pressure rise and the Minimum Ignition Energy (the minimum amount of energy required to ignite dust clouds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the vapors/mists or dusts. Usually the initial or primary explosion takes place in a confined space such as plant or machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave

machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave from the primary explosion enters the surrounding area, it will disturb any settled dust layers, forming a second dust cloud, and often initiate a much larger secondary explosion. All large-scale explosions have resulted from chain reactions of this type. Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in exhaust ducts and during transport. Build-up of electrostatic charge may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. A sudden release of statically charged materials from storage or process equipment, particularly at elevated temperatures and/ or pressure, may result in ignition especially in the absence of an apparent ignition source. One important effect of the particulate nature of powders is that the surface area and surface structure (and often moisture content) can vary widely from sample to sample, depending on how the powder was manufactured and handled which means that it is virtually impossible to use flammability data published in the literature for dusts.

Hazardous combustion products Carbon oxides. Aldehydes. Ketones. Hydrocarbons.

Special protective actions for fire-fighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions	Avoid contact with skin and eyes. Avoid breathing dust or spray mist. Avoid generation of dust. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Take precautionary measures against static discharges.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	See Section 12 for additional Ecological Information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.	

Section 7: Handling and storage

Precautions for safe handling

Advice on safe handling	Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Avoid generation of dust. Ground and bond all lines and equipment associated with product system. All equipment should be non-sparking. All equipment may need to be explosion-proof based on a risk assessment. Take precautionary measures against static discharges.
Conditions for safe storage, including	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Protect from moisture. Store away from sources of heat or ignition. Keep container closed when not in use.
Incompatible materials	Strong oxidizing agents.

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Chemical name	Australia	New Zealand	ACGIH TLV
Vinyl acetate	TWA: 10 ppm	TWA: 5 ppm	TWA: 10 ppm
108-05-4	TWA: 35 mg/m ³	TWA: 18 mg/m ³	STEL: 15 ppm
	STEL: 20 ppm	STEL: 10 ppm	
	STEL: 70 mg/m ³	STEL: 35 mg/m ³	

Chemical name	European Union	United Kingdom	Germany DFG
Vinyl acetate	TWA: 5 ppm	TWA: 5 ppm	TWA: 10 ppm
108-05-4	TWA: 17.6 mg/m ³	TWA: 17.6 mg/m ³	TWA: 36 mg/m ³
	STEL: 10 ppm	STEL: 10 ppm	Peak: 10 ppm
	STEL: 35.2 mg/m ³	STEL: 35.2 mg/m ³	Peak: 36 mg/m ³
		-	Sk*

Dusts not otherwise classified: 8hr TWA = 10 mg/m³

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Appropriate engineering controls

Engineering controls	Apply technical measures to comply with the occupational exposure limits.
	If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements. Apply technical measures to comply with occupational exposure limits.

Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES, DUST MASK.

Eye/face protection	Glasses.
Skin and body protection	Protective shoes or boots. Wear suitable protective clothing. Overalls.
Hand protection	Impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a dust mask/respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Solid	
Appearance	Pellets	
Color	Colourless	
Odor	Acetic acid	
Odor threshold	No information available	
Property	Values	Remarks • Method
рН	No data available	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	944 kg/m³	None known
Water solubility	No data available	None known
Solubility(ies)	Insoluble in water	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	220-230°C	None known
Kinematic viscosity	No data available	None known

Dynamic viscosity

No data available

None known

Other information

Section 10: Stability and re	activity	
Reactivity		
Reactivity	Reacts with strong oxidising agents.	
Chemical stability		
Stability	Stable under normal conditions.	
Explosion data Sensitivity to mechanical impact Sensitivity to static discharge	None. Fine dust dispersed in air, in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.	
Possibility of hazardous reactions		
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid		
Conditions to avoid	Heat, flames and sparks. Dust formation. Dispersal of dust in the air. Static discharge (electrostatic discharge).	
Incompatible materials		
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products		
Hazardous decomposition products Carbon oxides. Aldehydes. Ketones. Hydrocarbons.		

Section 11: Toxicological information

Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Dust contact with the eyes can lead to mechanical irritation.
Skin contact	May cause irritation.
Ingestion	May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms	Dust contact with the eyes can lead to mechanical irritation.
Acute toxicity	

Numerical measures of toxicity - Product Information

ATEmix (oral)	>5000	mg/kg
ATEmix (dermal)	>5000	mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Vinyl acetate	= 2900 mg/kg (Rat)	= 2335 mg/kg (Rabbit)	= 3680 ppm (Rat)4 h

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.
Germ cell mutagenicity	No information available.
Respiratory or skin sensitization	No information available.
Serious eye damage/eye irritation	No information available.
Skin corrosion/irritation	No information available.

Chemical name	Australia	European Union	IARC
Vinyl acetate - 108-05-4	Carc. 2	Carc. 2	Group 2B

IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

Section 12: Ecological information

Ecotoxicity

Aquatic ecotoxicity

Avoid contaminating waterways.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Vinyl acetate	-	LC50: =14mg/L (96h,	-	-
		Pimephales promelas)		
		LC50: 15.04 -		
		21.54mg/L (96h,		
		Lepomis macrochirus)		
		LC50: 26.1 - 36.63mg/L		

	(96h, Poecilia	reticulata)
Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability Persistence and degradability	- No information available.	
Bioaccumulative potential Bioaccumulation Component Information	There is no data for this product.	
Cher	nical name	Partition coefficient
Vin	yl acetate	0.73
<u>Mobility</u>		
Mobility	No information available.	
Other adverse effects		
Other adverse effects	No information available.	
Section 13: Disposal co	onsiderations	
Waste treatment methods		
Waste from residues/unused products	Landfill or incineration in accordance with local, state and federal regulations.	
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
See section 8 for more informa	tion	
Section 14: Transport i	nformation	

ADG	Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.
IATA_	Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; NON-DANGEROUS GOODS.
IMDG_	Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; NON-DANGEROUS GOODS.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Not classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS).

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

No poisons schedule number allocated

Poison Schedule Number Not applicable

Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

Chemical name	Australian Industrial	Additional information
	Chemicals Introduction	
	Scheme (AICIS)	
Vinyl acetate - 108-05-4	Present	-
Other non-hazardous components	Present	-

Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory			
Vinyl acetate - 108-05-4	20 MW Threshold category 2b total			
	60000 MWH Threshold category 2b total			
	1 tonne/h Threshold category 2a total			
	25 tonne/yr Threshold category 1a total			
	400 tonne/yr Threshold category 2a total			
	2000 tonne/yr Threshold category 2b total			

International Inventories AIIC Contact supplier for inventory compliance status. NZIoC Contact supplier for inventory compliance status. **TSCA** Contact supplier for inventory compliance status. DSL/NDSL Contact supplier for inventory compliance status. Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. ENCS Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. KECL PICCS Contact supplier for inventory compliance status.

Legend:

AllC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Other information

Supplier Safety Data Sheet 04/2022

Reason(s) For Issue:	First Issue Primary SDS
Prepared By	This Safety Data Sheet has been prepared by IXOM Operations Pty Ltd (Toxicology and SDS Services).
Revision date:	22-Jul-2024

Revision Note:

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances
STOT: Specific Target Organ Toxicity
ATE: Acute Toxicity Estimate
LC50: 50% Lethal Concentration
LD50: 50% Lethal Dose

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA Ceiling C	TWA (time-weighted average) Maximum limit value Carcinogen	STEL *	STEL (Short Term Exposure Limit) Skin designation			
Key literature references and sources for data used to compile the SDS						

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Disclaimer

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since IXOM Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their IXOM representative or IXOM Operations Pty Ltd at the contact details on page 1.

IXOM Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet