# SAFETY DATA SHEET

Revision date: 14-May-2024



Revision Number 1

Section 1: Identification			
Product identifier			
Product Name	CellShield		
Product Code(s)	00000054632		
Other means of identification			
UN number or ID number	3264		
Pure substance/mixture	Mixture		
Recommended use of the chemical	and restrictions on use		
Recommended use	Control of scale and mineral build-up in salt-water chlorinator cells in swimming pools and spas.		
Uses advised against	No information available.		
Details of manufacturer or importer			
Supplier Ixom Operations Pty Ltd ABN: 51 600 546 512 Level 8, 1 Nicholson Street Melbourne 3000 Australia			
Telephone Number: +61 3 9906 3000			
Emergency telephone number			
Emergency telephone number	1 800 033 111 (ALL HOURS)		
Please ensure you refer to the limitations of this Safety Data Sheet as set out in the "Other Information" section at the end of this Data Sheet.			
Section 2: Hazard identific	ation		

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

**GHS Classification** 

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Label elements Corrosion



Signal word DANGER

#### Hazard statements

H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/clothing and eye/face protection. **Precautionary Statements - Response** Specific treatment (see First aid on this SDS). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. **Precautionary Statements - Storage** Store locked up. **Precautionary Statements - Disposal** Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

# Other hazards which do not result in classification

# Section 3: Composition and information on ingredients

Chemical name	CAS No.	Weight-%
Sulfuric acid	7664-93-9	2-5
Other component(s)	-	to 100

# Section 4: First aid measures

## Description of first aid measures

General advice	For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air. (Call a physician if symptoms occur).
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician.

# Ingestion

Rinse mouth thoroughly with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person. Get immediate medical attention.

# Most important symptoms and effects, both acute and delayed

Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.	
Effects of Exposure	No information available.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically. Can cause corneal burns.	

Section 5: Firefighting measures				
Suitable Extinguishing Media				
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.			
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.			
Specific hazards arising from the c				
Specific flazarus arising from the c				
Specific hazards arising from the chemical	Corrosive hazard. Wear protective gloves/clothing and eye/face protection.			
Special protective actions for fire-f	ighters			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
Hazchem code	2X			
Section 6: Accidental relea	ase measures			
	ase measures			
Personal precautions, protective ed	quipment and emergency procedures Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash			
Personal precautions, protective en	quipment and emergency procedures Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.			
Personal precautions, protective ed Personal precautions For emergency responders	quipment and emergency procedures Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation. Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.			
Personal precautions, protective ed Personal precautions For emergency responders Environmental precautions	quipment and emergency procedures         Avoid contact with skin, eyes and inhalation of vapors. Ensure adequate ventilation.         Evacuate personnel to safe areas. Stop leak if you can do it without risk. Do not touch or walk through spilled material. Use personal protective equipment as required. Wash thoroughly after handling.         Use personal protection recommended in Section 8.         See Section 12 for additional Ecological Information.			

**Methods for cleaning up** Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

# Section 7: Handling and storage

#### Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Do not breathe vapor or mist. Ensure adequate ventilation. Use personal protection equipment. Wash thoroughly after handling. Keep out of reach of children.	
General hygiene considerations	Do not eat, drink or smoke when using this product.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from foodstuffs. Keep container closed when not in use.	
	This material is a Scheduled Poison and must be stored, maintained and used in accordance with the relevant regulations.	
Incompatible materials	Strong bases.	

# Section 8: Exposure controls and personal protection

### Control parameters

Exposure Limits

No value assigned for this specific material by Safe Work Australia. However, Workplace Exposure Standard(s) for constituent(s):

Sulfuric acid: 8hr TWA = 1 mg/m<sup>3</sup>, 15 min STEL = 3 mg/m<sup>3</sup>

As published by Safe Work Australia Workplace Exposure Standards for Airborne Contaminants.

TWA - The time-weighted average airborne concentration of a particular substance when calculated over an eight-hour working day, for a five-day working week.

STEL (Short Term Exposure Limit) - the airborne concentration of a particular substance calculated as a time-weighted average over 15 minutes, which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.

These Workplace Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These workplace exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

#### Appropriate engineering controls

 

 Engineering controls
 Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits.

 If in the handling and application of this material, safe exposure levels could be exceeded, the use of engineering controls such as local exhaust ventilation must be considered and the results documented. If achieving safe exposure levels does not require engineering controls, then a detailed and documented risk assessment using the relevant Personal Protective Equipment (PPE) (refer to PPE section below) as a basis must be carried out to determine the minimum PPE requirements.

#### Individual protection measures, such as personal protective equipment

The selection of PPE is dependent on a detailed risk assessment. The risk assessment should consider the work situation, the

physical form of the chemical, the handling methods, and environmental factors.

OVERALLS, CHEMICAL GOGGLES, FACE SHIELD, GLOVES (Long), APRON, RUBBER BOOTS.

Eye/face protection	Tight sealing safety goggles. If splashes are likely to occur:. Face protection shield.
Skin and body protection	Boots. Apron. Overalls.
Hand protection	Elbow-length impervious gloves.
Respiratory protection	If determined by a risk assessment an inhalation risk exists, wear a suitable mist respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.
Environmental exposure controls	No information available.
Thermal hazards	No information available.

# Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state	Liquid No information available	
Appearance Color	Colourless	
Odor	Odourless	
Odor threshold	No information available	
	No information available	
Property	<u>Values</u>	Remarks • Method
рН	0.3-0.8	None known
pH (as aqueous solution)	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.01–1.08	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information

# Section 10: Stability and reactivity

Reactivity	
Reactivity	Non-reactive under normal conditions of use, storage and transport.
Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	t None. None.
Possibility of hazardous reactions	-
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	
Conditions to avoid	Do not contaminate food or feed stuffs.
Incompatible materials	
Incompatible materials	Strong bases.
Hazardous decomposition products	<u>S</u>

Hazardous decomposition products Oxides of sulfur.

# Section 11: Toxicological information

# Information on likely routes of exposure

Product Information	No adverse health effects expected if the chemical is handled in accordance with this Safety Data Sheet and the chemical label. Symptoms or effects that may arise if the chemical is mishandled and overexposure occurs are:
Inhalation	May cause irritation.
Eye contact	Causes serious eye damage.
Skin contact	Causes severe burns.
Ingestion	Can burn mouth, throat, and stomach.
Symptoms	Irritation/Corrosion. May cause redness and tearing of the eyes. Erythema (skin redness). Burning.

### Acute toxicity\_.

<u>Numerical measures of toxicity</u> - Product Information No information available

Numerical measures of toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Sulfuric acid	= 2140 mg/kg (Rat)	-	= 0.375 mg/L (Rat)4 h	
See section 16 for terms and abbrevia	ations			
Delayed and immediate effects as w	Delayed and immediate effects as well as chronic effects from short and long-term exposure			
Delayed and mineulale effects as v		on and long-term exposure	-	
Skin corrosion/irritation	Causes severe burns.			
Serious eye damage/eye irritation	Causes serious eye damage.			
Respiratory or skin sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	No information available.			
Reproductive toxicity	No information available.			
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Aspiration hazard	No information available.			

# Section 12: Ecological information

<u>Ecotoxicity</u>		
Aquatic ecotoxicity	Keep out of waterways.	
Terrestrial ecotoxicity	There is no data for this product.	
Persistence and degradability		
Persistence and degradability	No information available.	
Discourse lating as for the		
Bioaccumulative potential		
Bioaccumulation	There is no data for this product.	
<u>Mobility</u>		
Mobility	No information available.	

Other adverse effects

Other adverse effects

No information available.

# Section 13: Disposal considerations

Waste treatment methods	
Waste from residues/unused products	Dispose of in accordance with federal, state and local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

See section 8 for more information

Section 14: Transport information		
ADG	Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.	
UN number or ID number Proper shipping name Transport hazard class(es) Packing group Hazchem code	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULFURIC ACID) 8 II 2X	
ΙΑΤΑ	Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; DANGEROUS GOODS.	
UN number UN proper shipping name Transport hazard class(es) Packing group	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULFURIC ACID) 8 II	
IMDG	Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; DANGEROUS GOODS.	
UN number UN proper shipping name Transport hazard class(es) Packing group IMDG EMS Fire IMDG EMS Spill Marine pollutant	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (CONTAINS SULFURIC ACID) 8 II F-A S-B Not applicable	

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

# Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

Classified as a hazardous substance in accordance with the criteria of Safe Work Australia - Globally Harmonized System (GHS). Classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for Transport by Road and Rail; DANGEROUS GOODS.

See section 8 for national exposure control parameters

#### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP) **Poison Schedule Number** 6

### Australian Industrial Chemicals Introduction Scheme (AICIS)

Contact supplier for inventory compliance status

	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Sulfuric acid - 7664-93-9	Present	-

## Illicit Drug Precursors/Reagents

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### International Inventories

AIIC	A constituent of this material is not listed on the Australian Inventory of Industrial Chemicals.
NZIoC	Contact supplier for inventory compliance status.
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.

Legend:

AllC- Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

# Section 16: Other information

Supplier Safety Data Sheet 08/ 2023

Reason(s) For Issue:	First Issue Primary SDS

Revision date: 14-May-2024

## **Revision Note:**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

## Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation
C	Carcinogen		-

# Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) Australian Industrial Chemicals Introduction Scheme (AICIS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

#### **Disclaimer**

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since Ixom Operations Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If clarification or further information is needed, the user should contact their Ixom representative or Ixom Operations Pty Ltd at the contact details on page 1.

Ixom Operations Pty Ltd's responsibility for the material as sold is subject to the terms and conditions of sale, a copy of which is available upon request.

End of Safety Data Sheet